

5x5x1.5mm Candle Warm White Top SMD LED

OSM24TS4C1A-RA80


■Features

- · High Luminous PLCC6 Top SMD LEDs
- 5.0x5.0x1.5mm Standard Directivity
- · UV Resistant Silicone
- · Yellow Diffused Type

■Applications

- Backlighting (switches, keys, displays, illuminated advertising etc.)
- Substitution of Micro Incandescent Lamps
- Reading Lamps / Emergency Lighting
- Marker lights (e.g. steps, exit ways, etc.)
- · Other Lighting

■Outline Dimension




■Absolute Maximum Rating

Item	Symbol	Value	Unit
DC Forward Current	I_F	75	mA
Pulse Forward Current#	I_{FP}	100	mA
Reverse Voltage	V_R	5	V
Power Dissipation	P_D	270	mW
Operating Temperature	Topr	-30 ~ +85	$^{\circ}\!\mathbb{C}$
Storage Temperature	Tstg	-40~ +100	$^{\circ}\!\mathbb{C}$
Lead Soldering Temperature	Tsol	260°C/10sec	_

(Ta=25℃)

(Ta=25℃)

■Directivity



#Pulse width Max.10ms Duty ratio max 1/10

■Electrical -Optical Characteristics

Item	Symbol	Condition	Min.	Typ.	Max.	Unit
DC Forward Voltage*1	V_{F}	I _F =60mA	-	3.1	3.6	V
DC Reverse Current	I_R	$V_R=5V$	-	1	10	μΑ
Color Rendering Index*2	Ra	I _F =60mA	80	•	1	
Luminous Flux*3	Фу	I _F =60mA	20	22	1	lm
Luminous Intensity*4	Iv	I _F =20mA	5800	7000	1	mcd
Color Temperature*5	CCT	I _F =60mA	2000	2200	2400	K
Chromaticity	Х	I _F =60mA	-	0.51	1	
Coordinate*6	y	I _F =60mA	-	0.41	-	

- *1 Tolerance of measurements of forward voltage is ±0.1V *2 Tolerance of measurements of Color Rendering Index is ±10%
- *3 Tolerance of measurements of luminous flux is $\pm 15\%$ *4 Tolerance of measurements of Luminous Intensity $\pm 15\%$

LED & Application Technologies

 $2\theta_{1/2}$

50% Power Angle





deg





http://www.optosupply.com VER A.0




5x5x1.5mm Candle Warm White Top SMD LED

OSM24TS4C1A-RA80

■ Soldering Conditions

Reflow Soldering		Hand Soldering		
Pre-Heat	180 ~ 200°C			
Pre-Heat Time	120 sec. Max.		350°C Max.	
Peak temperature	ak temperature 260°C Max.		3 sec. Max.	
Dipping Time	10 sec. Max.	Soldering time	(one time only)	
Condition	Refer to Temperature-profile		(one time only)	

• Reflow Soldering Condition(Lead-free Solder)



- *Recommended soldering conditions vary according to the type of LED
- *Although the recommended soldering conditions are specified in the above table, reflow, or hand soldering at the lowest possible temperature is desirable for the LEDs.
- *A rapid-rate process is not recommended for cooling the LEDs down from the peak temperature.
- •All SMD LED products are pb-free soldering available.
- Occasionally there is a brightness decrease caused by the influence of heat or ambient atmosphere during air reflow. It is recommended that the User use the nitrogen reflow method.
- Repairing should not be done after the LEDs have been soldered. When repairing is unavoidable a double-head soldering iron should be used. It should be confirmed beforehand whether the characteristics of the LEDs will or will not be damaged by repairing.
- Reflow soldering should not be done more than two times.
- When soldering, do not put stress on the LEDs during heating.
- After soldering, do not warp the circuit board.










LED & Application Technologies

OSM24TS4C1A-RA80

PACKING DIMENTIONS



Notes:

- 1. Unit: mm
- 2. 1000pcs/Reel











5x5x1.5mm Candle Warm White Top SMD LED

OSM24TS4C1A-RA80

Precautions in Use for Surface Mount Diode

■ Storage

· Storage Conditions

Before opening the package:

The LEDs should be kept at 30°C or less and 60%RH or less. The LEDs should be used within a year. When storing the LEDs, moisture proof packaging with absorbent material (silica gel) is recommended.

· After opening the package:

Soldering should be done right after opening the package (within 24hrs).

Keeping of a fraction, sealing and Temperature: 5~30°C Humidity: Less than 30%.

If the package has been opened more than 24 Hours, components should be dried for 12hrs, at $60\pm5^{\circ}$ C.

- · Optosupply LED electrode sections are comprised of a silver plated copper alloy. The silver surface may be affected by environments which contain corrosive gases and so on. Please avoid conditions which may cause the LED to corrode, tarnish or discolor. This corrosion or discoloration may cause difficulty during soldering operations. It is recommended that the User use the LEDs as soon as possible.
- · Please avoid rapid transitions in ambient temperature, especially in high humidity environments where condensation can occur.









LED & Application Technologies

http://www.optosupply.com VER A.0