WWW.CREE.COM/XLAMP

Cree® XLamp® XP-C LEDs









PRODUCT DESCRIPTION

The XLamp® XP-C LED combines the • proven lighting-class performance and reliability of the XLamp XR-E LED in a package with 80% smaller footprint. • The XLamp XP-C LED continues Cree's • history of innovation in LEDs for lighting applications with wide viewing angle, • symmetrical package, unlimited floor life • and electrically neutral thermal path.

Cree XLamp LEDs bring high performance and quality of light to a wide range of lighting applications, including colo-changing lighting, portable and personal lighting, outdoor lighting, indoor directional lighting, commercial lighting and emergency-vehicle lighting.

FEATURES

- Available in white (2600 K to 10,000 K CCT), royal blue, blue, green, amber, red-orange, red
- Maximum drive current: up to 500 mA
- Low thermal resistance: as low as 10 °C/W
- Wide viewing angle: 110° 125°
- Unlimited floor life at ≤ 30 °C/85% RH
- Reflow solderable JEDEC J-STD-020C compatible
- Electrically neutral thermal path
- · RoHS and REACh compliant
- UL® recognized component (E349212)

TABLE OF CONTENTS

Characteristics	.2
Flux Characteristics - White	.3
Flux Characteristics - Color	.7
Relative Spectral Power Distribution 1	10
Relative Flux vs. Junction Temperature 1	11
Electrical Characteristics1	12
Relative Flux vs. Current1	13
Typical Spatial Distribution1	14
Thermal Design1	15
Performance Groups - Luminous Flux 1	17
Performance Groups - Radiant Flux 1	17
Performance Groups - Chromaticity 1	18
Performance Groups - Dominant	
Wavelength2	22
Performance Groups - Forward Voltage. 2	22
Cree's Standard Chromaticity Regions	
Plotted on the 1931 CIE Curve2	23
Cree's Standard Cool White Kits Plotted	
on ANSI Standard Chromaticity	
Regions2	25
Cree's Standard Warm and Neutral	
White Kits Plotted on ANSI Standard	
Chromaticity Regions2	26
Cree's Standard Chromaticity Kits 2	27
Bin and Order Code Formats2	27
Reflow Soldering Characteristics 2	28
Notes2	29
Mechanical Dimensions3	31
Tape and Reel3	33
Packaging3	34







CHARACTERISTICS

Characteristics	Unit	Minimum	Typical	Maximum
Thermal resistance, junction to solder point - white, royal blue, blue	°C/W		12	
Thermal resistance, junction to solder point - green	°C/W		20	
Thermal resistance, junction to solder point - amber	°C/W		15	
Thermal resistance, junction to solder point - red, red-orange	°C/W		10	
Viewing angle (FWHM) - white	degrees		115	
Viewing angle (FWHM) - royal blue, blue, green, red, red-orange, amber	degrees		125	
Temperature coefficient of voltage - white, blue, royal blue, green	mV/°C		-4.0	
Temperature coefficient of voltage - amber, red-orange, red	mV/°C		-2.0	
ESD withstand voltage (HBM per Mil-Std-883D) - white, royal blue, blue, green	V			8000
ESD Classification (HBM per Mil-Std-883D) - amber, red-orange, red			Class 2	
DC forward current - white, royal blue, blue, green	mA			500
DC forward current - amber, red-orange, red	mA			350
Reverse voltage	V			5
Forward voltage (@ 350 mA) - white	V		3.2	3.9
Forward voltage (@ 350 mA) - royal blue, blue	V		3.3	3.9
Forward voltage (@ 350 mA) - green	V		3.4	3.9
Forward voltage (@ 350 mA) - amber, red-orange, red	V		2.2	2.5
Forward voltage (@ 125 mA) - royal blue, blue	V		3.1	
Forward voltage (@ 125 mA) - green	V		3.3	
Forward voltage (@ 125 mA) - red-orange, red	V		2.0	
Forward voltage (@ 125 mA) - amber	V		2.1	
Forward voltage (@ 500 mA) - royal blue, blue, white	V		3.5	
Forward voltage (@ 500 mA) - green	V		3.6	
LED junction temperature	°C			150



FLUX CHARACTERISTICS - WHITE (T, = 25 °C)

The following tables provide order codes for XLamp XP-C white LEDs. For a complete description of the order code nomenclature, please see the Bin and Order Code Formats section (page 27).

Minimum Lur (lm) @ 3		Chromaticity Regions	Order Codes
Group	Flux (lm)		
		WA, WB, WC, WD, WE, WF, WG, WH, WJ, WK, WM, WN, WP	XPCWHT-L1-0000-00A01
Q2	87.4	WC, WD, WF, WG	XPCWHT-L1-0000-00A02
		WC, WD, WF, WG, WH, WJ, WN, WP	XPCWHT-L1-0000-00A03
		WA, WB, WC, WD, WE, WF, WG, WH, WJ, WK, WM, WN, WP	XPCWHT-L1-0000-00B01
Q3	93.9	WC, WD, WF, WG	XPCWHT-L1-0000-00B02
		WC, WD, WF, WG, WH, WJ, WN, WP	XPCWHT-L1-0000-00B03
		WA, WB, WC, WD, WE, WF, WG, WH, WJ, WK, WM, WN, WP	XPCWHT-L1-0000-00C01
Q4	100	WC, WD, WF, WG	XPCWHT-L1-0000-00C02
		WC, WD, WF, WG, WH, WJ, WN, WP	XPCWHT-L1-0000-00C03
		WA, WB, WC, WD, WE, WF, WG, WH, WJ, WK, WM, WN, WP	XPCWHT-L1-0000-00D01
Q5	107	WC, WD, WF, WG	XPCWHT-L1-0000-00D02
		WC, WD, WF, WG, WH, WJ, WN, WP	XPCWHT-L1-0000-00D03

- Cree maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a
 tolerance of ±2 on CRI measurements. See the Measurements section (page 29).
- Cree XLamp XP-C LED order codes specify only a minimum flux bin and not a maximum. Cree may ship reels in flux bins higher than
 the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity bin restrictions
 specified by the order code.



FLUX CHARACTERISTICS - WHITE (T, = 25 °C) - CONTINUED

The following tables provide order codes for XLamp XP-C white LEDs. For a complete description of the order code nomenclature, please see the Bin and Order Code Formats section (page 27). For definitions of the chromaticity kits, please see the Cree's Standard Chromaticity Kits section (page 27).

Chro	maticity		m Luminous) @ 350 mA	Order Codes
Kit	CCT	Code	Flux (lm)	70 CRI Typical
		Q5	107	XPCWHT-L1-0000-00D51
51	6200 K	Q4	100	XPCWHT-L1-0000-00C51
51	6200 K	Q3	93.9	XPCWHT-L1-0000-00B51
		Q2	87.4	XPCWHT-L1-0000-00A51
		Q5	107	XPCWHT-L1-0000-00D53
53	6000 K	Q4	100	XPCWHT-L1-0000-00C53
33	0000 K	Q3	93.9	XPCWHT-L1-0000-00B53
		Q2	87.4	XPCWHT-L1-0000-00A53
		Q5	107	XPCWHT-L1-0000-00D50
50	6200 K	Q4	100	XPCWHT-L1-0000-00C50
30	0200 K	Q3	93.9	XPCWHT-L1-0000-00B50
		Q2	87.4	XPCWHT-L1-0000-00A50
		Q5	107	XPCWHT-L1-0000-00DE1
E1	6500 K	Q4	100	XPCWHT-L1-0000-00CE1
E1	0300 K	Q3	93.9	XPCWHT-L1-0000-00BE1
		Q2	87.4	XPCWHT-L1-0000-00AE1
		Q5	107	XPCWHT-L1-0000-00DE2
F2	5700 K	Q4	100	XPCWHT-L1-0000-00CE2
LZ	3700 K	Q3	93.9	XPCWHT-L1-0000-00BE2
		Q2	87.4	XPCWHT-L1-0000-00AE2

- Cree maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a
 tolerance of ±2 on CRI measurements. See the Measurements section (page 29).
- Cree XLamp XP-C LED order codes specify only a minimum flux bin and not a maximum. Cree may ship reels in flux bins higher than
 the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity bin restrictions
 specified by the order code.



FLUX CHARACTERISTICS - WHITE (T, = 25 °C) - CONTINUED

Chro	naticity		m Luminous) @ 350 mA	Order Codes		
Kit	CCT	Code	Flux (lm)	75 CRI Typical		
		Q2	87.4	XPCWHT-L1-0000-00AE3		
E3	5000 K	P4	80.6	XPCWHT-L1-0000-009E3		
		P3	73.9	XPCWHT-L1-0000-008E3		
		Q2	87.4	XPCWHT-L1-0000-00AF4		
F4	4750 K	P4	80.6	XPCWHT-L1-0000-009F4		
		P3	73.9	XPCWHT-L1-0000-008F4		
F4	4500 K	Q2	87.4	XPCWHT-L1-0000-00AE4		
E4	4500 K	P4	80.6	XPCWHT-L1-0000-009E4		
		Q2	87.4	XPCWHT-L1-0000-00AF5		
F5	4250 K	P4	80.6	XPCWHT-L1-0000-009F5		
FO	4250 K	P3	73.9	XPCWHT-L1-0000-008F5		
		P2	67.2	XPCWHT-L1-0000-007F5		
		Q2	87.4	XPCWHT-L1-0000-00AE5		
E5	4000 K	P4	80.6	XPCWHT-L1-0000-009E5		
E5	4000 K	P3	73.9	XPCWHT-L1-0000-008E5		
		P2	67.2	XPCWHT-L1-0000-007E5		

- Cree maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements. See the Measurements section (page 29).
- Cree XLamp XP-C LED order codes specify only a minimum flux bin and not a maximum. Cree may ship reels in flux bins higher than
 the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity bin restrictions
 specified by the order code.



FLUX CHARACTERISTICS - WHITE ($T_J = 25$ °C) - CONTINUED

Chro	naticity		m Luminous) @ 350 mA	Order Codes		
Kit	CCT	Code	Flux (lm)	80 CRI Typical		
		P4	80.6	XPCWHT-L1-0000-009F6		
F6	3750 K	P3	73.9	XPCWHT-L1-0000-008F6		
		P2	67.2	XPCWHT-L1-0000-007F6		
		P4	80.6	XPCWHT-L1-0000-009E6		
E6	3500 K	P3	73.9	XPCWHT-L1-0000-008E6		
		P2	67.2	XPCWHT-L1-0000-007E6		
		P3	73.9	XPCWHT-L1-0000-008F7		
F7	3250 K	P2	67.2	XPCWHT-L1-0000-007F7		
		N4	62	XPCWHT-L1-0000-006F7		
		P3	73.9	XPCWHT-L1-0000-008E7		
E7	3000 K	P2	67.2	XPCWHT-L1-0000-007E7		
		N4	62	XPCWHT-L1-0000-006E7		
		P2	67.2	XPCWHT-L1-0000-007F8		
F8	2850 K	N4	62	XPCWHT-L1-0000-006F8		
		N3	56.8	XPCWHT-L1-0000-005F8		
		P2	67.2	XPCWHT-L1-0000-007E8		
E8	2700 K	N4	62	XPCWHT-L1-0000-006E8		
		N3	56.8	XPCWHT-L1-0000-005E8		

- Cree maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements. See the Measurements section (page 29).
- Cree XLamp XP-C LED order codes specify only a minimum flux bin and not a maximum. Cree may ship reels in flux bins higher than
 the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity bin restrictions
 specified by the order code.



FLUX CHARACTERISTICS - COLOR (T, = 25 °C)

The following tables provide order codes for XLamp XP-C color LEDs. For a complete description of the order code nomenclature, please see the Bin and Order Code Formats section (page 27).

	Minimum F	Radiant Flux @	Calculated Minimum		Dominant Wa	nm)		
Color	35	0 mA	Radiant Flux @ 125 mA*	М	Minimum		aximum	Order Codes
	Group	Flux (mW)	Flux (mW)	Group	DWL (nm)	Group	DWL (nm)	
12				D3	450	D5	465	XPCROY-L1-0000-00701
	12	12 250	104	D3	450	D4	460	XPCROY-L1-0000-00702
				D4	455	D5	465	XPCROY-L1-0000-00703
David Bloc		300	124	D3	450	D5	465	XPCROY-L1-0000-00801
Royal Blue	13			D3	450	D4	460	XPCROY-L1-0000-00802
				D4	455	D5	465	XPCROY-L1-0000-00803
	14	14 350	145	D3	450	D5	465	XPCROY-L1-0000-00901
				D3	450	D4	460	XPCROY-L1-0000-00902

	Minimum I	in a.u.a Fluw	Calculated Minimum	Dominant Wavelength (nm)				
Color	Minimum Luminous Flux (@ 350 mA		Luminous Flux @ 125 mA*	Minimum		Maximum		Order Codes
	Group	Flux (lm)	Flux (lm)	Group DWL (nm)		Group	DWL (nm)	
	J			В3	465	В6	485	XPCBLU-L1-0000-00W01
		23.5	10.8	В3	465	B5	480	XPCBLU-L1-0000-00W02
				B4	470	B5	480	XPCBLU-L1-0000-00W05
		30.6	13.8	В3	465	В6	485	XPCBLU-L1-0000-00Y01
Blue	K2			В3	465	B5	480	XPCBLU-L1-0000-00Y02
				B4	470	B5	480	XPCBLU-L1-0000-00Y05
				В3	465	В6	485	XPCBLU-L1-0000-00Z01
	K3	35.2	15.9	В3	465	B5	480	XPCBLU-L1-0000-00Z02
				B4	470	B5	480	XPCBLU-L1-0000-00Z05

- Cree maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements. See the Measurements section (page 29).
- Cree XLamp XP-C LED order codes specify only a minimum flux bin and not a maximum. Cree may ship reels in flux bins higher than
 the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity bin restrictions
 specified by the order code.
- Flux values at 125 mA are calculated and for reference only.



FLUX CHARACTERISTICS - COLOR (T, = 25 °C) - CONTINUED

	Minimum I	uminous Flux	Calculated Minimum		Dominant Wav	nm)		
Color		350 mA	Luminous Flux @ 125 mA*	Mi	Minimum		ximum	Order Codes
	Group	Flux (lm)	Flux (lm)	Group	DWL (nm)	Group	DWL (nm)	
				G2	520	G4	535	XPCGRN-L1-0000-00501
	N3	56.8	28.2	G2	520	G3	530	XPCGRN-L1-0000-00502
				G3	525	G4	535	XPCGRN-L1-0000-00503
	N4			G2	520	G4	535	XPCGRN-L1-0000-00601
		62.0	30.8	G2	520	G3	530	XPCGRN-L1-0000-00602
				G3	525	G4	535	XPCGRN-L1-0000-00603
		P2 67.2	33.3	G2	520	G4	535	XPCGRN-L1-0000-00701
Green	P2			G2	520	G3	530	XPCGRN-L1-0000-00702
				G3	525	G4	535	XPCGRN-L1-0000-00703
				G2	520	G4	535	XPCGRN-L1-0000-00801
	P3	73.9	36.7	G2	520	G3	530	XPCGRN-L1-0000-00802
				G3	525	G4	535	XPCGRN-L1-0000-00803
				G2	520	G4	535	XPCGRN-L1-0000-00901
	P4	80.6	40.0	G2	520	G3	530	XPCGRN-L1-0000-00902
				G3	525	G4	535	XPCGRN-L1-0000-00903

	Minimum I	uminous Flux	Calculated Minimum		Dominant Wav	nm)		
Color		350 mA	Luminous Flux @ 125 mA*	Mi	Minimum		ximum	Order Codes
	Group	Flux (lm)	Flux (lm)	Group	DWL (nm)	Group	DWL (nm)	
	M2 39.8	14.9	A2	585	А3	595	XPCAMB-L1-0000-00201	
		39.8	14.9	A3	590	А3	595	XPCAMB-L1-0000-00203
	Ma	M3 45.7	17.1	A2	585	A3	595	XPCAMB-L1-0000-00301
	IVIS			A3	590	A3	595	XPCAMB-L1-0000-00303
Amber	N2	2 51.7	19.4	A2	585	A3	595	XPCAMB-L1-0000-00401
Allibei	INZ			A3	590	A3	595	XPCAMB-L1-0000-00403
	N3	56.8	21.3	A2	585	A3	595	XPCAMB-L1-0000-00501
	INO	30.6	21.3	A3	590	A3	595	XPCAMB-L1-0000-00503
	NA	N4 62.0	23.3	A2	585	А3	595	XPCAMB-L1-0000-00601
	1114			А3	590	A3	595	XPCAMB-L1-0000-00603

- Cree maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements. See the Measurements section (page 29).
- Cree XLamp XP-C LED order codes specify only a minimum flux bin and not a maximum. Cree may ship reels in flux bins higher than
 the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity bin restrictions
 specified by the order code.
- * Flux values at 125 mA are calculated and for reference only.



FLUX CHARACTERISTICS - COLOR (T, = 25 °C) - CONTINUED

	Minimum I	uminous Flux	Calculated Minimum		Dominant Wa	nm)		
Color		350 mA	Luminous Flux @ 125 mA*	Mi	Minimum		ximum	Order Codes
	Group	Flux (lm)	Flux (lm)	Group	DWL (nm)	Group	DWL (nm)	
				03	610	04	620	XPCRDO-L1-0000-00401
	N2	51.7	19.8	03	610	03	615	XPCRDO-L1-0000-00402
				04	615	04	620	XPCRDO-L1-0000-00403
	N3	56.8	21.7	03	610	04	620	XPCRDO-L1-0000-00501
				03	610	03	615	XPCRDO-L1-0000-00502
Dad Oranga				04	615	04	620	XPCRDO-L1-0000-00503
Red-Orange				03	610	04	620	XPCRDO-L1-0000-00601
	N4	62.0	23.7	03	610	03	615	XPCRDO-L1-0000-00602
				04	615	04	620	XPCRDO-L1-0000-00603
				03	610	04	620	XPCRDO-L1-0000-00701
	P2	67.2	25.7	03	610	03	615	XPCRDO-L1-0000-00702
				04	615	04	620	XPCRDO-L1-0000-00703


	Minimum	uminaua Eluv	Calculated Minimum		Dominant Wa	nm)		
Color	Minimum Luminous (@ 350 mA		Luminous Flux @ 125 mA*	Minimum		Maximum		Order Codes
	Group	Flux (lm)	Flux (lm)	Group	DWL (nm)	Group	DWL (nm)	
	M2 39.8	15.0	R2	620	R3	630	XPCRED-L1-0000-00201	
		39.8	15.2	R2	620	R2	625	XPCRED-L1-0000-00202
	M3	45.7	17.5	R2	620	R3	630	XPCRED-L1-0000-00301
Red	IVI3			R2	620	R2	625	XPCRED-L1-0000-00302
Red	N2	51.7	19.7	R2	620	R3	630	XPCRED-L1-0000-00401
	INZ	51.7		R2	620	R2	625	XPCRED-L1-0000-00402
	N3	56.8	21.7	R2	620	R3	630	XPCRED-L1-0000-00501
	INO			R2	620	R2	625	XPCRED-L1-0000-00502

- Cree maintains a tolerance of ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements. See the Measurements section (page 29).
- Cree XLamp XP-C LED order codes specify only a minimum flux bin and not a maximum. Cree may ship reels in flux bins higher than
 the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity bin restrictions
 specified by the order code.
- * Flux values at 125 mA are calculated and for reference only.




RELATIVE SPECTRAL POWER DISTRIBUTION

White





Color






RELATIVE FLUX VS. JUNCTION TEMPERATURE (I_F = 350 mA)












ELECTRICAL CHARACTERISTICS (T₁ = 25 °C)








RELATIVE FLUX VS. CURRENT (T₁ = 25 °C)





TYPICAL SPATIAL DISTRIBUTION







THERMAL DESIGN

The maximum forward current is determined by the thermal resistance between the LED junction and ambient. It is crucial for the end product to be designed in a manner that minimizes the thermal resistance from the solder point to ambient in order to optimize lamp life and optical characteristics.

White, Royal Blue, Blue




Green






THERMAL DESIGN - CONTINUED

Amber



Red-Orange, Red





PERFORMANCE GROUPS - LUMINOUS FLUX

XLamp XP-C LEDs (except royal blue) are tested for luminous flux and placed into one of the following luminous-flux groups:

Group Code	Minimum Luminous Flux (lm) @ 350 mA	Maximum Luminous Flux (lm) @ 350 mA
J	23.5	30.6
K2	30.6	35.2
K3	35.2	39.8
M2	39.8	45.7
M3	45.7	51.7
N2	51.7	56.8
N3	56.8	62.0
N4	62.0	67.2
P2	67.2	73.9
P3	73.9	80.6
P4	80.6	87.4
Q2	87.4	93.9
Q3	93.9	100
Q4	100	107
Q5	107	114
R2	114	122

PERFORMANCE GROUPS - RADIANT FLUX (T, = 25 °C)

XLamp XP-C royal blue LEDs are tested for radiant flux and sorted into one of the following radiant-flux bins:

Group	Minimum Radiant Flux (mW) @ 350 mA	Maximum Radiant Flux (mW) @ 350 mA
12	250	300
13	300	350
14	350	425



PERFORMANCE GROUPS - CHROMATICITY

White XLamp XP-C LEDs are tested for chromaticity and placed into one of the regions defined by the bounding coordinates on the following pages.

Region	х	у	Region	х	у
	.283	.284		.314	.355
WK	.295	.297	WF	.316	.332
VVK	.298	.288	VVF	.306	.322
	.287 .276	.301	.342		
	.292	.306		.317	.319
WA	.295	.297	WP	.329	.330
WA	.283	.284	VVP	.329	.318
	.279	.291		.318	.308
	.295	.297		.329	.345
WM	.308	.311	WD	.329	.330
VVIVI	.310	.300	VVU	.317	.319
	.298	.288		.316	.332
	.306	.322		.329	.369
WB	.308	.311	WG	.329	.345
VVD	.295	.297	WG	.316	.332
	.292	.306		.314	.355
	.301	.342		.329	.330
WE	.306	.322	WJ	.329	.345
VVE	.292	.306	WJ	.346	.359
	.287	.321		.344	.342
	.308	.311		.348	.384
WN	.317	.319	WH	.346	.359
VVIN	.318	.308	VVIT	.329	.345
	.310	.300		.329	.369
	.316	.332			
wc	.317	.319			
VVC	.308	.311			
	.306	.322			



PERFORMANCE GROUPS - CHROMATICITY (CONTINUED)

Region	х	у	Region	х	у	Region	х	у	Region	х	у
	0.2950	0.2970		0.2920	0.3060		0.2984	0.3133		0.2984	0.3133
0A	0.2920	0.3060	0B	0.2895	0.3135	0C	0.2962	0.3220	0D	0.3048	0.3207
UA	0.2984	0.3133	UD	0.2962 0.3220	00	0.3028	0.3304	UD	0.3068	0.3113	
	0.3009	0.3042		0.2984	0.3133		0.3048	0.3207		0.3009	0.3042
	0.2980	0.2880		0.2895	0.3135		0.2962	0.3220		0.3037	0.2937
0R	0.2950	0.2970	08	0.2870	0.3210	0T	0.2937	0.3312	0U	0.3009	0.3042
UK	0.3009	0.3042	03	0.2937	0.3312	UI	0.3005	0.3415	00	0.3068	0.3113
	0.3037	0.2937		0.2962	0.3220		0.3028	0.3304		0.3093	0.2993
	0.3048	0.3207		0.3028	0.3304		0.3115	0.3391		0.3130	0.3290
1A	0.3130	0.3290	1B	0.3115	0.3391	1C	0.3205	0.3481	1D	0.3213	0.3373
IA	0.3144	0.3186	ID	0.3130	0.3290	10	0.3213	0.3373	ID	0.3221	0.3261
	0.3068	0.3113		0.3048	0.3207		0.3130	0.3290		0.3144	0.3186
	0.3068	0.3113		0.3005	0.3415		0.3099	0.3509		0.3144	0.3186
10	0.3144	0.3186	10	0.3099	0.3509	1T	0.3196	0.3602	111	0.3221	0.3261
1R	0.3161	0.3059	18	0.3115	0.3391	1T	0.3205	0.3481	10	0.3231	0.3120
	0.3093	0.2993		0.3028	0.3304		0.3115	0.3391		0.3161	0.3059
	0.3215	0.3350		0.3207	0.3462		0.3290	0.3538		0.3290	0.3417
0.4	0.3290	0.3417	O.D.	0.3290	0.3538	2C	0.3376	0.3616	2D	0.3371	0.3490
2A	0.3290	0.3300	2B	0.3290	0.3417		0.3371	0.3490		0.3366	0.3369
	0.3222	0.3243		0.3215	0.3350		0.3290	0.3417		0.3290	0.3300
	0.3222	0.3243		0.3196	0.3602		0.3290	0.3690		0.3290	0.3300
20	0.3290	0.3300	20	0.3290	0.3690	OT	0.3381	0.3762	2U	0.3366	0.3369
2R	0.3290	0.3180	2S	0.3290	0.3538	2T	0.3376	0.3616		0.3361	0.3245
	0.3231	0.3120		0.3207	0.3462		0.3290	0.3538		0.3290	0.3180
	0.3371	0.3490		0.3376	0.3616		0.3463	0.3687		0.3451	0.3554
24	0.3451	0.3554	an.	0.3463	0.3687	20	0.3551	0.3760	20	0.3533	0.3620
3A	0.3440	0.3427	3B	0.3451	0.3554	3C	0.3533	0.3620	3D	0.3515	0.3487
	0.3366	0.3369		0.3371	0.3490		0.3451	0.3554		0.3440	0.3427
	0.3366	0.3369		0.3381	0.3762						
20	0.3440	0.3428	20	0.3480	0.3840						
3R	0.3429	0.3307	3S	0.3463	0.3687						
	0.3361	0.3245		0.3376	0.3616						
	0.3530	0.3597		0.3548	0.3736		0.3641	0.3804		0.3615	0.3659
4.0	0.3615	0.3659	40	0.3641	0.3804	40	0.3736	0.3874	40	0.3702	0.3722
4A	0.3590	0.3521	4B	0.3615	0.3659	4C	0.3702	0.3722	4D	0.3670	0.3578
	0.3512	0.3465		0.3530	0.3597		0.3615	0.3659		0.3590	0.3521
	0.3670	0.3578		0.3686	0.3649		0.3744	0.3685		0.3726	0.3612
F.4.1	0.3686	0.3649	F	0.3702	0.3722	F	0.3763	0.3760	F	0.3744	0.3685
5A1	0.3744	0.3685	5A2	0.3763	0.3760	5A3	0.3825	0.3798	5A4	0.3804	0.3721
	0.3726	0.3612		0.3744	0.3685			0.3721		0.3783	0.3646



PERFORMANCE GROUPS - CHROMATICITY (CONTINUED)

Region	х	у									
	0.3702	0.3722		0.3719	0.3797		0.3782	0.3837		0.3763	0.3760
5B1	0.3719	0.3797	5B2	0.3736	0.3874	5B3	0.3802	0.3916	5B4	0.3782	0.3837
301	0.3782	0.3837	362	0.3802	0.3916	303	0.3869	0.3958	304	0.3847	0.3877
	0.3763	0.3760		0.3782	0.3837		0.3847	0.3877		0.3825	0.3798
	0.3825	0.3798		0.3847	0.3877		0.3912	0.3917		0.3887	0.3836
5C1	0.3847	0.3877	5C2	0.3869	0.3958	5C3	0.3937	0.4001	5C4	0.3912	0.3917
301	0.3912	0.3917	302	0.3937	0.4001	303	0.4006	0.4044	304	0.3978	0.3958
	0.3887	0.3836		0.3912	0.3917		0.3978	0.3958		0.3950	0.3875
	0.3783	0.3646		0.3804	0.3721		0.3863	0.3758		0.3840	0.3681
5D1	0.3804	0.3721	5D2	0.3825	0.3798	5D3	0.3887	0.3836	5D4	0.3863	0.3758
JDT	0.3863	0.3758	302	0.3887	0.3836	303	0.3950	0.3875	304	0.3924	0.3794
	0.3840	0.3681		0.3863	0.3758		0.3924	0.3794		0.3898	0.3716
	0.3889	0.3690		0.3915	0.3768		0.3981	0.3800		0.3953	0.3720
6.4.1	0.3915	0.3768	6.40	0.3941	0.3848	6.40	0.4010	0.3882	6.8.4	0.3981	0.3800
6A1	0.3981	0.3800	6A2	0.4010	0.3882	6A3	0.4080	0.3916	6A4	0.4048	0.3832
	0.3953	0.3720		0.3981	0.3800		0.4048	0.3832		0.4017	0.3751
	0.3941	0.3848		0.3968	0.3930		0.4040	0.3966		0.4010	0.3882
6B1	0.3968	0.3930	600	0.3996	0.4015	600	0.4071	0.4052	6B4	0.4040	0.3966
001	0.4040	0.3966	6B2	0.4071	0.4052	6B3	0.4146	0.4089		0.4113	0.4001
	0.4010	0.3882		0.4040	0.3966		0.4113	0.4001		0.4080	0.3916
	0.4080	0.3916		0.4113	0.4001		0.4186	0.4037		0.4150	0.3950
6C1	0.4113	0.4001	6C2	0.4146	0.4089	6C3	0.4222	0.4127	6C4	0.4186	0.4037
001	0.4186	0.4037	002	0.4222	0.4127	003	0.4299	0.4165	004	0.4259	0.4073
	0.4150	0.3950		0.4186	0.4037		0.4259	0.4073		0.4221	0.3984
	0.4017	0.3751		0.4048	0.3832		0.4116	0.3865		0.4082	0.3782
6D1	0.4048	0.3832	600	0.4080	0.3916	600	0.4150	0.3950	604	0.4116	0.3865
6D1	0.4116	0.3865	6D2	0.4150	0.3950	6D3	0.4221	0.3984	6D4	0.4183	0.3898
	0.4082	0.3782		0.4116	0.3865		0.4183	0.3898		0.4147	0.3814
	0.4147	0.3814		0.4183	0.3898		0.4242	0.3919		0.4203	0.3833
7.1	0.4183	0.3898	740	0.4221	0.3984	742	0.4281	0.4006	7.4	0.4242	0.3919
7A1	0.4242	0.3919	7A2	0.4281	0.4006	7A3	0.4342	0.4028	7A4	0.4300	0.3939
	0.4203	0.3833		0.4242	0.3919		0.4300	0.3939		0.4259	0.3853
	0.4221	0.3984		0.4259	0.4073		0.4322	0.4096		0.4281	0.4006
7B1	0.4259	0.4073	7B2	0.4299	0.4165	7B3	0.4364	0.4188	7B4	0.4322	0.4096
/61	0.4322	0.4096	702	0.4364	0.4188	763	0.4430	0.4212	704	0.4385	0.4119
	0.4281	0.4006		0.4322	0.4096		0.4385	0.4119		0.4342	0.4028
	0.4342	0.4028		0.4385	0.4119		0.4449	0.4141		0.4403	0.4049
7C1	0.4385	0.4119	7C2	0.4430	0.4212	7C3	0.4496	0.4236	7C4	0.4449	0.4141
761	0.4449	0.4141	762	0.4496	0.4236	763	0.4562	0.4260	704	0.4513	0.4164
	0.4403	0.4049		0.4449	0.4141		0.4513	0.4164		0.4465	0.4071



PERFORMANCE GROUPS - CHROMATICITY (CONTINUED)

Region	х	у	Region	х	у	Region	х	у	Region	х	у
	0.4259	0.3853		0.4300 0.3939 0.4342 0.4028		0.4359	0.3960		0.4316	0.3873	
701	0.4300	0.3939	700			0.4403	0.4049	7D4	0.4359	0.3960	
7D1	0.4359	0.3960	7D2	0.4403	0.4049	7D3	0.4465	0.4071	704	0.4418	0.3981
	0.4316	0.3873		0.4359	0.3960		0.4418	0.3981		0.4373	0.3893
	0.4373	0.3893		0.4418	0.3981		0.4475	0.3994		0.4428	0.3906
8A1	0.4418	0.3981	8A2	0.4465	0.4071	8A3	0.4523	0.4085	8A4	0.4475	0.3994
8A1	0.4475	0.3994	6AZ	0.4523	0.4085	8A3	0.4582	0.4099	6A4	0.4532	0.4008
	0.4428	0.3906	0.4475 0.399	0.3994		0.4532	0.4008		0.4483	0.3919	
	0.4465	0.4071	0.4562	0.4513	0.4164	8B3	0.4573	0.4178		0.4523	0.4085
8B1	0.4513	0.4164		0.4562	0.4260		0.4624	0.4274	8B4	0.4573	0.4178
ODI	0.4573	0.4178	8B2	0.4624	0.4274	003	0.4687	0.4289	0D4	0.4634	0.4193
	0.4523	0.4085		0.4573	0.4178		0.4634	0.4193		0.4582	0.4099
	0.4582	0.4099		0.4634	0.4193		0.4695	0.4207		0.4641	0.4112
8C1	0.4634	0.4193	8C2	0.4687	0.4289	8C3	0.4750	0.4304	8C4	0.4695	0.4207
801	0.4695	0.4207	862	0.4750	0.4304	863	0.4813	0.4319	804	0.4756	0.4221
	0.4641	0.4112		0.4695	0.4207		0.4756	0.4221		0.4700	0.4126
	0.4483	0.3919		0.4532	0.4008		0.4589	0.4021		0.4538	0.3931
8D1	0.4532	0.4008	8D2	0.4582	0.4099	8D3	0.4641	0.4112	8D4	0.4589	0.4021
ועס	0.4589	0.4021	002	0.4641	0.4112	003	0.4700	0.4126	6D4	0.4646	0.4034
	0.4538	0.3931		0.4589	0.4021		0.4646	0.4034		0.4593	0.3944



PERFORMANCE GROUPS - DOMINANT WAVELENGTH

Color XLamp XP-C LEDs are tested for dominant wavelength (DWL) and sorted into one of the DWL bins defined below.

Color	DWL Group	Minimum DWL (nm) @ 350 mA	Maximum DWL (nm) @ 350 mA
	D3	450	455
Royal Blue	D4	455	460
	D5	460	465
	В3	465	470
Blue	B4	470	475
Blue	B5	475	480
	В6	480	485
	G2	520	525
Green	G3	525	530
	G4	530	535
Amber	A2	585	590
Ambei	A3	590	595
Red-Orange	03	610	615
Neu-Oldlige	04	615	620
Red	R2	620	625
rea	R3	625	630

PERFORMANCE GROUPS - FORWARD VOLTAGE


Amber, red-orange and, red XLamp XP-C LEDs are tested for forward voltage and sorted into one of the forward voltage bins defined below.

Forward Voltage Group	Minimum Forward Voltage (V) @ 350 mA	Maximum Forward Voltage (V) @ 350 mA
В	1.75	2.0
С	2.0	2.25
D	2.25	2.5
E	2.5	2.75
F	2.75	3.0
G	3.0	3.25
Н	3.25	3.5
J	3.5	3.75




CREE'S STANDARD CHROMATICITY REGIONS PLOTTED ON THE 1931 CIE CURVE

Cool White




ANSI Cool White






CREE'S STANDARD CHROMATICITY REGIONS PLOTTED ON THE 1931 CIE CURVE - CONTINUED

Neutral White




ANSI Neutral White and ANSI Warm White




CREE 💠

CREE'S STANDARD COOL WHITE KITS PLOTTED ON ANSI STANDARD CHROMATICITY REGIONS



CREE 💠

CREE'S STANDARD WARM AND NEUTRAL WHITE KITS PLOTTED ON ANSI STANDARD CHROMATICITY REGIONS






CREE'S STANDARD CHROMATICITY KITS


The following table provides the chromaticity bins associated with chromaticity kits.

Color	CCT	Kit	Chromaticity Bins
	6200 K		0A, 0B, 0C, 0D, 0R, 0S, 0T, 0U, 1A, 1B, 1C, 1D, 1R, 1S, 1T, 1U, 2A, 2B, 2C, 2D, 2R, 2S, 2T, 2U, 3A, 3B, 3R, 3S
	6000 K	53	1A, 1B, 1C, 1D, 1R, 1S, 1T, 1U, 2A, 2B, 2C, 2D, 2R, 2S, 2T, 3A, 3B, 3S
Cool White	6200 K	50	1A, 1B, 1C, 1D, 2A, 2B, 2C, 2D
	6500 K	E1	1A, 1B, 1C, 1D
	5700 K	E2	2A, 2B, 2C, 2D
	5000 K	E3	3A, 3B, 3C, 3D
	4750 K	F4	3C, 3D, 4A, 4B
Neutral White	4500 K	E4	4A, 4B, 4C, 4D
	4250 K	F5	4C, 4D, 5A1, 5A2, 5A3, 5A4, 5B1, 5B2, 5B3, 5B4
	4000 K	E5	5A1, 5A2, 5A3, 5A4, 5B1, 5B2, 5B3, 5B4, 5C1, 5C2, 5C3, 5C4, 5D1, 5D2, 5D3, 5D4
	3750 K	F6	5C1, 5C2, 5C3, 5C4, 5D1, 5D2, 5D3, 5D4, 6A1, 6A2, 6A3, 6A4, 6B1, 6B2, 6B3, 6B4
	3500 K	E6	6A1, 6A2, 6A3, 6A4, 6B1, 6B2, 6B3, 6B4, 6C1, 6C2, 6C3, 6C4, 6D1, 6D2, 6D3, 6D4
Warm	3250 K	F7	6C1, 6C2, 6C3, 6C4, 6D1, 6D2, 6D3, 6D4, 7A1, 7A2, 7A3, 7A4, 7B1, 7B2, 7B3, 7B4
White	3000 K	E7	7A1, 7A2, 7A3, 7A4, 7B1, 7B2, 7B3, 7B4, 7C1, 7C2, 7C3, 7C4, 7D1, 7D2, 7D3, 7D4
	2850 K	F8	7C1, 7C2, 7C3, 7C4, 7D1, 7D2, 7D3, 7D4, 8A1, 8A2, 8A3, 8A4, 8B1, 8B2, 8B3, 8B4
	2700 K	E8	8A1, 8A2, 8A3, 8A4, 8B1, 8B2, 8B3, 8B4, 8C1, 8C2, 8C3, 8C4, 8D1, 8D2, 8D3, 8D4

BIN AND ORDER CODE FORMATS

XP-C bin codes and order codes are configured in the following manner:








REFLOW SOLDERING CHARACTERISTICS

In testing, Cree has found XLamp XP-C LEDs to be compatible with JEDEC J-STD-020C, using the parameters listed below. As a general guideline, Cree recommends that users follow the recommended soldering profile provided by the manufacturer of the solder paste used, and therefore it is the lamp or luminaire manufacturer's responsibility to determine applicable soldering requirements.

Note that this general guideline may not apply to all PCB designs and configurations of reflow soldering equipment.



IPC/JEDEC J-STD-020C

Profile Feature	Lead-Free Solder
Average Ramp-Up Rate (Ts _{max} to Tp)	1.2 °C/second
Preheat: Temperature Min (Ts _{min})	120 °C
Preheat: Temperature Max (Ts _{max})	170 °C
Preheat: Time (ts _{min} to ts _{max})	65-150 seconds
Time Maintained Above: Temperature (T _L)	217 °C
Time Maintained Above: Time (t _L)	45-90 seconds
Peak/Classification Temperature (Tp)	235 - 245 °C
Time Within 5 °C of Actual Peak Temperature (tp)	20-40 seconds
Ramp-Down Rate	1 - 6 °C/second
Time 25 °C to Peak Temperature	4 minutes max.

Note: All temperatures refer to topside of the package, measured on the package body surface.



NOTES

Measurements

The luminous flux, radiant power, chromaticity, forward voltage and CRI measurements in this document are binning specifications only and solely represent product measurements as of the date of shipment. These measurements will change over time based on a number of factors that are not within Cree's control and are not intended or provided as operational specifications for the products. Calculated values are provided for informational purposes only and are not intended or provided as specifications.

Pre-Release Qualification Testing

Please read the LED Reliability Overview for details of the qualification process Cree applies to ensure long-term reliability for XLamp LEDs and details of Cree's pre-release qualification testing for XLamp LEDs.

Moisture Sensitivity

Cree recommends keeping XLamp LEDs in the provided, resealable moisture-barrier packaging (MBP) until immediately prior to soldering. Unopened MBPs that contain XLamp LEDs do not need special storage for moisture sensitivity.

Once the MBP is opened, XLamp XP-C LEDs may be stored as MSL 1 per JEDEC J-STD-033, meaning they have unlimited floor life in conditions of \leq 30 °C/85% relative humidity (RH). Regardless of the storage condition, Cree recommends sealing any unsoldered LEDs in the original MBP.

RoHS Compliance

The levels of RoHS restricted materials in this product are below the maximum concentration values (also referred to as the threshold limits) permitted for such substances, or are used in an exempted application, in accordance with EU Directive 2011/65/EC (RoHS2), as implemented January 2, 2013. RoHS Declarations for this product can be obtained from your Cree representative or from the Product Ecology section of the Cree website.

REACh Compliance

REACh substances of very high concern (SVHCs) information is available for this product. Since the European Chemical Agency (ECHA) has published notice of their intent to frequently revise the SVHC listing for the foreseeable future, please contact a Cree representative to insure you get the most up-to-date REACh SVHC Declaration. REACh banned substance information (REACh Article 67) is also available upon request.

UL® Recognized Component

This product meets the requirements to be considered a UL Recognized Component with Level 4 enclosure consideration. The LED package or a portion thereof has been investigated as a fire and electrical enclosure per ANSI/UL 8750.

Vision Advisory

WARNING: Do not look at an exposed lamp in operation. Eye injury can result. For more information about LEDs and eye safety, please refer to the LED Eye Safety application note.



NOTES - CONTINUED


Intellectual Property

For remote phosphor applications, a separate license to certain Cree patents is required.



MECHANICAL DIMENSIONS ($T_A = 25$ °C)


Thermal vias, if present, are not shown on these drawings.







MECHANICAL DIMENSIONS (T_A = 25 °C) - CONTINUED

All measurements are ±.13 mm unless otherwise indicated.







Recommended Copper Layout

Recommended Solder Pad (Solder Mask Pattern)

Recommended Stencil Openings*

- Cree recommends using thermal pad kickouts to maximize component thermal performance.
- Cree recommends using white solder mask material to minimize system optical loss.
- This stencil has been tested and optimized for the avoidance of voiding when using ALPHA® LUMET® P30 Maxrel solder paste. For other solder pastes, a "window pane" design for the thermal pad stencil may result in a lower voiding percentage. Contact your local Cree Field Applications Engineer for consultation regarding your specific application.


CREE 💠


TAPE AND REEL

sealed with tape

(20 pockets min.)

All Cree carrier tapes conform to EIA-481D, Automated Component Handling Systems Standard.





at least 100mm

sealed by tape

PACKAGING

Unpackaged Reel Label with Cree Bin Code,

Quantity, Reel ID

