









Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



PRODUCT NO.	COLOR
10042618-001	DELL GREEN
10042618-002	BLUE
10042618-001LF	DELL GREEN
10042618-002LF	BLUE
10042618-003LF	BLACK

NOTES:

- MATERIAL:
HOUSING: HIGH TEMPERATURE NYLON, UL94V-0 RATED. SUITABLE FOR WAVE SOLDERING. AND WITHSTAND EXPOSURE TO 260°C±5°C SOLDER BATH TEMPERATURE FOR 5 SECONDS.
COLOR: DELL GREEN.
SOLDER PIN: COPPER ALLOY.
PLATING: 50µ" NICKEL UNDERPLATE ALL OVER 100µ" TIN
- RECOMMENDED PC BOARD THICKNESS OF 1.57 mm.
- P/N : SEE TABLE
- THIS PRODUCT IS COMPATIBLE RoHS.



SECTION A-A
SCALE 1.500



tolerance unless otherwise specified	
linear	.X ± .3 .XX ± .2 .XXX ± .1
angles	0° ± 2°

FCI www.fciconnect.com		tolerance	projection	MM
Dr	MAGGIE WU	07/02/04	Product family	size
Eng	R Y LIU	07/02/04	Spec ref	A4
Chr	PAUL WANG	07/02/04	Material	Scale
Appr	JOSEPH HSIA	07/02/04	ECN	1.000
PCI EXPRESS RETENTION MECHANISM ASS'Y			ECN	T05-0262
title	PCI EXPRESS RETENTION MECHANISM ASS'Y		dwg no	10042618
catalog no	CUSTOMER DRAWING		sheet	1 of 1

rev	ecn no	dr	date
A	T04-0331	M W	07/21/04
B	T04-0364	M W	09/03/04
C	T04-0391	M W	10/13/04
D	T05-0102	M W	05/11/05
E	T05-0110	M W	05/24/05
F	T05-0262	M W	11/14/05