

#### Alcoswitch | Alcoswitch DIP ADE

TE Internal #: 2454982-2


DIP & SIP Switches, Switch, Gold Flash, Black Housing, PA9T, Auto-Insertable, 3 Switch, -40 – 85 °C, DIP Switch, Alcoswitch DIP ADE


View on TE.com >



Relays, Contactors & Switches > Switches > DIP & SIP Switches











DIP & SIP Switch Product Type: Switch

DIP & SIP Switch Contact Mating Area Plating Material: Gold Flash

DIP & SIP Switch Housing Color: Black
DIP & SIP Switch Housing Material: PA9T

Auto-Insertable: Yes

## **Features**

### Product Type Features

DIP & SIP Switch Product Type	Switch
Sealed DIP & SIP Switch	No
DIP & SIP Switch Type	DIP Switch
Actuator Style	Extended

## **Configuration Features**

Number of Positions	3
Number of Switches	3
Configuration (Pole-Throw)	Single Pole - Single Throw

#### **Electrical Characteristics**

DIP & SIP Switch Voltage Rating	24 VDC	

### **Body Features**

Seal Type	Standard
Actuator Color	White

#### **Contact Features**



Solder Tail Contact Plating	Gold Flash over Nickel
Contact Underplating Material	Copper
DIP & SIP Switch Contact Mating Area Plating Material	Gold Flash
Auto-Insertable	Yes
DIP & SIP Switch Contact Current Rating	24 A
Contact Base Material	Beryllium Copper
Termination Features	
Termination Style	Outside L
Mechanical Attachment	
Mounting Angle	Vertical
DIP & SIP Switch Mounting Type	Through Hole
Housing Features	
On Position	Lever Up
DIP & SIP Switch Housing Color	Black
DIP & SIP Switch Housing Material	PA9T
Usage Conditions	
Operating Temperature Range	-40 – 85 °C
Packaging Features	

## **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Box & Tube

DIP & SIP Switches, Switch, Gold Flash, Black Housing, PA9T, Auto-Insertable, 3 Switch, -40 – 85 °C, DIP Switch, Alcoswitch DIP ADE



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**



## Also in the Series | Alcoswitch DIP ADE



#### **Documents**

**Product Drawings** 

ADE Next Gen 03 Pos. THT TU

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2454982-2\_A.2d\_dxf.zip

DIP & SIP Switches, Switch, Gold Flash, Black Housing, PA9T, Auto-Insertable, 3 Switch, -40 – 85 °C, DIP Switch, Alcoswitch DIP ADE



English

**Customer View Model** 

ENG\_CVM\_CVM\_2454982-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2454982-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

NEXT\_GEN\_DIP\_SWITCH\_ADE\_&\_ADF\_SERIES

English