Note: This datasheet may be out of date.

Please download the latest datasheet of NCP18WB473J03RB from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=NCP18WB473J03RB

NCP18WB473J03RB












Appearance & Shape







Applications

| Limited Usage | Consumer Grade |
|---------------|--|
| | Temperature compensation for |
| | transistor, IC and crystal oscillator in |
| | mobile communications 2. Temperature |
| Other Usage | sensor for rechargeable batteries 3. |
| | Temperature compensation of LCD 4. |
| | Temperature compensation in general |
| | use of electric circuits |



Packaging Information

| Packaging | Specifications | Standard Packing Quantity |
|-----------|------------------|---------------------------------|
| RB | 180mm Paper Tape | 4000 |



Features

- 1. Excellent solderability and high stability in environment
- 2. Excellent long time aging stability
- 3. High accuracy in resistance and B-constant
- 4. Flow / Reflow soldering possible
- 5. Same B-Constant in the same resistance in the three sizes (0805 size / 0603 size / 0402 size)

Easy to use smaller size in the circuits

- 6. Lead is not contained in the product.
- 7. NCP series are recognized by UL/cUL (UL1434, File No.E137188).

1 of 3

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date.

Please download the latest datasheet of NCP18WB473J03RB from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=NCP18WB473J03RB

NCP18WB473J03RB



Specifications

| Resistance (25°C) | 47kΩ | |
|------------------------------|----------------|--|
| Resistance Value Tolerance | .50/ | |
| (at 25°C) | ±5% | |
| B-Constant (25/50°C) | 4050K | |
| B-Constant (25/50°C) | .00/ | |
| Tolerance | ±2% | |
| B-Constant(25/80°C) | 4101K | |
| (Reference Value) | 4101K | |
| B-Constant(25/85°C) | 4108K | |
| (Reference Value) | | |
| B-Constant(25/100°C) | 131K | |
| (Reference Value) | 410110 | |
| Max. Voltage | 5V | |
| Maximum Operating Current | 0.046mA | |
| (25°C) | 0.040IIIA | |
| Typical Dissipation Constant | 1mW/°C | |
| (25°C) | Tillivy, C | |
| Operating Temperature | -40°C to 125°C | |
| Range | .0 0 10 120 0 | |
| Size Code (in mm) | 1.6x0.8mm | |
| Size Code (in inch) | 0.6x0.3inch | |
| Shape | SMD | |
| Mass | 0.0047g | |

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




Please download the latest datasheet of NCP18WB473J03RB from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=NCP18WB473J03RB

Note: This datasheet may be out of date.

NCP18WB473J03RB







Resistance-Temperature Characteristics

Maximum Operating Voltage Reduction Characteristics

3 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

