Note: This datasheet may be out of date

Please download the latest datasheet of NFZ2MSM301SN10# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFZ2MSM301SN10%23

"#" indicates a package specification code.

NFZ2MSM301SN10#








< List of part numbers with package codes > NFZ2MSM301SN10B NFZ2MSM301SN10L



Appearance & Shape





(in mm)



Features

- 1.Less audio distortion designing because of highly linear characteristics of magnetic hysteresis.
- 2.Large rated current of 4000mA. (at 100ohm)
- 3.Low DC resistance is realized.
- 4.Low magnetic flux leakage with magnetically shielded structure.



Applications

Other Usage	For general
-------------	-------------



Packaging Information

Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	1000
L	180mm Embossed Tape	3000

1 of 3

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



NFZ2MSM301SN10#

Note: This datasheet may be out of date.

Please download the latest datasheet of NFZ2MSM301SN10# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFZ2MSM301SN10%23

"#" indicates a package specification code.



Specifications

Shape	SMD
Size Code (in inch)	0806
Length	2.0mm
Length Tolerance	±0.2mm
Width	1.6mm
Width Tolerance	±0.2mm
Thickness	0.9mm
Thickness Tolerance	±0.1mm
Operating Temperature Range	-40°C to 85°C
Mass(typ.)	0.012g
Number of Circuit	1
Rated Current (at 85°C)	3.1A
DC Resistance(max.)	0.03Ω
DC Resistance	0.024Ω (Typ.)
Impedance (at 100MHz)	300Ω
Impedance (at 100MHz) Tolerance	±25%
Size Code (in mm)	2016

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date.


Please download the latest datasheet of NFZ2MSM301SN10# from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en/products/productdetail?partno=NFZ2MSM301SN10%23

"#" indicates a package specification code.

NFZ2MSM301SN10#







Impedance-Frequency Characteristics

Equivalent Circuit

3 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

