



Applications	Commercial Grade	
Feature	Shield Magnetic Shield Wire Wound Wire Wound	
Series Type	Ferrite Core VLS-E	
Status	Production (Not Recommended for New Design) Recommended Alternate Part No. : <u>VLS252010CX-1R5M-1</u> (Interchangeability is not guaranteed.)	
Brand	ток	


	Size
Length(L)	2.50mm ±0.10mm
Width(W)	2.00mm ±0.10mm
Thickness Height	1.20mm Max.
Recommended Land Pattern (A)	0.85mm Nom.
Recommended Land Pattern (B)	0.80mm Nom.
Recommended Land Pattern (C)	2.00mm Nom.

Electrical Characteristics				
Inductance	1.5µH ±30% at 1MHz			
Rated Current (L Change) [Typ.]	2A (30% Down)			
Rated Current (L Change) [Max.]	1.8A (30% Down)			
Rated Current (Temperature Rise) [Typ.]	1.45A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	105mΩ			
DC Resistance [Max.]	126mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other		
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C	
Soldering Method	Reflow	
AEC-Q200	No	
Packing	Blister (Plastic)Taping [180mm Reel]	
Package Quantity	2000pcs	
I Images are for reference only and show exemplary products. I This PDF document was created based on the data listed on the TDK Corporation website ! All specifications are subject to change without notice.	0.024g	







0

VLS252012ET-1R5N(No Bias)

X

¢

70

Temperature/°C

Ф

VLS252012ET-1R5N(DC Bias = 0.73A)

æ

100

120

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)

! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

1.5

DC/A

Ş

25

J

ي.

! All specifications are subject to change without notice.


0

*q*₅

VLS252012ET-1R5N (Amb. Temp. = 20 °C)







Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)

! Images are for reference only and show exemplary products.


! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.





Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.