

PRODUCT NUMBER  
87606-XXXXLF



ROHS COMPATIBLE, SEE NOTE 7  
OPTIONAL LETTER SEE NOTE 6

NUMBER OF POSITIONS PER ROW: 02 TO 50.

PLATING CODE

3 = 0.76µm GOLD ON CONTACT AREA.  
2µm MIN MATTE TIN ON TAIL.  
4 = 2µm MIN MATTE TIN FULL PLATED

8 = 0.38µm GOLD ON CONTACT AREA.  
2µm MIN MATTE TIN ON TAIL.  
1.27µm Ni MIN UNDERPLATING



(N x 2.54) - 0.08

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2

(0.6)

2.54

(N-1) x 2.54

5.08 REF

8.5 REF

2.6

(2.9)

(0.2)

2.54 ± 0.2


(0.6)

2.54

(N-1) x 2.54

5.08 REF

8



FCIconnect.com

Copyright FCI

mat'l. code SEE SHEET 1				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family DUBOX			
ltr	ecn no	dr	date	tolerances unless otherwise specified		angles		mm ←→		title BtB RECEPT. VERT DR TMT			
A	F04-0347	DLE	04.09.23	±0.3		linear		scale 5:1		dwg no		sheet 2 of 2	size
B	F05-0230	DLE	05.08.08	±2'						87606		A4	
C	F06-204	DLE	06.06.21							CUSTOMER		Drawing	
D	F07-0109	DLE	07.01.16	dr	D LEGRAND	04.09.23	enr	P NIZZI	04.09.23				
				chr	D LE	04.09.23	appd	P NZ	04.09.23				
sheet index	revision sheet												