

# End clamp - CLIPFIX 15

3022263

<https://www.phoenixcontact.com/pc/products/3022263>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---

Snap-on end bracket, to be snapped onto NS 15 DIN rail



---

## Your advantages

- Large-surface labeling
- Design width of just 5.2 mm
- Phoenix Contact has engineered its CLIPFIX end brackets to maintain a secure grip on the various DIN rail systems
- Parking option for bridges and plugs

# End clamp - CLIPFIX 15

3022263

<https://www.phoenixcontact.com/pc/products/3022263>



## Commercial Data

Item number	3022263
Packing unit	50 pc
Minimum order quantity	50 pc
Product Key	BE7111
Catalog Page	Page 538 (C-3-2019)
GTIN	4017918976330
Weight per Piece (including packing)	2.033 g
Weight per Piece (excluding packing)	1.6 g
Customs tariff number	39269097
Country of origin	PL

# End clamp - CLIPFIX 15



3022263

<https://www.phoenixcontact.com/pc/products/3022263>

## Technical Data

### Product properties

Product type	End block
--------------	-----------

### Dimensions

Width	5.2 mm
Height	22.6 mm
Height NS 15	24 mm
Height NS 35/7,5	24 mm
Length	22 mm

### Material specifications

Color	gray
Material	PA
Flammability rating according to UL 94	V2
Relative insulation material temperature index (Elec., UL 746 B)	125 °C

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

### Mounting

Mounting type	NS 15
---------------	-------

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

[info@phoenixcontact.com](mailto:info@phoenixcontact.com)