



## PREVOST PIPING SYSTEM

2022



CC Concept

- |   |    |    |    |    |    |    |    |    |     |
|---|----|----|----|----|----|----|----|----|-----|
| Ø | 16 | 20 | 25 | 32 | 40 | 50 | 63 | 80 | 100 |
|---|----|----|----|----|----|----|----|----|-----|

CONNECTED TO INNOVATION



# PPS SYSTEM

## 100% ALUMINIUM NETWORK

### PPS - Aluminium blue pipe for compressed air

T4

Pipe OD (mm)	Length (m)	Part number	Pack.
16	4	<b>PPS BTU1640</b>	1
20	4	<b>PPS BTU2040</b>	1
20	5.5	<b>PPS BTU2055</b>	1
25	4	<b>PPS BTU2540</b>	1
25	5.5	<b>PPS BTU2555</b>	1
32	4	<b>PPS BTU3240</b>	1
32	5.5	<b>PPS BTU3255</b>	1
40	4	<b>PPS BTU4040</b>	1
40	5.5	<b>PPS BTU4055</b>	1
50	5.5	<b>PPS BTU5055</b>	1
63	5.5	<b>PPS BTU6355</b>	1
80	5.5	<b>PPS BTU8055</b>	1
100	5.5	<b>PPS BTU10055</b>	1

### PPS - Aluminium grey pipe for vacuum

T4

Pipe OD (mm)	Length (m)	Part number	Pack.
16	4	<b>PPS GTU1640</b>	1
20	5.5	<b>PPS GTU2055</b>	1
25	5.5	<b>PPS GTU2555</b>	1
32	5.5	<b>PPS GTU3255</b>	1
40	5.5	<b>PPS GTU4055</b>	1
50	5.5	<b>PPS GTU5055</b>	1
63	5.5	<b>PPS GTU6355</b>	1
80	5.5	<b>PPS GTU8055</b>	1
100	5.5	<b>PPS GTU10055</b>	1

### PPS - Aluminium green pipe for nitrogen

T4

Pipe OD (mm)	Length (m)	Part number	Pack.
20	5.5	<b>PPS VTU2055</b>	1
25	5.5	<b>PPS VTU2555</b>	1
50	5.5	<b>PPS VTU5055</b>	1

### PPS - Aluminium blue bended link pipe

T4

Pipe OD (mm)	Part number	Pack.
16	<b>PPS LMCB16</b>	1
20	<b>PPS LMCB20</b>	1
25	<b>PPS LMCB25</b>	1

### PPS - Aluminium grey bended link pipe

T4

Pipe OD	Part number	Pack.
16	<b>PPS LMCG16</b>	1
20	<b>PPS LMCG20</b>	1
25	<b>PPS LMCG25</b>	1

### PPS1 UN - Aluminium female union for pipe

T4

For pipe OD (mm)	Part number	Pack.
16	<b>PPS1 UN16</b>	1
20	<b>PPS1 UN20</b>	1
25	<b>PPS1 UN25</b>	1
32	<b>PPS1 UN32</b>	1
40	<b>PPS1 UN40</b>	1
50	<b>PPS1 UN50</b>	1
63	<b>PPS1 UN63</b>	1
80	<b>PPS1 UN80</b>	1
100	<b>PPS1 UN100</b>	1

### PPS1 UNS - Aluminium female sliding union for pipe

T4

For pipe OD (mm)	Part number	Pack.
25	<b>PPS1 UNS25</b>	1
32	<b>PPS1 UNS32</b>	1
40	<b>PPS1 UNS40</b>	1
50	<b>PPS1 UNS50</b>	1
63	<b>PPS1 UNS63</b>	1
80	<b>PPS1 UNS80</b>	1
100	<b>PPS1 UNS100</b>	1

### PPS1 MR - Aluminium pipe reducing fitting

T4

For pipe OD (mm)	For pipe OD (mm)	Part number	Pack.
25	20	<b>PPS1 MR2520</b>	1
32	25	<b>PPS1 MR3225</b>	1
40	32	<b>PPS1 MR4032</b>	1
50	40	<b>PPS1 MR5040</b>	1
63	50	<b>PPS1 MR6350</b>	1
80	63	<b>PPS1 MR8063</b>	1
100	80	<b>PPS1 MR10080</b>	1

# PPS SYSTEM

## 100% ALUMINIUM NETWORK

### PPS1 9C - 90° Aluminium equal female elbow fitting for pipe

T4

For pipe OD (mm)	Part number	Pack.
16	<b>PPS1 9C16</b>	1
20	<b>PPS1 9C20</b>	1
25	<b>PPS1 9C25</b>	1
32	<b>PPS1 9C32</b>	1
40	<b>PPS1 9C40</b>	1
50	<b>PPS1 9C50</b>	1
63	<b>PPS1 9C63</b>	1
80	<b>PPS1 9C80</b>	1
100	<b>PPS1 9C100</b>	1

### PPS1 TE - Aluminium equal female tee fitting for pipe

T4

For pipe OD (mm)	Part number	Pack.
16	<b>PPS1 TE16</b>	1
20	<b>PPS1 TE20</b>	1
25	<b>PPS1 TE25</b>	1
32	<b>PPS1 TE32</b>	1
40	<b>PPS1 TE40</b>	1
50	<b>PPS1 TE50</b>	1
63	<b>PPS1 TE63</b>	1
80	<b>PPS1 TE80</b>	1
100	<b>PPS1 TE100</b>	1

### PPS1 9CM - 90°aluminium tapered male thread elbow fitting for pipe

T4

For pipe OD (mm)	BSPT male thread	Part number	Pack.
16	R 3/8	<b>PPS1 9CM1617</b>	1
16	R 1/2	<b>PPS1 9CM1612</b>	1
20	R 1/2	<b>PPS1 9CM2012</b>	1
25	R 1/2	<b>PPS1 9CM2512</b>	1
25	R 3/4	<b>PPS1 9CM2527</b>	1
32	R 1	<b>PPS1 9CM3234</b>	1
40	R 1 1/4	<b>PPS1 9CM4042</b>	1
40	R 1 1/2	<b>PPS1 9CM4049</b>	1

### PPS1 TR - Aluminium reducing tee fitting

T4

For pipe OD (mm)	For pipe OD (mm)	Part number	Pack.
20	16	<b>PPS1 TR2016</b>	1
25	16	<b>PPS1 TR2516</b>	1
25	20	<b>PPS1 TR2520</b>	1
32	16	<b>PPS1 TR3216</b>	1
32	20	<b>PPS1 TR3220</b>	1
32	25	<b>PPS1 TR3225</b>	1

### PPS1 4C - 45° aluminium equal female elbow fitting

T4

For pipe OD (mm)	Part number	Pack.
(1) 16	<b>PPS1 4C16</b>	1
(1) 20	<b>PPS1 4C20</b>	1
(1) 25	<b>PPS1 4C25</b>	1
(1) 32	<b>PPS1 4C32</b>	1
(1) 40	<b>PPS1 4C40</b>	1
(2) 50	<b>PPS1 4CCC50</b>	1
(2) 63	<b>PPS1 4CCC63</b>	1
(2) 80	<b>PPS1 4CCC80</b>	1
(2) 100	<b>PPS1 4CCC100</b>	1

### PPS1 TT - Aluminium parallel female thread tee fitting for pipe

T4

For pipe OD (mm)	BSPP female thread	Part number	Pack.
16	G 3/8	<b>PPS1 TT1617</b>	1
20	G 1/2	<b>PPS1 TT2012</b>	1
25	G 1/2	<b>PPS1 TT2512</b>	1
25	G 3/4	<b>PPS1 TT2527</b>	1
32	G 3/4	<b>PPS1 TT3227</b>	1
32	G 1	<b>PPS1 TT3234</b>	1
40	G 3/4	<b>PPS1 TT4027</b>	1
40	G 1	<b>PPS1 TT4034</b>	1
40	G 1 1/4	<b>PPS1 TT4042</b>	1
50	G 1	<b>PPS1 TT5034</b>	1
50	G 1 1/4	<b>PPS1 TT5042</b>	1
50	G 1 1/2	<b>PPS1 TT5049</b>	1
63	G 1	<b>PPS1 TT6334</b>	1
63	G 1 1/4	<b>PPS1 TT6342</b>	1
63	G 1 1/2	<b>PPS1 TT6349</b>	1
80	G 2	<b>PPS1 TT6360</b>	1
80	G 1	<b>PPS1 TT8034</b>	1
80	G 1 1/2	<b>PPS1 TT8049</b>	1
80	G 2	<b>PPS1 TT8060</b>	1
80	G 2 1/2	<b>PPS1 TT8076</b>	1
100	G 3	<b>PPS1 TT10090</b>	1

### PPS1 BO - Aluminium female cap for pipe

T4

For pipe OD (mm)	Part number	Pack.
16	<b>PPS1 BO16</b>	1
20	<b>PPS1 BO20</b>	1
25	<b>PPS1 BO25</b>	1
32	<b>PPS1 BO32</b>	1
40	<b>PPS1 BO40</b>	1
50	<b>PPS1 BO50</b>	1
63	<b>PPS1 BO63</b>	1
80	<b>PPS1 BO80</b>	1
100	<b>PPS1 BO100</b>	1

# PPS SYSTEM

## 100% ALUMINIUM NETWORK

### PPS1 MM - Aluminium tapered male thread straight fitting for pipe

T4

	For pipe OD (mm)	BSPT male thread	Part number	Pack.
	16	R 3/8	<b>PPS1 MM1617</b>	1
16	R 1/2	<b>PPS1 MM1612</b>	1	
20	R 1/2	<b>PPS1 MM2012</b>	1	
20	R 3/4	<b>PPS1 MM2027</b>	1	
25	R 1/2	<b>PPS1 MM2512</b>	1	
25	R 3/4	<b>PPS1 MM2527</b>	1	
25	R 1	<b>PPS1 MM2534</b>	1	
32	R 1	<b>PPS1 MM3234</b>	1	
32	R 1 1/4	<b>PPS1 MM3242</b>	1	
40	R 1 1/4	<b>PPS1 MM4042</b>	1	
40	R 1 1/2	<b>PPS1 MM4049</b>	1	
50	R 1 1/2	<b>PPS1 MM5049</b>	1	
50	R 2	<b>PPS1 MM5060</b>	1	
63	R 2	<b>PPS1 MM6360</b>	1	
63	R 2 1/2	<b>PPS1 MM6376</b>	1	
80	R 2 1/2	<b>PPS1 MM8076</b>	1	
80	R 3	<b>PPS1 MM8090</b>	1	

### PPS1 MF - Aluminium female thread straight fitting for pipe

T4

 Ø 100 CC Concept	For pipe OD (mm)	BSPP female thread	Part number	Pack.
	16	G 3/8	<b>PPS1 MF1617</b>	1
16	G 1/2	<b>PPS1 MF1612</b>	1	
20	G 1/2	<b>PPS1 MF2012</b>	1	
20	G 3/4	<b>PPS1 MF2027</b>	1	
25	G 1/2	<b>PPS1 MF2512</b>	1	
25	G 3/4	<b>PPS1 MF2527</b>	1	
25	G 1	<b>PPS1 MF2534</b>	1	
32	G 1	<b>PPS1 MF3234</b>	1	
32	G 1 1/4	<b>PPS1 MF3242</b>	1	
40	G 1 1/4	<b>PPS1 MF4042</b>	1	
40	G 1 1/2	<b>PPS1 MF4049</b>	1	
50	G 1 1/2	<b>PPS1 MF5049</b>	1	
50	G 2	<b>PPS1 MF5060</b>	1	
63	G 2	<b>PPS1 MF6360</b>	1	
63	G 2 1/2	<b>PPS1 MF6376</b>	1	
80	G 2 1/2	<b>PPS1 MF8076</b>	1	
80	G 3	<b>PPS1 MF8090</b>	1	
100	G 3	<b>PPS1 MF10090</b>	1	

NEW

### PPS1 CR - Cross aluminum fitting

T4

 1  2  CC Concept	For tube OD	Outlet BSPP female thread	Outlet NPT female thread	Part number	Pack.
	(1) 12	G 1/2	-	-	<b>PPS1 CR12</b>
(1) 34	G 1	-	-	<b>PPS1 CR34</b>	1
(1) 49	G 1 1/2	-	-	<b>PPS1 CR49</b>	1
(2) 50	-	-	2"	<b>PPS1 CR50</b>	1
(2) 63	-	-	-	<b>PPS1 CR63</b>	1
(2) 80	-	-	-	<b>PPS1 CR80</b>	1
(2) 100	-	-	-	<b>PPS1 CR100</b>	1

NEW

### PPS1 A7 - Aluminum cap for cross fitting

T4


	For tube OD	BSPP female thread	Part number	Pack.
	1/2"	G 1	<b>PPS1 A712</b>	1
1"	G 1	<b>PPS1 A734</b>	1	
1 1/2"	G 1 1/2	<b>PPS1 A749</b>	1	

# PPS SYSTEM

## 100% ALUMINIUM NETWORK

### PPS1 BP - Aluminium tapping flange for pipe


T4



For pipe OD (mm)	For pipe OD (mm)	Part number	Pack.
25	16	<b>PPS1 BP2516</b>	1
25	20	<b>PPS1 BP2520</b>	1
32	16	<b>PPS1 BP3216</b>	1
32	20	<b>PPS1 BP3220</b>	1
40	16	<b>PPS1 BP4016</b>	1
40	20	<b>PPS1 BP4020</b>	1
40	25	<b>PPS1 BP4025</b>	1
50	16	<b>PPS1 BP5016</b>	1
50	20	<b>PPS1 BP5020</b>	1
50	25	<b>PPS1 BP5025</b>	1
63	20	<b>PPS1 BP6320</b>	1
63	25	<b>PPS1 BP6325</b>	1
63	32	<b>PPS1 BP6332</b>	1
80	20	<b>PPS1 BP8020</b>	1
80	25	<b>PPS1 BP8025</b>	1
80	32	<b>PPS1 BP8032</b>	1
100	25	<b>PPS1 BP10025</b>	1
100	32	<b>PPS1 BP10032</b>	1

### PPS1 BFT - Straight aluminum tapping flange parallel female thread

T4



For pipe OD	BSPP female thread	Part number	Pack.
25	G 1/2	<b>PPS1 BFT2512</b>	1
25	G 3/4	<b>PPS1 BFT2527</b>	1
32	G 1/2	<b>PPS1 BFT3212</b>	1
32	G 3/4	<b>PPS1 BFT3227</b>	1
40	G 1/2	<b>PPS1 BFT4012</b>	1
40	G 3/4	<b>PPS1 BFT4027</b>	1
40	G 1	<b>PPS1 BFT4034</b>	1
50	G 1/2	<b>PPS1 BFT5012</b>	1
50	G 3/4	<b>PPS1 BFT5027</b>	1
50	G 1	<b>PPS1 BFT5034</b>	1
63	G 1/2	<b>PPS1 BFT6312</b>	1
63	G 3/4	<b>PPS1 BFT6327</b>	1
63	G 1	<b>PPS1 BFT6334</b>	1
63	G 1 1/4	<b>PPS1 BFT6342</b>	1
80	G 1/2	<b>PPS1 BFT8012</b>	1
80	G 3/4	<b>PPS1 BFT8027</b>	1
80	G 1	<b>PPS1 BFT8034</b>	1
80	G 1 1/4	<b>PPS1 BFT8042</b>	1
100	G 3/4	<b>PPS1 BFT10027</b>	1
100	G 1	<b>PPS1 BFT10034</b>	1
100	G 1 1/2	<b>PPS1 BFT10049</b>	1

### PPS1 BT - Aluminium female thread tapping flange


T4



For pipe OD (mm)	BSPP female thread	Part number	Pack.
25	G 3/8	<b>PPS1 BT2517</b>	1
25	G 1/2	<b>PPS1 BT2512</b>	1
32	G 1/2	<b>PPS1 BT3212</b>	1
32	G 3/4	<b>PPS1 BT3227</b>	1
40	G 1/2	<b>PPS1 BT4012</b>	1
40	G 3/4	<b>PPS1 BT4027</b>	1
40	G 1	<b>PPS1 BT4034</b>	1
50	G 1/2	<b>PPS1 BT5012</b>	1
50	G 3/4	<b>PPS1 BT5027</b>	1
50	G 1	<b>PPS1 BT5034</b>	1
63	G 1/2	<b>PPS1 BT6312</b>	1
63	G 3/4	<b>PPS1 BT6327</b>	1
63	G 1	<b>PPS1 BT6334</b>	1
80	G 1/2	<b>PPS1 BT8012</b>	1
80	G 3/4	<b>PPS1 BT8027</b>	1
80	G 1	<b>PPS1 BT8034</b>	1

### PPS1 BFV - Tapping flange BFT with valve

T4




For pipe OD	BSPP female thread	Part number	Pack.
25	G 1/2	<b>PPS1 BFV2512</b>	1
32	G 1/2	<b>PPS1 BFV3212</b>	1
40	G 1/2	<b>PPS1 BFV4012</b>	1
40	G 1	<b>PPS1 BFV4034</b>	1
50	G 1/2	<b>PPS1 BFV5012</b>	1
50	G 1	<b>PPS1 BFV5034</b>	1
63	G 1/2	<b>PPS1 BFV6312</b>	1
63	G 1	<b>PPS1 BFV6334</b>	1
80	G 1/2	<b>PPS1 BFV8012</b>	1
80	G 1	<b>PPS1 BFV8034</b>	1
100	G 1/2	<b>PPS1 BFV10012</b>	1
100	G 1	<b>PPS1 BFV10034</b>	1

# PPS SYSTEM

## 100% ALUMINIUM NETWORK

### PPS1 RSIF - Parallel female thread valves with fittings for pipe

T4

	For pipe OD (mm)	BSPP female thread	Part number	Pack.
 <p>Ø 16 - 50</p> <p>Ø 63 - 80</p>	16	G 1/2	<b>PPS1 RSIF1612</b>	1
	20	G 1/2	<b>PPS1 RSIF2012</b>	1
	25	G 3/4	<b>PPS1 RSIF2527</b>	1
	32	G 1	<b>PPS1 RSIF3234</b>	1
	40	G 1 1/4	<b>PPS1 RSIF4042</b>	1
	50	G 1 1/2	<b>PPS1 RSIF5049</b>	1
	63	G 2	<b>PPS1 RSIF6360</b>	1
	80	G 2 1/2	<b>PPS1 RSIF8076</b>	1

NEW


### PPS1 RSI AL - Aluminum body valve

T4

	For pipe OD	Part number	Pack.
 <p>1</p>	(1) 63	<b>PPS1 RSIAL63</b>	1
	(2) 63	<b>PPS1 RSICAL63</b>	1
	(3) 63	<b>PPS1 RSICCAL63</b>	1
 <p>2</p> <p>CC Concept</p>			
 <p>3</p> <p>CC Concept</p>			

### PPS1 RSIM - Parallel male thread valves with fittings for pipe

T4

	For pipe OD (mm)	BSPT male thread	Part number	Pack.
	16	R 1/2	<b>PPS1 RSIM1612</b>	1
	20	R 1/2	<b>PPS1 RSIM2012</b>	1
	25	R 3/4	<b>PPS1 RSIM2527</b>	1
	32	R 1	<b>PPS1 RSIM3234</b>	1
	40	R 1 1/4	<b>PPS1 RSIM4042</b>	1
	50	R 1 1/2	<b>PPS1 RSIM5049</b>	1


### PPS1 VP - Remote controlled pneumatic valve for pipe

T4

	For pipe OD	Part number	Pack.
 <p>1</p>	(1) 40	<b>PPS1 VP40</b>	1
	(1) 50	<b>PPS1 VP50</b>	1
 <p>2</p> <p>CC Concept</p>	(1) 63	<b>PPS1 VP63</b>	1
	(1) 80	<b>PPS1 VP80</b>	1
	(2) 100	<b>PPS1 VPC100</b>	1





### PPS1 RSI - Piping valve

T4

	For pipe OD (mm)	Part number	Pack.
 <p>Ø 16 - 50</p> <p>Ø 63 - 80</p> <p>Ø 100</p>	16	<b>PPS1 RSI16</b>	1
	20	<b>PPS1 RSI20</b>	1
	25	<b>PPS1 RSI25</b>	1
	32	<b>PPS1 RSI32</b>	1
	40	<b>PPS1 RSI40</b>	1
	50	<b>PPS1 RSI50</b>	1
	63	<b>PPS1 RSI63</b>	1
	80	<b>PPS1 RSI80</b>	1
	100	<b>PPS1 RSI100</b>	1



### PPS RP - Remote control for valve PPS1 VP

T4



	For fitting Ø	Part number	Pack.
 <p>1</p>	(1)	<b>PPS RPE</b>	1
	(2)	<b>PPS RPK</b>	1
	(3)	<b>PPS RPWT</b>	1
	(4)	<b>PPS MTPA270412</b>	1
 <p>2</p>	<b>PPS MTPA270412</b> : PA tubes kit 2 x sheathed tubes : Ø 2,7 x 4 Length : 12 meters For valve and remote control connection		
	 <p>3</p>		
 <p>4</p>			

# Compact Connector Concept = CC CONCEPT


## CONNECTION CLAMP - PPS1 CC



## CONNECTION FLANGE - PPS1 FL



## CONNECTION VALVE - PPS1 RSI



## PPS1 CC CONCEPT - Connecting parts

T4

	For tube OD (mm)	Flange size (in)	Part number	Pack.
1.	(1) 50	-	<b>PPS1 CC50</b>	1
	(1) 63	-	<b>PPS1 CC63</b>	1
	(1) 80	-	<b>PPS1 CC80</b>	1
	(1) 100	-	<b>PPS1 CC100</b>	1
2.	(2) 50	2"	<b>PPS1 FL50</b>	1
	(2) 63	2.1/2"	<b>PPS1 FL63</b>	1
	(2) 80	3"	<b>PPS1 FL80</b>	1
	(2) 100	4"	<b>PPS1 FL100</b>	1

## PPS1 CC CONCEPT - Compact Connection aluminum fitting

T4

	For tube OD (mm)	For pipe OD (mm)	Part number	Pack.
1.	(1) 50	-	<b>PPS1 9CC50</b>	1
	(1) 63	-	<b>PPS1 9CC63</b>	1
	(1) 80	-	<b>PPS1 9CC80</b>	1
	(1) 100	-	<b>PPS1 9CC100</b>	1
2.	(2) 50	-	<b>PPS1 9CC50</b>	1
	(2) 63	-	<b>PPS1 9CC63</b>	1
	(2) 80	-	<b>PPS1 9CC80</b>	1
3.	(3) 50	-	<b>PPS1 TC50</b>	1
	(3) 63	-	<b>PPS1 TC63</b>	1
	(3) 80	-	<b>PPS1 TC80</b>	1
4.	(4) 50	-	<b>PPS1 TCC50</b>	1
	(4) 63	-	<b>PPS1 TCC63</b>	1
	(4) 80	-	<b>PPS1 TCC80</b>	1
5.	(5) 50	-	<b>PPS1 TCCC50</b>	1
	(5) 63	-	<b>PPS1 TCCC63</b>	1
	(5) 80	-	<b>PPS1 TCCC80</b>	1
6.	(6) 50	-	<b>PPS1 TCCC100</b>	1
	(6) 50	-	<b>PPS1 UC50</b>	1
	(6) 63	-	<b>PPS1 UC63</b>	1
7.	(6) 80	-	<b>PPS1 UC80</b>	1
	(6) 100	-	<b>PPS1 UC100</b>	1
	(7) 63-50	50	<b>PPS1 UC6350</b>	1
	(7) 80-63	63	<b>PPS1 UC8063</b>	1
	(7) 100	80	<b>PPS1 UC10080</b>	1



# PPS SYSTEM

## 100% ALUMINIUM NETWORK

### PPS1 CC CONCEPT - Accessories for Compact Connections

T4

	For tube OD (mm)	BSPP female thread	Flange size (in)	Part number	Pack.
1	(1) 50	G 1 1/2	-	<b>PPS1 FT5049</b>	1
	(1) 63	G 2	-	<b>PPS1 FT6360</b>	1
	(1) 80	G 2 1/2	-	<b>PPS1 FT8076</b>	1
2	(1) 100	G 2	-	<b>PPS1 FT10060</b>	1
	(1) 100	G 3	-	<b>PPS1 FT10090</b>	1
	(2) 50	G 1.1/2	-	<b>PPS1 MT5049</b>	1
3	(2) 63	G 2	-	<b>PPS1 MT6360</b>	1
	(2) 80	G 2	-	<b>PPS1 MT8076</b>	1
	(3) 100	-	-	<b>PPS1 CAP100</b>	1
4	(4) 50	-	-	<b>PPS1 GPB50</b>	1
	(4) 63	-	-	<b>PPS1 GPB63</b>	1
	(4) 80	-	-	<b>PPS1 GPB80</b>	1
5	(4) 100	-	-	<b>PPS1 GP100</b>	1
	(5) 50	-	2"	<b>PPS1 RSI50BB</b>	1
	(5) 63	-	2.1/2"	<b>PPS1 RSI63BB</b>	1
6	(5) 80	-	3"	<b>PPS1 RSI80BB</b>	1
	(5) 100	-	4"	<b>PPS1 RSI100BB</b>	1
	(6) 50	-	2"	<b>PPS1 DK50BB</b>	1
7	(6) 63	-	2.1/2"	<b>PPS1 DK63BB</b>	1
	(6) 80	-	3"	<b>PPS1 DK80BB</b>	1
	(6) 100	-	4"	<b>PPS1 DK100BB</b>	1
8	(7)	-	-	<b>PPS1 SCKM1665</b>	1
	(8)	-	-	<b>PPS1 SCKM16120</b>	1

### PPS1 DK - Expansion kit

T4

	For tube OD (mm)	Part number	Pack.
	63	<b>PPS1 DK63</b>	1
	80	<b>PPS1 DK80</b>	1
	100	<b>PPS1 DK100</b>	1

### PPS1 LK - Lock kit for valve

T4

	For valve Ø (mm)	Part number	Pack.
1	(1) 16 to 25	<b>PPS1 LK1625</b>	1
	(1) 32 to 40	<b>PPS1 LK3240</b>	1
	(1) 50	<b>PPS1 LK50</b>	1
	(2) 63 to 80	<b>PPS1 LK6380</b>	1
	(2) 100	<b>PPS1 LK100</b>	1
2			

### PPS1 NUT - Aluminium nut

T4

	For fitting Ø (mm)	Part number	Pack.
	16	<b>PPS1 NUT16</b>	1
	20	<b>PPS1 NUT20</b>	1
	25	<b>PPS1 NUT25</b>	1
	32	<b>PPS1 NUT32</b>	1
	40	<b>PPS1 NUT40</b>	1
	50	<b>PPS1 NUT50</b>	1
	63	<b>PPS1 NUT63</b>	1
	80	<b>PPS1 NUT80</b>	1

### PPS1 UF - Straight aluminum fitting with flange

T4


	For pipe OD (mm)	Flange size (in)	Part number	Pack.
	63	2"	<b>PPS1 UF63</b>	1
	80	2.1/2"	<b>PPS1 UF80</b>	1
	100	4"	<b>PPS1 UF100</b>	1
	50	2"	<b>PPS1 UFC50</b>	1
	63	2 1/2"	<b>PPS1 UFC63</b>	1
	80	3"	<b>PPS1 UFC80</b>	1
Compliant with DIN EN1092 and ANSI EN1759 Standards				

# PPS SYSTEM

## 100% ALUMINIUM NETWORK

### PPS1 SEAL - Internal seal NBR

T4

	For fitting Ø (mm)	Quantity	Part number	Pack.
	16	10	<b>PPS1 SEAL16</b>	1
20	10	<b>PPS1 SEAL20</b>	1	
25	10	<b>PPS1 SEAL25</b>	1	
32	10	<b>PPS1 SEAL32</b>	1	
40	5	<b>PPS1 SEAL40</b>	1	
50	5	<b>PPS1 SEAL50</b>	1	
63	2	<b>PPS1 SEAL63</b>	1	
80	2	<b>PPS1 SEAL80</b>	1	
100	1	<b>PPS1 SEAL100</b>	1	


### PPS1 IP - Internal parts kit

T4

	For fitting Ø (mm)	Part number	Pack.
	16	<b>PPS1 IP16</b>	1
20	<b>PPS1 IP20</b>	1	
25	<b>PPS1 IP25</b>	1	
32	<b>PPS1 IP32</b>	1	
40	<b>PPS1 IP40</b>	1	
50	<b>PPS1 IP50</b>	1	
63	<b>PPS1 IP63</b>	1	
80	<b>PPS1 IP80</b>	1	
100	<b>PPS1 IP100</b>	1	


### PPS1 SEALV - Viton seal kit

T4

	For fitting Ø (mm)	For tube OD (mm)	Quantity	Part number	Pack.
	(1) 16	-	10	<b>PPS1 SEAL16V</b>	1
(1) 20	-	10	<b>PPS1 SEAL20V</b>	1	
(1) 25	-	10	<b>PPS1 SEAL25V</b>	1	
(1) 32	-	10	<b>PPS1 SEAL32V</b>	1	
(1) 40	-	5	<b>PPS1 SEAL40V</b>	1	
(1) 50	-	5	<b>PPS1 SEAL50V</b>	5	
(1) 63	-	2	<b>PPS1 SEAL63V</b>	1	
(1) 80	-	2	<b>PPS1 SEAL80V</b>	1	
(1) 100	-	1	<b>PPS1 SEAL100V</b>	1	
(2) -	50	-	<b>PPS1 GP50V</b>	1	
(2) -	63	-	<b>PPS1 GP63V</b>	1	
(2) -	80	-	<b>PPS1 GP80V</b>	1	
(2) -	100	-	<b>PPS1 GP100V</b>	1	

### PPS1 BA - Band Kit 10


T4

	For fitting Ø (mm)	Part number	Pack.
	16	<b>PPS1 BA16</b>	1
20	<b>PPS1 BA20</b>	1	
25	<b>PPS1 BA25</b>	1	
32	<b>PPS1 BA32</b>	1	
40	<b>PPS1 BA40</b>	1	
50	<b>PPS1 BA50</b>	1	
63	<b>PPS1 BA63</b>	1	
80	<b>PPS1 BA80</b>	1	
100	<b>PPS1 BA100</b>	1	

(unit of sales = 10 band)


### PPS1 BP ORING - Seal kit for tapping flange

T4

	For tube OD (mm)	Quantity	Part number	U.P. £	Pack.
	25	10	<b>PPS1 BPORING25</b>	2.14	10
32	10	<b>PPS1 BPORING32</b>	2.14	10	
40	10	<b>PPS1 BPORING40</b>	2.86	10	
50	10	<b>PPS1 BPORING50</b>	2.86	10	
63	10	<b>PPS1 BPORING63</b>	4.12	10	
80	10	<b>PPS1 BPORING80</b>	4.12	10	
100	10	<b>PPS1 BPORING100</b>	4.96	10	

### A3T - 3-piece stainless steel female equal socket


T4

	BSPF female thread	Part number	Pack.
	G 1	<b>A3T 01</b>	1
G 1 1/4	<b>A3T 42</b>	1	
G 1 1/2	<b>A3T 49</b>	1	
G 2	<b>A3T 60</b>	1	

# ACCESSORIES FOR **PPS** NETWORK ASSEMBLY


## PPS1 CLE - Tightening wrench

T4

	For fitting Ø (mm)	Part number	Pack.
	16	<b>PPS1 CLE16</b>	1
	20	<b>PPS1 CLE20</b>	1
	25	<b>PPS1 CLE25</b>	1
	32	<b>PPS1 CLE32</b>	1
	40	<b>PPS1 CLE40</b>	1
	50	<b>PPS1 CLE50</b>	1
	63	<b>PPS1 CLE63</b>	1
80	<b>PPS1 CLE80</b>	1	

## PPS CLESTD - Neutral hook spanner

T4

	For fitting Ø (mm)	Part number	Pack.
	16 to 80	<b>PPS CLESTD</b>	1

Wrench used to hold the body while tightening

## Torque wrench


T4

	Square driver	Max. unscrew torque	Part number	Pack.
	(1) 3/8"	6 to 30	<b>TTW 0630</b>	1
	(2) 3/8"	20 to 100	<b>TTW 20100</b>	1

Ergonomic rubber handle for user comfort.  
TTW 0630 : supplied with 5 sockets (HW4, HW5, HW6, HW7, HW8)

## PPS SP - Drill for tapping flange


T4

	Drill Ø (mm)	For pipe OD (mm)	Part number	Pack.
	16	25 to 32	<b>PPS SP16</b>	1
	22	40 to 50	<b>PPS SP22</b>	1
	30	63 to 80	<b>PPS SP30</b>	1
	41	100	<b>PPS SP41</b>	1

Drill bit for PPS1 BT, PPS1 BP and PPS1 BFT flanges

## PPS DRIL - Drilling tool under pressure


T4

	Drill Ø (mm)	BSPP male thread	Part number	Pack.
	13	G 1/2	<b>PPS DRIL12</b>	1
	19	G 1	<b>PPS DRIL34</b>	1

To drill under pressure, use the straight tapping flange PPS1 BFV

## PPS INS - Insertion tool guide for PPS pipe and fittings


T4

	For pipe OD (mm)	Part number	Pack.
	63-80-100	<b>PPS INS63100</b>	1

Facilitate pipe and fitting installation


## PPS CHE - Manual pipe chamfer and deburr tools

T4

	For tube OD (mm)	Part number	Pack.
	(1) 16 to 50	<b>PPS CH50</b>	1
	(2) Deburring inside / outside	<b>PPS CHERAP</b>	1
	(3) 63 to 100	<b>PPS CH110</b>	1


## PPS CHPD - Pipe chamfer and deburr tools for hand-held drill

T4

	For tube OD (mm)	Part number	Pack.
	(1) 16 to 50	<b>PPS CHP50</b>	1
	(2) 16 to 20	<b>PPS CHPD2016</b>	1
	(2) 25	<b>PPS CHPD25</b>	1
	(2) 32	<b>PPS CHPD32</b>	1
	(2) 40	<b>PPS CHPD40</b>	1
	(2) 50	<b>PPS CHPD50</b>	1
	(2) 63	<b>PPS CHPD63</b>	1
	(2) 80	<b>PPS CHPD80</b>	1
	(2) 100	<b>PPS CHPD100</b>	1

## PPS AL - Assembly gel

T4


	Capacity (ml)	Part number	Pack.
	200	<b>PPS AL</b>	1

Lubricate pipe to facilitate insertion into the fittings

# ACCESSORIES FOR **PPS** NETWORK ASSEMBLY


## PPS CTU - Pipe cutter

T4

	For pipe OD (mm)	Part number	Pack.
	16 to 63	<b>PPS CTU63</b>	1
63 to 100	<b>PPS CTU110</b>	1	


## Metal support bracket

T4

	Length (mm)	Part number	U.P. £	Pack.
	(1) 180	<b>CS 180L</b>	6.02	1
(1) 300	<b>CS 310L</b>	7.18	1	
(1) 420	<b>CS 420L</b>	7.95	1	
(2) 510	<b>CS 500</b>	19.33	1	


## PPS1 CI - Pipe clamp

T4

	For pipe OD (mm)	Thread	Part number	Pack.
	Ø 16 - 32	16	M8	<b>PPS1 CI16</b>
20		M8	<b>PPS1 CI20</b>	5
Ø 40 - 100	25	M8	<b>PPS1 CI25</b>	5
	32	M8	<b>PPS1 CI32</b>	5
	40	M8	<b>PPS1 CI40</b>	5
	50	M8	<b>PPS1 CI50</b>	5
	63	M8	<b>PPS1 CI63</b>	5
	80	M8	<b>PPS1 CI80</b>	5
100	M8	<b>PPS1 CI100</b>	5	


## Screw for metal support

T4

	Length (mm)	Metric thread	Part number	U.P. £	Pack.
	20	M8	<b>CS VIS1</b>	1.46	1
40	M8	<b>CS VIS2</b>	1.82	1	


## PPS1 CIS - Pipe clamp spacer

T4

	Length (mm)	Part number	Pack.
	(1) 35	<b>PPS1 CIS1632</b>	5
(2) 20	<b>PPS1 CIS4050</b>	5	


## M8 Beam clip

T4

	Panel thickness (mm)	Metric thread	Part number	U.P. £	Pack.
	(1) 3 to 8			<b>CP 38</b>	3.27
(1) 8 to 14			<b>CP 814</b>	3.54	1
(1) 14 to 20			<b>CP 1420</b>	3.47	1
(2) 0 to 16	M6 or cross-piece		<b>CP 016</b>	3.07	1
(3) 1 to 18	M8		<b>CP M8</b>	3.61	1


## PPS1 CIRSI - Valve bracket

T4

	For pipe OD (mm)	Part number	Pack.
	Ø 16-50	16	<b>PPS1 CIRSI16</b>
20		<b>PPS1 CIRSI20</b>	1
Ø 63-80	25	<b>PPS1 CIRSI25</b>	1
	32	<b>PPS1 CIRSI32</b>	1
	40	<b>PPS1 CIRSI40</b>	1
Ø 100	50	<b>PPS1 CIRSI50</b>	1
	63	<b>PPS1 CIRSI63</b>	1
	80	<b>PPS1 CIRSI80</b>	1
	100	<b>PPS1 CIRSI100</b>	1

## Pipe clamp suspension system

T4


	Length (v)	Metric thread	Part number	Pack.
	2	M8	<b>SK SC2</b>	10

# ACCESSORIES FOR **PPS** NETWORK ASSEMBLY

# **PPS** RANGE CASE


## Screw Ø 6 mm

T4

	Length (mm)	Part number	Pack.
	60	<b>TVB 660</b>	10
	90	<b>TVB 690</b>	10


## PPS CT - Tools case for pipes preparation

T4

	Includes	Part number	Pack.
	- 1 Tube cutter for Ø ext. 16 to 63 mm: PPS CTU63 - 1 Chamfering tool for tube Ø ext. 16 to 50 mm: PPS CH50 - 1 Deburring int/ext: PPS CHERAP - 1 Hole saw for drilling tube Ø 16 to 32: PPS SP16 - 1 Hole saw for drilling tube Ø 40 to 50: PPS SP22 - 1 Marker pen: PPS PEN	<b>PPS CT1650</b>	1


## M8 thread hanger galvanized stud

T4

	Length (mm)	Metric thread	Part number	Pack.
	50	M8	<b>PV 80</b>	10
	80	M8	<b>PV 880</b>	10


## PPS CK - Tightening wrenches case

T4

	Includes	Part number	Pack.
	- 1 Tightening wrench Ø 16 mm: PPS1 CLE16 - 1 Tightening wrench Ø 20 mm: PPS1 CLE20 - 1 Tightening wrench Ø 25 mm: PPS1 CLE25 - 1 Tightening wrench Ø 32 mm: PPS1 CLE32 - 1 Marker pen: PPS1 PEN	<b>PPS CK1632</b>	1
	- 1 Tightening wrench Ø 40 mm: PPS1 CLE40 - 1 Tightening wrench Ø 50 mm: PPS1 CLE50 - 1 Marker pen: PPS1 PEN	<b>PPS CK4050</b>	1



## M8 Stud

T4

	Metric thread	Part number	Pack.
	M8	<b>TL M8</b>	1


## PPS CCHPD - Tools case for pipe chamfering

T4

	Includes	Part number	Pack.
1 	(1) - 1 x PPS CHPD2016 - 1 x PPS CHPD25 - 1 x PPS CHPD32 - 1 x PPS CHPD40 - 1 x PPS CHPD50 - 1 x hexagonal quick coupling	<b>PPS CCHP1650</b>	1
2 	(2) - 1 x PPS CHPD63 - 1 x PPS CHPD80 - 1 x PPS CHPD100 - 1 x hexagonal quick coupling	<b>PPS CCHP63100</b>	1



## M8 thread stud

T4

	Description	Metric thread	Length (m)	Part number	Pack.
	Threaded stud	M8	1	<b>TF M8100</b>	1
	Union for M8 threaded stud	M8	-	<b>TL RM8</b>	1
	Lock Nut	M8	-	<b>TE M8</b>	100

## PPS CD - Drills tool case


T4

	Includes	Part number	Pack.
1 	(1) - 1 x PPS SP16 - 1 x PPS SP22 - 1 x PPS SP30 - 1 x PPS SP41 - 1 x hexagonal quick coupling	<b>PPS CD1641</b>	1
2 	(2) - 1 x PPS DRIL12 - 1 x PPS DRIL34	<b>PPS CDP1234</b>	1

# LINKING HOSES


## Flexible hoses compensation for network expansion Tapered male swivel connections

T4

	BSPT male thread	Length (m)	Part number	Pack.
	R 1/2	0.75	<b>LAM 21</b>	1
	R 3/4	0.75	<b>LAM 27</b>	1
	R 1	0.75	<b>LAM 34</b>	1
	R 1 1/4	1.1	<b>LAM 42</b>	1
	R 1 1/2	1.25	<b>LAM 49</b>	1
	R 2	1	<b>LAM 60</b>	1


## Connection hoses - Female swivel connections

T4

	BSPF female thread	Length (m)	Part number	Pack.
	G 3/8	1.5	<b>LEF 17</b>	1
	G 1/2	1.5	<b>LEF 21</b>	1
	G 3/4	1.5	<b>LEF 27</b>	1
	G 1	1.5	<b>LEF 34</b>	1
	G 1 1/4	2.2	<b>LEF 42</b>	1
	G 1 1/2	2.5	<b>LEF 49</b>	1
G 2	2	<b>LEF 60</b>	1	


## Connection hoses with steel safety cable Female swivel connections

T4

	BSPF female thread	Length (m)	Part number	Pack.
	G 3/8	1.5	<b>LEF 17S</b>	1
	G 1/2	1.5	<b>LEF 21S</b>	1
	G 3/4	1.5	<b>LEF 27S</b>	1
G 1	1.5	<b>LEF 34S</b>	1	


## Connection hoses - Male swivel connections

T4

	BSPT male thread	Length (m)	Part number	Pack.
	R 3/8	1.5	<b>LEM 17</b>	1
	R 1/2	1.5	<b>LEM 21</b>	1
	R 3/4	1.5	<b>LEM 27</b>	1
	R 1	1.5	<b>LEM 34</b>	1
	R 1 1/4	2.2	<b>LEM 42</b>	1
	R 1 1/2	2.5	<b>LEM 49</b>	1
R 2	2	<b>LEM 60</b>	1	

## Connection hoses with safety cable Male swivel connections

T4

	BSPT male thread	Length (m)	Part number	Pack.
	R 3/8	1.5	<b>LEM 17S</b>	1
	R 1/2	1.5	<b>LEM 21S</b>	1
	R 3/4	1.5	<b>LEM 27S</b>	1
R 1	1.5	<b>LEM 34S</b>	1	

Part Numbers	Price per	P.G.	Page
A3T 01	U.P.	T4	10
A3T 42	U.P.	T4	10
A3T 49	U.P.	T4	10
A3T 60	U.P.	T4	10
CP 016	U.P.	T4	12
CP 1420	U.P.	T4	12
CP 38	U.P.	T4	12
CP 814	U.P.	T4	12
CP M8	U.P.	T4	12
CS 180L	U.P.	T4	12
CS 310L	U.P.	T4	12
CS 420L	U.P.	T4	12
CS 500	U.P.	T4	12
CS VIS1	U.P.	T4	12
CS VIS2	U.P.	T4	12
LAM 21	U.P.	T4	14
LAM 27	U.P.	T4	14
LAM 34	U.P.	T4	14
LAM 42	U.P.	T4	14
LAM 49	U.P.	T4	14
LAM 60	U.P.	T4	14
LEF 17	U.P.	T4	14
LEF 17S	U.P.	T4	14
LEF 21	U.P.	T4	14
LEF 21S	U.P.	T4	14
LEF 27	U.P.	T4	14
LEF 27S	U.P.	T4	14
LEF 34	U.P.	T4	14
LEF 34S	U.P.	T4	14
LEF 42	U.P.	T4	14
LEF 49	U.P.	T4	14
LEF 60	U.P.	T4	14
LEM 17	U.P.	T4	14
LEM 17S	U.P.	T4	14
LEM 21	U.P.	T4	14
LEM 21S	U.P.	T4	14
LEM 27	U.P.	T4	14
LEM 27S	U.P.	T4	14
LEM 34	U.P.	T4	14
LEM 34S	U.P.	T4	14
LEM 42	U.P.	T4	14
LEM 49	U.P.	T4	14
LEM 60	U.P.	T4	14
PPS AL	U.P.	T4	11
PPS BTU10055	U.P.	T4	3
PPS BTU1640	U.P.	T4	3
PPS BTU2040	U.P.	T4	3
PPS BTU2055	U.P.	T4	3
PPS BTU2540	U.P.	T4	3
PPS BTU2555	U.P.	T4	3
PPS BTU3240	U.P.	T4	3
PPS BTU3255	U.P.	T4	3
PPS BTU4040	U.P.	T4	3
PPS BTU4055	U.P.	T4	3
PPS BTU5055	U.P.	T4	3
PPS BTU6355	U.P.	T4	3
PPS BTU8055	U.P.	T4	3
PPS CCHP1650	U.P.	T4	13
PPS CCHP63100	U.P.	T4	13
PPS CD1641	U.P.	T4	13
PPS CDP1234	U.P.	T4	13
PPS CH110	U.P.	T4	11
PPS CH50	U.P.	T4	11
PPS CHERAP	U.P.	T4	11
PPS CHP50	U.P.	T4	11
PPS CHPD100	U.P.	T4	11

Part Numbers	Price per	P.G.	Page
PPS CHPD2016	U.P.	T4	11
PPS CHPD25	U.P.	T4	11
PPS CHPD32	U.P.	T4	11
PPS CHPD40	U.P.	T4	11
PPS CHPD50	U.P.	T4	11
PPS CHPD63	U.P.	T4	11
PPS CHPD80	U.P.	T4	11
PPS CK1632	U.P.	T4	13
PPS CK4050	U.P.	T4	13
PPS CLESTD	U.P.	T4	11
PPS CT1650	U.P.	T4	13
PPS CTU110	U.P.	T4	12
PPS CTU63	U.P.	T4	12
PPS DRIL12	U.P.	T4	11
PPS DRIL34	U.P.	T4	11
PPS GTU10055	U.P.	T4	3
PPS GTU1640	U.P.	T4	3
PPS GTU2055	U.P.	T4	3
PPS GTU2555	U.P.	T4	3
PPS GTU3255	U.P.	T4	3
PPS GTU4055	U.P.	T4	3
PPS GTU5055	U.P.	T4	3
PPS GTU6355	U.P.	T4	3
PPS GTU8055	U.P.	T4	3
PPS INS63100	U.P.	T4	11
PPS LMCB16	U.P.	T4	3
PPS LMCB20	U.P.	T4	3
PPS LMCB25	U.P.	T4	3
PPS LMCG16	U.P.	T4	3
PPS LMCG20	U.P.	T4	3
PPS LMCG25	U.P.	T4	3
PPS MTPA270412	U.P.	T4	7
PPS RPE	U.P.	T4	7
PPS RPK	U.P.	T4	7
PPS RPWT	U.P.	T4	7
PPS SP16	U.P.	T4	11
PPS SP22	U.P.	T4	11
PPS SP30	U.P.	T4	11
PPS SP41	U.P.	T4	11
PPS VTU2055	U.P.	T4	3
PPS VTU2555	U.P.	T4	3
PPS VTU5055	U.P.	T4	3
PPS1 4C16	U.P.	T4	4
PPS1 4C20	U.P.	T4	4
PPS1 4C25	U.P.	T4	4
PPS1 4C32	U.P.	T4	4
PPS1 4C40	U.P.	T4	4
PPS1 4CCC100	U.P.	T4	4
PPS1 4CCC50	U.P.	T4	4
PPS1 4CCC63	U.P.	T4	4
PPS1 4CCC80	U.P.	T4	4
PPS1 9C100	U.P.	T4	4
PPS1 9C16	U.P.	T4	4
PPS1 9C20	U.P.	T4	4
PPS1 9C25	U.P.	T4	4
PPS1 9C32	U.P.	T4	4
PPS1 9C40	U.P.	T4	4
PPS1 9C50	U.P.	T4	4
PPS1 9C63	U.P.	T4	4
PPS1 9C80	U.P.	T4	4
PPS1 9CC100	U.P.	T4	8
PPS1 9CC50	U.P.	T4	8
PPS1 9CC63	U.P.	T4	8
PPS1 9CC80	U.P.	T4	8
PPS1 9CCC100	U.P.	T4	8
PPS1 9CCC50	U.P.	T4	8

Part Numbers		P.G.	Page
PPS1 9CCC63	U.P.	T4	8
PPS1 9CCC80	U.P.	T4	8
PPS1 9CM1612	U.P.	T4	4
PPS1 9CM1617	U.P.	T4	4
PPS1 9CM2012	U.P.	T4	4
PPS1 9CM2512	U.P.	T4	4
PPS1 9CM2527	U.P.	T4	4
PPS1 9CM3234	U.P.	T4	4
PPS1 9CM4042	U.P.	T4	4
PPS1 9CM4049	U.P.	T4	4
PPS1 A712	U.P.	T4	5
PPS1 A734	U.P.	T4	5
PPS1 A749	U.P.	T4	5
PPS1 BA100	U.P.	T4	10
PPS1 BA16	U.P.	T4	10
PPS1 BA20	U.P.	T4	10
PPS1 BA25	U.P.	T4	10
PPS1 BA32	U.P.	T4	10
PPS1 BA40	U.P.	T4	10
PPS1 BA50	U.P.	T4	10
PPS1 BA63	U.P.	T4	10
PPS1 BA80	U.P.	T4	10
PPS1 BFT10027	U.P.	T4	6
PPS1 BFT10034	U.P.	T4	6
PPS1 BFT10049	U.P.	T4	6
PPS1 BFT2512	U.P.	T4	6
PPS1 BFT2527	U.P.	T4	6
PPS1 BFT3212	U.P.	T4	6
PPS1 BFT3227	U.P.	T4	6
PPS1 BFT4012	U.P.	T4	6
PPS1 BFT4027	U.P.	T4	6
PPS1 BFT4034	U.P.	T4	6
PPS1 BFT5012	U.P.	T4	6
PPS1 BFT5027	U.P.	T4	6
PPS1 BFT5034	U.P.	T4	6
PPS1 BFT6312	U.P.	T4	6
PPS1 BFT6327	U.P.	T4	6
PPS1 BFT6334	U.P.	T4	6
PPS1 BFT6342	U.P.	T4	6
PPS1 BFT8012	U.P.	T4	6
PPS1 BFT8027	U.P.	T4	6
PPS1 BFT8034	U.P.	T4	6
PPS1 BFT8042	U.P.	T4	6
PPS1 BFV10012	U.P.	T4	6
PPS1 BFV10034	U.P.	T4	6
PPS1 BFV2512	U.P.	T4	6
PPS1 BFV3212	U.P.	T4	6
PPS1 BFV4012	U.P.	T4	6
PPS1 BFV4034	U.P.	T4	6
PPS1 BFV5012	U.P.	T4	6
PPS1 BFV5034	U.P.	T4	6
PPS1 BFV6312	U.P.	T4	6
PPS1 BFV6334	U.P.	T4	6
PPS1 BFV8012	U.P.	T4	6
PPS1 BFV8034	U.P.	T4	6
PPS1 B0100	U.P.	T4	4
PPS1 B016	U.P.	T4	4
PPS1 B020	U.P.	T4	4
PPS1 B025	U.P.	T4	4
PPS1 B032	U.P.	T4	4
PPS1 B040	U.P.	T4	4
PPS1 B050	U.P.	T4	4
PPS1 B063	U.P.	T4	4
PPS1 B080	U.P.	T4	4
PPS1 BP10025	U.P.	T4	6
PPS1 BP10032	U.P.	T4	6

Part Numbers	Price per	P.G.	Page
PPS1 BP2516	U.P.	T4	6
PPS1 BP2520	U.P.	T4	6
PPS1 BP3216	U.P.	T4	6
PPS1 BP3220	U.P.	T4	6
PPS1 BP4016	U.P.	T4	6
PPS1 BP4020	U.P.	T4	6
PPS1 BP4025	U.P.	T4	6
PPS1 BP5016	U.P.	T4	6
PPS1 BP5020	U.P.	T4	6
PPS1 BP5025	U.P.	T4	6
PPS1 BP6320	U.P.	T4	6
PPS1 BP6325	U.P.	T4	6
PPS1 BP6332	U.P.	T4	6
PPS1 BP8020	U.P.	T4	6
PPS1 BP8025	U.P.	T4	6
PPS1 BP8032	U.P.	T4	6
PPS1 BPORING100	U.P.	T4	10
PPS1 BPORING25	U.P.	T4	10
PPS1 BPORING32	U.P.	T4	10
PPS1 BPORING40	U.P.	T4	10
PPS1 BPORING50	U.P.	T4	10
PPS1 BPORING63	U.P.	T4	10
PPS1 BPORING80	U.P.	T4	10
PPS1 BT2512	U.P.	T4	6
PPS1 BT2517	U.P.	T4	6
PPS1 BT3212	U.P.	T4	6
PPS1 BT3227	U.P.	T4	6
PPS1 BT4012	U.P.	T4	6
PPS1 BT4027	U.P.	T4	6
PPS1 BT4034	U.P.	T4	6
PPS1 BT5012	U.P.	T4	6
PPS1 BT5027	U.P.	T4	6
PPS1 BT5034	U.P.	T4	6
PPS1 BT6312	U.P.	T4	6
PPS1 BT6327	U.P.	T4	6
PPS1 BT6334	U.P.	T4	6
PPS1 BT8012	U.P.	T4	6
PPS1 BT8027	U.P.	T4	6
PPS1 BT8034	U.P.	T4	6
PPS1 CAP100	U.P.	T4	9
PPS1 CC100	U.P.	T4	8
PPS1 CC50	U.P.	T4	8
PPS1 CC63	U.P.	T4	8
PPS1 CC80	U.P.	T4	8
PPS1 CI100	U.P.	T4	12
PPS1 CI16	U.P.	T4	12
PPS1 CI20	U.P.	T4	12
PPS1 CI25	U.P.	T4	12
PPS1 CI32	U.P.	T4	12
PPS1 CI40	U.P.	T4	12
PPS1 CI50	U.P.	T4	12
PPS1 CI63	U.P.	T4	12
PPS1 CI80	U.P.	T4	12
PPS1 CIRSI100	U.P.	T4	12
PPS1 CIRSI16	U.P.	T4	12
PPS1 CIRSI20	U.P.	T4	12
PPS1 CIRSI25	U.P.	T4	12
PPS1 CIRSI32	U.P.	T4	12
PPS1 CIRSI40	U.P.	T4	12
PPS1 CIRSI50	U.P.	T4	12
PPS1 CIRSI63	U.P.	T4	12
PPS1 CIRSI80	U.P.	T4	12
PPS1 CIS1632	U.P.	T4	12
PPS1 CIS4050	U.P.	T4	12
PPS1 CLE16	U.P.	T4	11
PPS1 CLE20	U.P.	T4	11

Part Numbers	Price per	P.G.	Page
PPS1 CLE25	U.P.	T4	11
PPS1 CLE32	U.P.	T4	11
PPS1 CLE40	U.P.	T4	11
PPS1 CLE50	U.P.	T4	11
PPS1 CLE63	U.P.	T4	11
PPS1 CLE80	U.P.	T4	11
PPS1 CR100	U.P.	T4	5
PPS1 CR12	U.P.	T4	5
PPS1 CR34	U.P.	T4	5
PPS1 CR49	U.P.	T4	5
PPS1 CR50	U.P.	T4	5
PPS1 CR63	U.P.	T4	5
PPS1 CR80	U.P.	T4	5
PPS1 DK100	U.P.	T4	9
PPS1 DK100BB	U.P.	T4	9
PPS1 DK50BB	U.P.	T4	9
PPS1 DK63	U.P.	T4	9
PPS1 DK63BB	U.P.	T4	9
PPS1 DK80	U.P.	T4	9
PPS1 DK80BB	U.P.	T4	9
PPS1 FL100	U.P.	T4	8
PPS1 FL50	U.P.	T4	8
PPS1 FL63	U.P.	T4	8
PPS1 FL80	U.P.	T4	8
PPS1 FT10060	U.P.	T4	9
PPS1 FT10090	U.P.	T4	9
PPS1 FT5049	U.P.	T4	9
PPS1 FT6360	U.P.	T4	9
PPS1 FT8076	U.P.	T4	9
PPS1 GP100	U.P.	T4	9
PPS1 GP100V	U.P.	T4	10
PPS1 GP50V	U.P.	T4	10
PPS1 GP63V	U.P.	T4	10
PPS1 GP80V	U.P.	T4	10
PPS1 GPB50	U.P.	T4	9
PPS1 GPB63	U.P.	T4	9
PPS1 GPB80	U.P.	T4	9
PPS1 IP100	U.P.	T4	10
PPS1 IP16	U.P.	T4	10
PPS1 IP20	U.P.	T4	10
PPS1 IP25	U.P.	T4	10
PPS1 IP32	U.P.	T4	10
PPS1 IP40	U.P.	T4	10
PPS1 IP50	U.P.	T4	10
PPS1 IP63	U.P.	T4	10
PPS1 IP80	U.P.	T4	10
PPS1 LK100	U.P.	T4	9
PPS1 LK1625	U.P.	T4	9
PPS1 LK3240	U.P.	T4	9
PPS1 LK50	U.P.	T4	9
PPS1 LK6380	U.P.	T4	9
PPS1 MF10090	U.P.	T4	5
PPS1 MF1612	U.P.	T4	5
PPS1 MF1617	U.P.	T4	5
PPS1 MF2012	U.P.	T4	5
PPS1 MF2027	U.P.	T4	5
PPS1 MF2512	U.P.	T4	5
PPS1 MF2527	U.P.	T4	5
PPS1 MF2534	U.P.	T4	5
PPS1 MF3234	U.P.	T4	5
PPS1 MF3242	U.P.	T4	5
PPS1 MF4042	U.P.	T4	5
PPS1 MF4049	U.P.	T4	5
PPS1 MF5049	U.P.	T4	5
PPS1 MF5060	U.P.	T4	5
PPS1 MF6360	U.P.	T4	5

Part Numbers	Price per	P.G.	Page
PPS1 MF6376	U.P.	T4	5
PPS1 MF8076	U.P.	T4	5
PPS1 MF8090	U.P.	T4	5
PPS1 MM1612	U.P.	T4	5
PPS1 MM1617	U.P.	T4	5
PPS1 MM2012	U.P.	T4	5
PPS1 MM2027	U.P.	T4	5
PPS1 MM2512	U.P.	T4	5
PPS1 MM2527	U.P.	T4	5
PPS1 MM2534	U.P.	T4	5
PPS1 MM3234	U.P.	T4	5
PPS1 MM3242	U.P.	T4	5
PPS1 MM4042	U.P.	T4	5
PPS1 MM4049	U.P.	T4	5
PPS1 MM5049	U.P.	T4	5
PPS1 MM5060	U.P.	T4	5
PPS1 MM6360	U.P.	T4	5
PPS1 MM6376	U.P.	T4	5
PPS1 MM8076	U.P.	T4	5
PPS1 MM8090	U.P.	T4	5
PPS1 MR10080	U.P.	T4	3
PPS1 MR2520	U.P.	T4	3
PPS1 MR3225	U.P.	T4	3
PPS1 MR4032	U.P.	T4	3
PPS1 MR5040	U.P.	T4	3
PPS1 MR6350	U.P.	T4	3
PPS1 MR8063	U.P.	T4	3
PPS1 MT5049	U.P.	T4	9
PPS1 MT6360	U.P.	T4	9
PPS1 MT8076	U.P.	T4	9
PPS1 NUT16	U.P.	T4	9
PPS1 NUT20	U.P.	T4	9
PPS1 NUT25	U.P.	T4	9
PPS1 NUT32	U.P.	T4	9
PPS1 NUT40	U.P.	T4	9
PPS1 NUT50	U.P.	T4	9
PPS1 NUT63	U.P.	T4	9
PPS1 NUT80	U.P.	T4	9
PPS1 RSI100	U.P.	T4	7
PPS1 RSI100BB	U.P.	T4	9
PPS1 RSI16	U.P.	T4	7
PPS1 RSI20	U.P.	T4	7
PPS1 RSI25	U.P.	T4	7
PPS1 RSI32	U.P.	T4	7
PPS1 RSI40	U.P.	T4	7
PPS1 RSI50	U.P.	T4	7
PPS1 RSI50BB	U.P.	T4	9
PPS1 RSI63	U.P.	T4	7
PPS1 RSI63BB	U.P.	T4	9
PPS1 RSI80	U.P.	T4	7
PPS1 RSI80BB	U.P.	T4	9
PPS1 RSIAL63	U.P.	T4	7
PPS1 RSICAL63	U.P.	T4	7
PPS1 RSICCAL63	U.P.	T4	7
PPS1 RSIF1612	U.P.	T4	7
PPS1 RSIF2012	U.P.	T4	7
PPS1 RSIF2527	U.P.	T4	7
PPS1 RSIF3234	U.P.	T4	7
PPS1 RSIF4042	U.P.	T4	7
PPS1 RSIF5049	U.P.	T4	7
PPS1 RSIF6360	U.P.	T4	7
PPS1 RSIF8076	U.P.	T4	7
PPS1 RSIM1612	U.P.	T4	7
PPS1 RSIM2012	U.P.	T4	7
PPS1 RSIM2527	U.P.	T4	7
PPS1 RSIM3234	U.P.	T4	7



Part Numbers	Price per	P.G.	Page
PPS1 RSIM4042	U.P.	T4	7
PPS1 RSIM5049	U.P.	T4	7
PPS1 SCKM16120	U.P.	T4	9
PPS1 SCKM1665	U.P.	T4	9
PPS1 SEAL100	U.P.	T4	10
PPS1 SEAL100V	U.P.	T4	10
PPS1 SEAL16	U.P.	T4	10
PPS1 SEAL16V	U.P.	T4	10
PPS1 SEAL20	U.P.	T4	10
PPS1 SEAL20V	U.P.	T4	10
PPS1 SEAL25	U.P.	T4	10
PPS1 SEAL25V	U.P.	T4	10
PPS1 SEAL32	U.P.	T4	10
PPS1 SEAL32V	U.P.	T4	10
PPS1 SEAL40	U.P.	T4	10
PPS1 SEAL40V	U.P.	T4	10
PPS1 SEAL50	U.P.	T4	10
PPS1 SEAL50V	U.P.	T4	10
PPS1 SEAL63	U.P.	T4	10
PPS1 SEAL63V	U.P.	T4	10
PPS1 SEAL80	U.P.	T4	10
PPS1 SEAL80V	U.P.	T4	10
PPS1 TC100	U.P.	T4	8
PPS1 TC50	U.P.	T4	8
PPS1 TC63	U.P.	T4	8
PPS1 TC80	U.P.	T4	8
PPS1 TCC100	U.P.	T4	8
PPS1 TCCC100	U.P.	T4	8
PPS1 TCCC50	U.P.	T4	8
PPS1 TCCC63	U.P.	T4	8
PPS1 TCCC80	U.P.	T4	8
PPS1 TE100	U.P.	T4	4
PPS1 TE16	U.P.	T4	4
PPS1 TE20	U.P.	T4	4
PPS1 TE25	U.P.	T4	4
PPS1 TE32	U.P.	T4	4
PPS1 TE40	U.P.	T4	4
PPS1 TE50	U.P.	T4	4
PPS1 TE63	U.P.	T4	4
PPS1 TE80	U.P.	T4	4
PPS1 TR2016	U.P.	T4	4
PPS1 TR2516	U.P.	T4	4
PPS1 TR2520	U.P.	T4	4
PPS1 TR3216	U.P.	T4	4
PPS1 TR3220	U.P.	T4	4
PPS1 TR3225	U.P.	T4	4
PPS1 TT10090	U.P.	T4	4
PPS1 TT1617	U.P.	T4	4
PPS1 TT2012	U.P.	T4	4
PPS1 TT2512	U.P.	T4	4
PPS1 TT2527	U.P.	T4	4
PPS1 TT3227	U.P.	T4	4
PPS1 TT3234	U.P.	T4	4
PPS1 TT4027	U.P.	T4	4
PPS1 TT4034	U.P.	T4	4
PPS1 TT4042	U.P.	T4	4

Part Numbers	Price per	P.G.	Page
PPS1 TT5034	U.P.	T4	4
PPS1 TT5042	U.P.	T4	4
PPS1 TT5049	U.P.	T4	4
PPS1 TT6334	U.P.	T4	4
PPS1 TT6342	U.P.	T4	4
PPS1 TT6349	U.P.	T4	4
PPS1 TT6360	U.P.	T4	4
PPS1 TT8034	U.P.	T4	4
PPS1 TT8049	U.P.	T4	4
PPS1 TT8060	U.P.	T4	4
PPS1 TT8076	U.P.	T4	4
PPS1 UC100	U.P.	T4	8
PPS1 UC10080	U.P.	T4	8
PPS1 UC50	U.P.	T4	8
PPS1 UC63	U.P.	T4	8
PPS1 UC6350	U.P.	T4	8
PPS1 UC80	U.P.	T4	8
PPS1 UC8063	U.P.	T4	8
PPS1 UF100	U.P.	T4	9
PPS1 UF63	U.P.	T4	9
PPS1 UF80	U.P.	T4	9
PPS1 UFC50	U.P.	T4	9
PPS1 UFC63	U.P.	T4	9
PPS1 UFC80	U.P.	T4	9
PPS1 UN100	U.P.	T4	3
PPS1 UN16	U.P.	T4	3
PPS1 UN20	U.P.	T4	3
PPS1 UN25	U.P.	T4	3
PPS1 UN32	U.P.	T4	3
PPS1 UN40	U.P.	T4	3
PPS1 UN50	U.P.	T4	3
PPS1 UN63	U.P.	T4	3
PPS1 UN80	U.P.	T4	3
PPS1 UNS100	U.P.	T4	3
PPS1 UNS25	U.P.	T4	3
PPS1 UNS32	U.P.	T4	3
PPS1 UNS40	U.P.	T4	3
PPS1 UNS50	U.P.	T4	3
PPS1 UNS63	U.P.	T4	3
PPS1 UNS80	U.P.	T4	3
PPS1 VP40	U.P.	T4	7
PPS1 VP50	U.P.	T4	7
PPS1 VP63	U.P.	T4	7
PPS1 VP80	U.P.	T4	7
PPS1 VPC100	U.P.	T4	7
PV 80	U.P.	T4	13
PV 880	U.P.	T4	13
SK SC2	U.P.	T4	12
TE M8	P/100	T4	13
TF M8100	U.P.	T4	13
TL M8	U.P.	T4	13
TL RM8	U.P.	T4	13
TTW 0630	U.P.	T4	11
TTW 20100	U.P.	T4	11
TVB 660	P/100	T4	13
TVB 690	P/100	T4	13

#### SHIPPING TERMS

Free freight is granted for all orders over £350 excluding taxes. For orders of less than £350 excluding taxes, the customer contributes to the transport and packaging costs according to the amount of the order (according to the table opposite).

The remaining orders are delivered free of charge from freight and packaging.

Flat rate per order value range (packaging is not invoiced as such).

Order	Freight
From £0 to £69,99	£12.14
From £70 to £149,99	£14.48
From £150 to £249,99	£19.10
From £250 to £349,99	£23.72

# GENERAL TERMS OF SALE

## 1. APPLICATION

These general terms and conditions of sale are brought to the customer's attention with the sales proposal or, in case of a direct order, via the order confirmation.

All sales are concluded subject to the condition precedent of the application of the full version of these general terms and conditions of sale. It is inferred that the customer unconditionally accepts these terms and conditions.

The present GTS were established under the current regulation. In case of modification Prevost would have to adapt the terms to comply with the regulation then in force. These general terms and conditions of sale shall prevail over those of the customer, notwithstanding any conflicting clauses provided for in its general terms and subject to any amendments which may be made to these terms and conditions under the provisions of this clause.

Any contractual provisions contrary to these terms and conditions must be proposed to PREVOST in writing, separately from the pre-printed terms on the customer's contractual documents, and prior to PREVOST's acceptance of the order. In order to be binding on PREVOST, the proposed modification must be expressly approved, prior to order acceptance, in writing and signed by PREVOST.

In case of financial risk, PREVOST may in particular demand guarantees and/or special payment terms.

## 2. OFFER - ORDER CONFIRMATION

Offer sent to the customer has a period of validity of 3 months, unless expressly otherwise specified.

Orders sent by the customer constitute order proposals subject to acceptance by PREVOST. They must be complete and all their elements precisely defined. Orders drawn up by agents and/or representatives of PREVOST are binding only if confirmed by PREVOST. An order shall be considered accepted by PREVOST only when the customer has received an order confirmation.

## 3. CANCELLATION OR MODIFICATION OF ORDERS

All orders placed with PREVOST are firm and definitive. Exceptionally, they may be cancelled or modified at the customer's writing request on condition of PREVOST's express agreement, depending on the work already undertaken. Any modification may increase the cost of the order, which shall be notified to the customer for acceptance, and/or cause delivery delays for the relevant order.

## 4. PRICES - EQUIPMENT SOLD

The prices, information and characteristics presented in the catalogues, specification sheets or other documents are for information purposes only and under no circumstances shall they be considered as firm offers. These documents are not legally binding. Prices are quoted exclusive of all taxes for products shipped ex-works, unpacked, un-assembled and non-operational. The customer shall bear all taxes, fees, costs, tax stamps and insurance premiums. For deliveries abroad, all taxes, duties, fees, and inspection costs shall be borne by the customer, as well as any costs incurred pursuant to foreign legislation. Furthermore, at any time and without notice, PREVOST reserves the right to carry out such modifications or improvements as it deems necessary on any product and the customer shall not be entitled to bring a claim for any damage arising therefrom.

## 5. PAYMENT

Standard payment terms are Net thirty (30) days from the day of invoice unless other terms are previously agreed upon in writing by PREVOST. Unless otherwise provided in any special terms, customers shall make all payments net, cash, without discount and at PREVOST's office.

Any bills of exchange enclosed with invoices for acceptance must be returned to PREVOST accepted within seven (7) days. Interest for late payment, equal to three (3) times the legal interest rate in France can rightfully be applied in case of non-payment by the due date.

In case of the execution of an order, PREVOST reserves the right to require guarantees for payment and the proper performance of financial undertakings, should the customer's financial situation deteriorate, shown either by non-payment of the due amount at the agreed date or by an examination of the customer's financial and accounting documents or by any other means demonstrating this deterioration in a tangible way.

In such circumstances, PREVOST reserves the right to solicit such guarantees as are required to safeguard its rights or to suspend the performance of pending orders without prejudice to any cancellation of the order at its discretion. If the customer has not paid the whole or the part of the contract price which have become due, PREVOST shall be authorized to put a stop to any remaining shipments and, after the giving of formal notice, to cancel the order by virtue of the customer's fault and to its detriment. Any debt collection costs that PREVOST may be required to incur and fees of representatives of the law shall be borne by the defaulting customer. Any company whose payment is past due shall be liable to the creditor, as of right, for a flat-rate allowance for collection costs, the amount of which is set at 50 pounds. If the collection costs incurred exceed the amount of the flat-rate allowance, PREVOST shall be entitled to claim additional compensation.

In the event that the customer sells, transfers or pledges its business or equipment or contributes its business or equipment to a company or one of the payments or the acceptance of a bill of exchange is not made on the agreed date, all amounts due will become payable whatever their due dates.

## 6. DELIVERY - TRANSPORT DELIVERY

Unless otherwise clearly provided, delivery shall be deemed to have been made as soon as the products are made available at the PREVOST plants, prior to loading.

Such products shall be deemed to have been removed and delivered at this time.

In case of sales abroad, the various authorizations (import license, foreign exchange transfer authorization, etc.) must have been obtained by the customer beforehand.

Any modification of an order in the process of being performed, if accepted by PREVOST, leads to an extension of the agreed delivery period in the way indicated by PREVOST to the customer.

If the customer does not remove the products from PREVOST's premises, or refuses to accept such products, and upon the expiry of the delivery period, the risk shall pass to the customer with effect from the day on which the products are made available on PREVOST's premises and PREVOST shall have the right to store the products at the customer's expense and to request the reimbursement of freight and handling costs. If the delay in removing the products from PREVOST's premises exceeds two (2) weeks from the date on which the products were made available, or if the customer refuses to accept delivery, PREVOST shall have the right to terminate the contract, resell the products and claim the difference between the initially agreed price and the resale price.

## TRANSPORT

The customer shall be responsible for signaling any reservations to the carrier regarding missing products and/or damaged parcels upon receipt of the products. Such reservations must be written on the carrier's document and the delivery slips and reported to the carrier within a maximum of three (3) days, calculated in accordance with the provisions of article L.133-3 of the French Commercial Code, by registered letter with return receipt and with a copy sent to PREVOST within the same period. Under no circumstances shall PREVOST be liable for any destruction, damage, loss or theft occurring during the transport of the products.

## 7. PASSING OF TITLE AND RISKS

TITLE TO THE PRODUCTS DELIVERED SHALL NOT PASS TO THE CUSTOMER UNTIL THE EFFECTIVE PAYMENT IN FULL OF THE PRINCIPAL AMOUNT, INTEREST AND ANCILLARY COSTS WITHIN THE DEFINED TIME FRAME.

In case of payment by check or bill of exchange, payment shall be deemed to have been made upon bank acknowledgement of received payment. Notwithstanding the title retention clause relating to the sold products, the risks pertaining thereto (including the risks of loss or destruction) shall pass to the customer upon delivery of the products as defined in clause 6. Accordingly, the customer agrees to insure the products sold subject to title retention, at his expense and in the name of PREVOST, against all risks that they may sustain or cause until the products have been paid for in full. The customer also agrees to inform PREVOST of any material or judicial occurrence that may affect the products subject to the title retention clause. Despite PREVOST's retention of title, the customer is authorized, unless otherwise specified, to transform, incorporate or resell the products before payment in full thereof provided that such customer informs any subpurchaser of the products of the title retention clause relating to the relevant products and PREVOST's right to reclaim the products or the cost of the products from the subpurchaser (at the price owed by the customer to PREVOST) regardless of the person holding the products. Should PREVOST suffer a loss of rights as a result of third-party's access, the customer shall be obliged to indemnify PREVOST against the damage including all costs incurred by PREVOST for legal prosecution.

In case of default in payment by the due date, PREVOST has the right to demand the immediate return of the products at the customer's expense, automatically entailing the cancellation of the sale. In such circumstances, the customer shall have to compensate the loss sustained by PREVOST due to any depreciation of the value of the products and in any case, from the fact that the products were unavailable as well as any other damage that PREVOST may show. The customer shall also cover expenses related to the recovery of the cost of products and any other damage that PREVOST may show. The customer shall pay PREVOST a fine in the amount of two percent (2%) of the price of unpaid products per day of delayed return as of receipt of the registered letter with return receipt in which such return is requested. Any down payments or deposits made by the customer shall be set off against any amounts payable by the customer under the terms of this clause.

## 8. WARRANTY

The PREVOST warranty only applies to products delivered by PREVOST and exists only towards the customer of PREVOST. It does not apply to any third party purchaser. The warranty covers any manufacturing defects or defects in materials from the delivery date as specified in article 6 and where such products are used under normal operating and maintenance conditions for a period of:

- one (1) year by default.

To invoke the provisions of the warranty, the customer must notify PREVOST in writing and within the above stipulated period, of the defects allegedly found in the products and provide proof thereof. The customer must facilitate the assessment of these defects and their repair by PREVOST.

The customer must not, save in the event of PREVOST's prior express consent, carry out the repairs himself or have them done by a third party. Any unauthorized intervention may entail the immediate cancellation of the warranty.

Under the terms of the warranty PREVOST may choose whether to repair or replace, ex-works, all the parts covered by the warranty and found to be defective by PREVOST.

Any works required under the warranty obligations shall in principle be carried out at PREVOST's premises, after the customer has returned to PREVOST, at the customer's expense, the defective supplies or parts. Repairs or replacements made under the terms of the warranty shall not extend the warranty period. Parts replaced during the warranty period shall be returned to PREVOST and shall become owned by PREVOST.

PREVOST excludes all liability for and the warranty shall not cover any defects (and any damage of any kind whatsoever arising therefrom) resulting from:

- any assembly or installation of the products that does not comply with PREVOST's instructions or specifications (documentation, operating and assembly instructions, special recommendations, etc.) or professional standards, or defects and the consequences thereof in case the start-up was carried out by the customer whereas PREVOST had stated that it was to carry out the start-up itself.

- abnormal use of the products (e.g. overloading the equipment etc.), defective maintenance, lack of supervision, negligence (e.g. continuing to use a component or a part of a piece of equipment proving to be defective that could lead to more substantial damage to the piece of equipment or surrounding equipment delivered by PREVOST), unsuitable storage conditions,

- any use other than the use for which the products were intended, or any abnormal use or use that does not comply with PREVOST's instructions,
- materials supplied or a design imposed by the customer, or from servicing or maintenance performed on the products by third parties not expressly authorized by PREVOST,

- defects and the consequences thereof resulting from normal wear and tear of the product,

- a non-PREVOST product being used with, assembled with or integrated into a PREVOST product. PREVOST shall not be held liable for any damage whatsoever resulting from such combination.

PREVOST shall not be liable for any warranty that is not listed in clause 8. Unless otherwise specifically provided in writing, no warranties relating to results or performance of products are granted to customers apart from the warranty regarding the technical characteristics of the product as described in PREVOST commercial documentation.

## 9. LIMITATION OF LIABILITY

Save as otherwise agreed, there shall be no liability on PREVOST towards the customer for loss of production, loss of profit, loss of use, loss of contracts or for any other consequential or indirect loss whatsoever.

It is expressly agreed between the customer and PREVOST that any claim of compensation for any loss arising out of damage to the customer's professional goods and services and based on liability for defective products is excluded.

To the extent permitted by applicable law, the contractual liability in respect of any other damage within the order, shall not exceed the price of the product at issue.

## 10. CLAIMS AND RETURNS

To be valid, any claim relating to a conspicuous defect must be made within eight (8) days after the products have been made available by PREVOST. Returns will be authorized only if accepted beforehand by PREVOST and only if the items are to be found in the latest catalogue. PREVOST shall not accept any return for parts with a validity date.

Returns may be repaired or exchanged at PREVOST's discretion. They must be shipped to PREVOST's premises in the UK with carriage and all other costs paid, as new, and without having been subject to any modifications. It is expressly stipulated that in case of taking back of products, a charge of 15% of the amount of the products will be deducted for administrative, control and handling costs. Parts manufactured according to instructions or designs supplied by the customer shall not be taken back or exchanged.

## 11. INTELLECTUAL PROPERTY

PREVOST retains all rights to the intellectual property rights and know-how related to the products sold, whether or not such items were developed in connection with such request. PREVOST grants the customer the right to use any software which may be provided with the products sold as stated in the user license provided with such software. The customer undertakes to comply with the terms and conditions of such license, failing which such customer shall be held liable. The customer also undertakes not to infringe any of PREVOST's intellectual property rights and represents that he has full knowledge of such rights.

The customer undertakes neither to remove the trademark from products nor to reproduce or procure the reproduction of the trademarks, design rights, patents and any other industrial or intellectual property rights held by PREVOST, in whole or in part, and nor to provide third parties with any information of any kind whatsoever enabling the partial or complete reproduction of such rights, failing which legal action will be taken.

## 12. STUDIES, DRAWINGS AND FILES

PREVOST has and shall retain full ownership of any studies, documents or technical information provided to the customer concerning the products supplied thereto (plans, drawings, propositions etc.). These documents can neither be reproduced nor communicated to third parties, particularly competitors. They must be returned to PREVOST upon request. The provided files, studies and drawings are not binding and PREVOST reserves the right to modify the products in any manner it deems necessary during the final execution of the order. In all cases, the customer is responsible for verifying the studies, projects and calculations provided to the customer by PREVOST and for checking that they comply with the conditions of use expected by the customer.

## 13. EXPORT CONTROL

Certain products and related technology and documentation sold by PREVOST may be subject to national, foreign, or international trade and export control laws and regulations (-Export Laws-). Diversion contrary to such Export Laws is prohibited and the customer will comply with them regarding export, re-export, re-sale or use of the products. The customer will not export or re-export, directly or indirectly, the products and related technology and documentation to any country, entity or person under sanction or embargoes. The customer will not use the products in relation to nuclear, biological or chemical weapons or missile systems capable of delivering the same or in the development of any weapon of mass destruction.

In case the export of the products to the customer is subject to license, the customer shall promptly provide PREVOST with all assistance, information and documents required to obtain the official approvals, licenses and authorizations by the national authorities for export. Especially the customer will declare, upon PREVOST's request, the intended final destination, the end-user and the nature of use of the products.

In case the delivery of the products is restricted or forbidden due to Export Laws, the rights and obligations of the customer will be suspended until obtaining of the license or lifting of the export ban and the contract may be canceled without any liability or compensation from PREVOST.

The customer shall inform PREVOST if it intends to export the products and it is the responsibility of the customer to declare to PREVOST the intended final destination, the end-user and nature of use of the products, and the customer is ultimately responsible for ensuring that all such exports comply fully with the national export laws.

The customer shall acknowledge that the above obligations will survive at the end of the contract.

## 14. FORCE MAJEURE

PREVOST shall not be considered liable for non-performance of any contractual obligation or for any delay in performance caused by any event of Force Majeure under the jurisprudence of French courts.

Prevost is freed of any contract commitment, especially regarding delivery time, if:

- the customer has not respected the payment terms;
- the customer has not provided either required material or required documents in due time;
- an event of force majeure has occurred such as: lockout, strikes, embargo, accidents or anything independent of our control and which could have led to postponing the production at site or at our suppliers/subcontractors sites.

## 15. DATA PROTECTION LAW

The personal data gathered for the performance of the contract shall be processed in secure environments and according to the French data protection law. The customer shall have the right to access, modify, rectify and delete the personal information by contacting PREVOST's office.

## 16. JURISDICTION - APPLICABLE LAW

ANY DISPUTE ARISING FROM THIS CONTRACT, EVEN IN THE EVENT OF MULTIPLE DEFENDANTS OR THE INTRODUCTION OF THIRD PARTIES, SHALL BE SUBJECT TO THE EXCLUSIVE JURISDICTION OF THE UK COURTS OF THE PLACE OF PREVOST'S REGISTERED OFFICE. Payment by bills of exchange shall neither substitute nor depart from this jurisdiction clause. In the event of a dispute, the UK law shall be exclusively applicable and the English for the UK version of these general terms and conditions shall be authoritative. The application of the UN Sales Law (CISG) shall be excluded.

GTS 2022






## PREVOST UK Ltd

---

Unit G, Tower Business Park  
Commercial Road - Darwen - BB3 0FJ - UK  
Tel. +44 (0)125 487 3389  
email: [sales@prevost-ltd.co.uk](mailto:sales@prevost-ltd.co.uk) - [www.prevost.eu](http://www.prevost.eu)

---



SAS capital: 1 840 000 euros - RCS Annecy: B 313195026 - Siret: 313 195 026 00072

PPS UK22

This document is non- contractual

We reserve the right to modify the product specifications without notice

Non-contractual photos - Credits: Pixpocket - Félix Création - Prevost - Pedro Studio Photos

Philippe Exertier - Cameleon Graphic - Gilles Marguerat - Adobe Stock

Publication **Prevost** - 05-2022