

X-CON BRAND

CONDUCTIVE POLYMER ALUMINUM SOLID CAPACITORS

PRODUCT SPECIFICATION

規格書

CUSTOMER: DATE:

(客戶): 志盛翔 (日期): 2021-05-12

CATEGORY (品名) : CONDUCTIVE POLYMER ALUMINUM

SOLID CAPACITORS

DESCRIPTION (型号) : ULR 2.5V820uF (φ8X8)

VERSION (版本) : 01

Customer P/N : /

SUPPLIER : /

SUPPLIER			
PREPARED (拟定)	CHECKED (审核)		
邓文文	付婷婷		

CUSTOMER		
APPROVAL	SIGNATURE	
(批准)	(签名)	



SPECIFICATION ULR SERIES			ALTERNATIO	N HISTORY	RECORDS		
Rev.	Rev. Date Mark Page Contents		Contents	Purpose	Design	Cnfm	
1071	Bute	1714111	1 450	Contents	Turpose	Besign	

Issued-date: 2021-05-12	Name	Specification Sheet – ULR		
Version	01		Page	1
STANDARD MANUAL				



CONTENTS

CONTENTS	
	Sheet
1. Application	3
2. Part Number System	3
3. Construction	4
4. Characteristics	5~11
4.1 Rated voltage & Surge voltage	
4.2 Capacitance (Tolerance)	
4.3 Leakage current	
4.4 Tangent of loss angle	
4.5 ESR	
4.6 Temperature characteristic	
4.7 Load life test	
4.8 Surge test	
4.9 Damp heat test	
4.10 Maximum permissible ripple current	
4.11 Rapid change of temperature	
4.12 Lead strength	
4.13 Resistance to vibration	
4.14 Solderability 4.15 Resistance to soldering heat	
5. Product Marking	12
6. Product Dimensions, Impedance & Maximum Permissible Ripple Cur	
7.Application Guideline	14~15
7-1 Circuit design	
7-2 Voltage	
7-3 Sudden charge and discharge restricted	
7-4 Ripple current	
7-5 Leakage current 7-6 Failure rate	
7-6 Fanure rate 7-7 Capacitor insulation	
7-7 Capacitor insulation 7-8 Precautions for using capacitors	
8. Mounting Precautions	15
9. List of "Environment-related Substances to be Controlled ('Controlled Substances') 10


Issued-date: 2021-05-12	Name	Specification Sheet – ULR		
Version	01		Page	2
STANDARD MANUAL				



1. Application

This specification applies to conductive polymer aluminum solid capacitors used in electronic equipment.

2. Part Number System



2.1 <u>Capacitance code</u>

Code	827
Capacitance (µ F)	820

2.2 Rated voltage code

Code	0E
Voltage (W.V.)	2.5

2.3 <u>Type</u>

Code	RR
Type	Bulk

2.4 <u>Capacitance tolerance</u>

"M" stands for $-20\% \sim +20\%$

2.5 Diameter

Code	F
Diameter	8


2.6 <u>Case length</u> "08"=8mm

Issued-date: 2021-05-12	Name	Specification Sheet – ULR		
Version	01		Page	3
STANDARD MANUAL				



3. Construction

Single ended type to be produced to fix the terminals to anode and cathode foil, and wind together with paper, and then wound element to be formed and carbonized, impregnated with polymer and polymerized, then will be enclosed in an aluminum case. Finally sealed up tightly with end seal rubber.



No	Component	Material
1	Lead Line	Tinned Copper Line or CP Line(Pb Free)
2	Terminal	Aluminum
3	Sealing Material	Rubber
4	Al-Foil (+)	Aluminum
5	Al-Foil (-)	Aluminum
6	Case	Aluminum
7	Electrolyte paper	Manila Hemp

Issued-date: 2021-05-12	Name	Specification Sheet – ULR					
Version	01		Page	4			
STANDARD MANUAL							



4. Characteristics

Standard atmospheric conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests is as follows:

Ambient temperature : 15°C to 35°C
Relative humidity : 45% to 75%
Air Pressure : 86kPa to 106kPa

If there is any doubt about the results, measurement shall be made within the following conditions:

Ambient temperature : $20^{\circ}\text{C} \pm 2^{\circ}\text{C}$ Relative humidity : 60% to 70%Air Pressure : 86kPa to 106kPa

Operating temperature range

The ambient temperature range at which the capacitor can be operated continuously at rated voltage is -55° C to 105° C.

Issued-date: 2021-05-12	Name	Specification Sheet – ULR					
Version	01		Page	5			
STANDARD MANUAL							



	ITEM	PERFORMANCE			
4.1	Rated voltage (WV) Surge voltage (SV)	WV (V.DC) 2.5 SV (V.DC) 2.87			
4.2	Nominal capacitance (Tolerance)	Condition> Measuring Frequency : 120Hz±12Hz Measuring Voltage : Not more than 0.5Vrms Measuring Temperature : 20±2°C Criteria> Shall be within the specified capacitance tolerance.			
4.3	Leakage current	Condition> After DC Voltage is applied to capacitors through the series protective resistor (1k $\Omega \pm 10\Omega$) so that terminal voltage may reach the rated voltage. The leakage current when measured after 2 minutes shall not exceed the values of the following equation. In case leakage current value exceed the value shown in Table 3, remeasure after voltage treatment that applies the rated voltage shown in 4.1 for 120minutes at 105 °C <criteria></criteria> See Table 3			
4.4	tanδ	<condition> See 4.2, for measuring frequency, voltage and temperature. <criteria> Working voltage (v) 2.5 tanδ (max.) 0.10</criteria></condition>			
4.5	ESR	Condition> Measuring frequency : 100kHz to 300kHz; Measuring temperature:20±2°C Measuring point : 1mm max from the surface of a sealing resin on the lead wire. Criteria> (20°C)Less than the initial limit(See Table 3).			

Issued-date: 2021-05-12	Name	Specification Sheet – ULR					
Version	01		Page	6			
STANDARD MANUAL							



		STEP	Temperature($^{\circ}$ C)	Item	Characteristics
		1	20±2	Measure: Capacitance, tanδ, Impedance	
		2	-55+3	Z-55°C / 20°C	≤1.25
	3	Keep at 15 to 35 °C for 15 minutes or more			
4.6	Temperature characteristic	4	105 ± 2	Z105°C / 20°C	≤1.25
	characteristic	_	20.1.2	Δ C/C 20°C	Within $\pm 5\%$ of step1
		5	20±2	tanδ	Less than or equal to the value of item 4.4
		/ Ond	ition>		
		The Ca voltage	ition> apacitor is stored at a tem e for 2000 +48/0 hours .T		
		The Ca	apacitor is stored at a teme for 2000 +48/0 hours .T		
		The Cavoltage <crite item<="" td=""><td>apacitor is stored at a teme for 2000 +48/0 hours .Teria></td><td>The result should meet</td><td>the following table:</td></crite>	apacitor is stored at a teme for 2000 +48/0 hours .Teria>	The result should meet	the following table:
		The Cavoltage <crite item<="" td=""><td>apacitor is stored at a tem e for 2000 +48/0 hours .T eria> Perfe citance Change With</td><td>The result should meet ormance $\pm 20\%$ of initial c than or equal to 1.5</td><td>the following table:</td></crite>	apacitor is stored at a tem e for 2000 +48/0 hours .T eria> Perfe citance Change With	The result should meet ormance $\pm 20\%$ of initial c than or equal to 1.5	the following table:
1.7	Load life	The Cavoltage <crite capa<="" item="" td=""><td>pacitor is stored at a teme of 2000 +48/0 hours .The eria > Performance Change Performance</td><td>ormance $\pm 20\%$ of initial contains than or equal to 1.5 ± 4.4 than or equal to 1.5 ± 4.5</td><td>apacitance times of the value of times of the value of</td></crite>	pacitor is stored at a teme of 2000 +48/0 hours .The eria > Performance Change Performance	ormance $\pm 20\%$ of initial contains than or equal to 1.5 ± 4.4 than or equal to 1.5 ± 4.5	apacitance times of the value of times of the value of
1.7		The Cavoltage <crite capa="" esr<="" item="" tanδ="" td=""><td>pacitor is stored at a teme of 2000 +48/0 hours .The eria > Performance Change Performance</td><td>The result should meet ormance $\pm 20\%$ of initial c than or equal to 1.5 ± 4.4 than or equal to 1.5</td><td>apacitance times of the value of times of the value of</td></crite>	pacitor is stored at a teme of 2000 +48/0 hours .The eria > Performance Change Performance	The result should meet ormance $\pm 20\%$ of initial c than or equal to 1.5 ± 4.4 than or equal to 1.5	apacitance times of the value of times of the value of
1.7	life	The Cavoltage <crite capa="" esr="" item="" leaks<="" tanδ="" td=""><td>pacitor is stored at a teme of 2000 +48/0 hours .To eria> Performance Change With Less item Less item Less age current Less</td><td>ormance $\pm 20\%$ of initial contains than or equal to 1.5 ± 4.4 than or equal to 1.5 ± 4.5</td><td>apacitance times of the value of times of the value of alue of item 4.3</td></crite>	pacitor is stored at a teme of 2000 +48/0 hours .To eria> Performance Change With Less item Less item Less age current Less	ormance $\pm 20\%$ of initial contains than or equal to 1.5 ± 4.4 than or equal to 1.5 ± 4.5	apacitance times of the value of times of the value of alue of item 4.3

Issued-date: 2021-05-12	Name	Specification Sheet – ULR					
Version	01		Page	7			
STANDARD MANUAL							



		<condition></condition>						
		Capacitor shall be applied	1 the surge voltage through $1k\Omega$ resistor in series for 30 ± 5					
		seconds in every 5 minutes	30s at 15~35°C. Procedure shall be repeated 1000 times. Then					
		the capacitors shall be left under normal humidity for 1-2hours before measuremen						
		<criteria></criteria>						
		<criteria></criteria>						
		Item	Performance					
4.8	Surge	Capacitance Change	Within ±20% of initial capacitance					
	test	tanδ	Less than or equal to 1.5 times of the value of item 4.4					
		ESR	Less than or equal to 1.5 times of the value of item 4.5					
		Leakage current	Less than or equal to the value of item 4.3					
			nulates over voltage at abnormal situation, and not be					
		hypothesizing that over ve	oltage is always applied.					
		<condition></condition>						
		Humidity Test:						
		The capacitor shall be exposed for 1000 ± 48 hours in an atmosphere of $90\sim95\%$ RH at						
		$60\pm2^{\circ}$ C, the characteris	tic change shall meet the following requirement.					
		<criteria></criteria>						
		Item	Performance					
		Capacitance Change	Within $\pm 20\%$ of initial capacitance					
		tanδ	Less than or equal to 1.5 times of the value of item 4.4					
	Damp heat	ESR	Less than or equal to 1.5 times of the value of item 4.5					
4.9	test	Leakage current	Less than or equal to the value of item 4.3					
		Appearance	Notable changes shall not be found.					

Issued-date: 2021-05-12	Name	Specification Sheet – ULR					
Version	01		Page	8			
STANDARD MANUAL							



		Condition> The maximum per At 100kHz and ca Table 3 The combined val rated voltage and	n be applied at ue of D.C volta shall not revers	maximum open	rating temperatur	re see
		Frequency Multip	120Hz≤	1kHz≤	10kHz≤	100kHz≤
	Maximum permissible	Frequency	f<1kHz	f<10kHz	f<100kHz	f<500kHz
4.10	(ripple current)	Coefficient	0.05	0.30	0.70	1.00
		Applied voltage: wi Cycle number: 5 cy Test diagram: Fig.1	cles	30±3 min 3 min 1cyc	Root 30±3 min in or less	$5\pm2^{\circ}\!$
		Performance: The o			wing specification	n after 5 cycles.
4.11	Rapid change of temperature	Item Conscitutore chan	Performan	nce 10% of initial	aanaaitanaa	
	or temperature	Capacitance chan		or equal to valu		
		Leakage current	Less than	or equal to the	value of item 4.3	3 (after

Issued-date: 2021-05-12	Name	Specification Sheet – ULR					
Version	01		Page	9			
STANDARD MANUAL							



		a) Lead pull strength A static load force shall be	e applied to the	ne terminal in the axial direction and	
		acting in a direction away fr			
		Lead wire diameter	(mm)	Load force (N)	
		0.4 <d td="" ≤0.5<=""><td></td><td>5.0</td></d>		5.0	
		0.5 < d ≤0.8		10	
		b) Lead bending			
				osition and the weight specified in the	
				the capacitor is slowly rotated 90° to a	
4.12	Lead strength	for 2~3 seconds.	eturned to a v	rertical position thus completing bends	
		The additional bends are made	de in the oppo	site direction	
		Lead wire diameter (Load force (N)	
		0.4 <d td="" ≤0.5<=""><td></td><td>2.5</td></d>		2.5	
		0.5 < d ≤0.8		5	
			tic shall meet	the following value after a) or b) test.	
		Item	Performanc		
		Leakage current		r equal to the value of item4.3	
		Outward Appearance	No cutting a	and slack of lead terminals	
4.13	Resistance to vibration	Performance: Capacitance value s capacitance when the value is mea	ion 1.5mm) ours) he following F Fig2 shall not show asured within		

Issued-date: 2021-05-12	Name	Specification Sheet – ULR					
Version	01		Page	10			
STANDARD MANUAL							




4.14 So	olderability	Solder Soldering temperature Immersing time Immersing depth Flux	: 3±0.5s
-	Resistance o soldering heat	1.6±0.5mm. It will dip Then it will be immersed Solder Soldering temperature Immersing time Heat protector: t=1.6m B) Soldering iron method Bit temperature Application time Heat protector: t=	: 10±1s m glass –epoxy board : 400 ±10°C

Issued-date: 2021-05-12	Name	Specification Sheet – ULR			
Version	01		Page	11	
STANDARD MANUAL					



5. Product Marking

Marking Sample:



L A

Table 1

Code	Н	J	K	L
Year	2018	2019	2020	2021

- Manufactured week: see Table 2


- Manufactured year: see Table 1


Table 2						- Manu	racture	ı year:	see 1 ab	ie i	
Week	1	2	3	4	5	6	7	8	9	10	11
Code	A	В	C	D	Е	F	G	Н	I	J	K
Week	12	13	14	15	16	17	18	19	20	21	22
Code	L	M	N	0	P	Q	R	S	T	U	V
Week	23	24	25	26	27	28	29	30	31	32	33
Code	W	X	Y	Z	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>	<u>E</u>	<u>F</u>	<u>G</u>
Week	34	35	36	37	38	39	40	41	42	43	44
Code	<u>H</u>	<u>I</u>	<u>J</u>	<u>K</u>	<u>L</u>	<u>M</u>	<u>N</u>	<u>O</u>	<u>P</u>	Q	<u>R</u>
Week	45	46	47	48	49	50	51	52			
Code	<u>S</u>	<u>T</u>	<u>U</u>	<u>V</u>	W	<u>X</u>	<u>Y</u>	<u>Z</u>			

Issued-date: 2021-05-12	Name	Specification Sheet – ULR			
Version	01		Page	12	
STANDARD MANUAL					



6. Product Dimensions, Impedance & Maximum Permissible Ripple Current Unit: mm





φD	8
L	8
F	3.5
φd	0.6

Table 3

Working Voltage (V)	Capacitance (µ F)	Dimension (D×L, mm)	Maximum permissible ripple current at 105°C 100kHz (mA rms)	ESR at 20°C 100kHz to300kHz (mΩ)	Leakage current (µ A) 2min
2.5	820	8X8	6100	7	500

Issued-date: 2021-05-12	Name	Specification Sheet – ULR			
Version	01		Page	13	
STANDARD MANUAL					



7. Application Guideline:

X-CON Solid Aluminum Electrolytic Capacitor should be used compliance with the following guidelines

7-1Circuit design

Prohibited Circuits for use

Do not use the capacitors with the following circuits.

- 1) Time constant circuits
- 2) Coupling circuits
- 3) Circuits which are greatly affected by leakage current
- 4) High impedance voltage retention circuits.

7-2. Voltage

1) Over voltage

The application of over-voltage and reverse voltage below can cause increases in leakage current and short circuits. Applied voltage, refers to the voltage value including the peak value of the transitional instantaneous voltage and the peak

Value of ripple voltage, not just steady line voltage. Design your circuit so that the peak voltage does not exceed the stipulated voltage.

Over voltage exceeding the rated voltage may not be applied even for an instant as it may cause a short circuit.

- 2) Applied voltage
- ① Sum of the DC voltage value and the ripple voltage peak values must not exceed the rated voltage.
- ② When DC voltage is low, negative ripple voltage peak value must not become a reverse voltage that exceeds 10% of The rated voltage.
- ③ Use the X-CON within 20% of the rated voltage for applications which may cause the reverse voltage during the Transient phenomena when the power is tumid off or the source is switched.

7-3 Sudden charge and discharge restricted

Sudden charge and discharge may result in short circuit's large leakage current. Therefore, a protection circuits are recommended to design in when on of the following condition is expected.

- 1) The rush current exceeds 10A
- 2) The rush current exceeds 10 times of allowable ripple current of X-CON.

A protection resistor (1K Ω) must be inserted to the circuit during the charge and discharge when measuring the leakage Current.

7-4 Ripple current

Use the capacitors within the stipulated permitted ripple current. When excessive ripple current is applied to the capacitor, It causes increases in leakage current and short circuits due to self- heating. Even when using the capacitor under the Permissible ripple current, reverse voltage may occur if the DC bias voltage is low.

7-5 Leakage current

There is a risk of leakage current characteristics increasing even if the following use environments are within the stipulated range However, even if leakage current increases once, it has the characteristic that leakage current becomes small in most cases after voltage is applied due to its self-correction mechanism.

7-6 Failure rate

The main failure mode of X-CON is open mode primarily caused by electrostatic capacity drop at high temperature (i.e. wear out failure), besides random short circuit mode failures primarily caused by over voltage occurs as minor one. The time it takes to reach the failures mode can be extended by using the X-CON with reduced ambient temperature, ripple current and applied voltage.

7-7 Capacitor insulation

- 1) Insulation in the marking sleeve is not guaranteed. Be aware that the space between the case and the negative electrode Terminal is not insulated and has some resistance.
- 2) Be sure to completely separate the case, negative lead terminal, and positive lead terminal and PCB patterns with each other.

Issued-date: 2021-05-12	Name	Specification Sheet – ULR			
Version	01		Page	14	
STANDARD MANUAL					



7-8 Precautions for using capacitors

- X-CON capacitors should not be used in the following environments.
- 1) Environments where the capacitor is subject to direct contact with salt water or oil can directly fall on it.
- 2) Environments where capacitors are exposed to direct sunlight.
- 3) High temperature (Avoid locating heat generating components around the X-CON and on the underside of the PCB), or humid environments where condensation can form on the surface of the capacitor.
 - 4) Environments where the capacitor is in contact with chemically active gases.
 - 5) Acid or alkaline environments.
 - 6) Environment subject to high-frequency induction.
 - 7) Environment subject to excessive vibration and shock.

8. Mounting Precautions

Mounting phase	Things to note before mounting	Disposal
	1) Used X-CON capacitors	Not reused
	2) LC-increased X-CON capacitors	Apply them with rated voltage in series with $1K\Omega$
	after long storage	resistance for 1 hour at the range between 60 and 70°C
	3) X-CON capacitors dropped to the	Not reused
	floor	
Before mounting	4) Precautions on polar, capacitance	Products without remarkable polar, capacitance and rated
Before mounting	and rated voltage	voltage shouldn't be available
	5) Precautions on the pitch between	The products can be used only when said pitch is matched
	lead terminal and PCB	
	6) Precautions on the stress that lead	The products can be used for production only when lead
	terminal and body of X-CON	terminal and body are not subject stress.
	capacitors enduring in mounting	
	1) Soldering with a soldering iron	Both temperature and duration in mounting should meet
		the requirements of out-going SPEC; no stress should be allowed to occur in mounting; Don't let the tip of the
		soldering iron touch the X-CON itself.
Mounting	2) Flow soldering	X-CON capacitor body should be prohibited to submerge
	27 Tiow soldering	in melted solder; both temperature and duration in
		mounting should meet the requirements of out-going
		SPEC; The rosin is not allowed to adhere to any where
		other than lead terminal.
	1) Precautions on mounting status	Do not tilt, bend twists X-CON; Do not allow other
		matter touch X-CON.
	2) Washing the PCB (available	Used immersion or ultrasonic waves to clean for a total of
A C.	cleaning agent 1)high quality	less than 5 minutes and the temperature be less than 60° C;
After mounting	alcohol-based cleaning fluid such as	The conductivity, PH, specific gravity and water
	st-100s、750L,750M;2) Detergents	cleaning, X-CON products should be dried with hot air
	including substitute freon such as	(less than the maximum operating temperature).
	AK-225AES and IPA)	

Issued-date: 2021-05-12	Name	Specification Sheet – ULR			
Version	01		Page	15	
STANDARD MANUAL					



9. It refers to the latest document of "Environment-related Substances standard" (WI-HSPM-QA-072).

	Substances				
	Cadmium and cadmium compounds				
II	Lead and lead compounds				
Heavy metals	Mercury and mercury compounds				
	Hexavalent chromium compounds				
	Polychlorinated biphenyls (PCB)				
Chloinated	Polychlorinated naphthalenes (PCN)				
organic	Polychlorinated terphenyls (PCT)				
compounds	Short-chain chlorinated paraffins(SCCP)				
	Other chlorinated organic compounds				
D	Polybrominated biphenyls (PBB)				
Brominated .	Polybrominated diphenylethers(PBDE) (including				
organic	decabromodiphenyl ether[DecaBDE])				
compounds	Other brominated organic compounds				
Tributyltin comp	ounds(TBT)				
Triphenyltin con	npounds(TPT)				
Asbestos					
Specific azo com	pounds				
Formaldehyde					
Polyvinyl chloric	de (PVC) and PVC blevds				
Beryllium oxide	Beryllium oxide				
Beryllium copper					
Specific phthalates (DEHP,DBP,BBP,DINP,DIDP,DNOP,DNHP)					
Hydrofluorocarbon (HFC), Perfluorocarbon (PFC)					
Perfluorooctane	sulfonates (PFOS)				
Specific Benzotr	iazole				

Issued-date: 2021-05-12	Name	Specification Sheet – ULR		
Version	01		Page	16
STANDARD MANUAL				