3213014

https://www.phoenixcontact.com/us/products/3213014



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, pitch: 3.5 mm, number of positions: 2, color: red

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial data

Item number	3213014
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BE29
Product key	BE2Z2X
Catalog page	Page 38 (C-1-2019)
GTIN	4046356549219
Weight per piece (including packing)	0.727 g
Weight per piece (excluding packing)	0.7 g
Customs tariff number	85366990
Country of origin	DE

3213014

https://www.phoenixcontact.com/us/products/3213014




Technical data

Product properties

Product type	Jumper
Number of positions	2
Pitch	3.5 mm
Electrical properties	
Maximum load current	17.5 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Connection data	
Maximum load current	17.5 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Dimensions	
Pitch	3.5 mm
Naterial specifications	
Color	red
Material	Copper
Flammability rating according to UL 94	VO
Insulating material	PA
Nounting	
Mounting type	Plug-in mounting

3213014 https://www.phoenixcontact.com/us/products/3213014

Drawings



Schematic diagram



PHŒN

3213014

https://www.phoenixcontact.com/us/products/3213014



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

	ETIM 9.0	EC000489		
UN	UNSPSC			
	UNSPSC 21.0	39121400		

3213014

https://www.phoenixcontact.com/us/products/3213014



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com