# 1-2299782-2 ACTIVE

### AMP | HDSCS

TE Internal #: 1-2299782-2

HDSCS, Housing for female terminals, Cable-to-Cable, 6 Position, 9mm / 6mm [.354in / .236in] Centerline, Sealable, Black, Power &

Signal, Code A

View on TE.com >



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings > HDSCS HOUSINGS











Connector Style: Housing for female terminals

Mating Tab Width: 2.8 mm, 6.3 mm [ .11 in, .25 in ]

Connector System: Cable-to-Cable

Number of Positions: 6

Centerline (Pitch): 6 mm, 9 mm [ .236 in, .354 in ]

All HDSCS HOUSINGS (186)

## **Features**

## **Product Type Features**

| Connector Style                   | Housing for female terminals |
|-----------------------------------|------------------------------|
| Connector System                  | Cable-to-Cable               |
| Sealable                          | Yes                          |
| Hybrid Connector                  | Yes                          |
| Primary Locking Feature           | On the Terminal              |
| Connector & Contact Terminates To | Wire & Cable                 |
| Strain Relief                     | No                           |
| Configuration Features            |                              |
| Blank Cavity Position             | 2                            |
| Number of Positions               | 6                            |
| Number of Rows                    | 1, 2                         |
|                                   |                              |



| Operating Voltage                    | 60 VDC                         |
|--------------------------------------|--------------------------------|
| Body Features                        |                                |
| Cable Exit Angle                     | 180°, 90°                      |
| Body Material                        | PBT GF                         |
| Color                                | Black                          |
| Connector Code                       | A                              |
| Contact Features                     |                                |
| Mating Tab Width                     | 2.8 mm, 6.3 mm[.11 in][.25 in] |
| Mechanical Attachment                |                                |
| Mounting Feature                     | With                           |
| Polarized                            | Yes                            |
| Housing Features                     |                                |
| Centerline (Pitch)                   | 6 mm, 9 mm[.236 in][.354 in]   |
| Dimensions                           |                                |
| Height                               | 31.25 mm                       |
| Length                               | 67.2 mm                        |
| Width                                | 25.7 mm                        |
| Usage Conditions                     |                                |
| Operating Temperature Range          | -40 - 140 °C[-40 - 284 °F]     |
| Operation/Application                |                                |
| Circuit Application                  | Power & Signal                 |
| Industry Standards                   |                                |
| Degree of Protection                 | IP69K, IP6K7                   |
| Agency/Standard                      | DIN IEC 512                    |
| UL Flammability Rating               | UL 94V-0                       |
| Packaging Features                   |                                |
| Packaging Method                     | Box                            |
| Other                                |                                |
| Serviceable                          | Yes                            |
| Connector Position Assurance Capable | No                             |



## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JAN 2017 (173) Does not contain REACH SVHC |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUL 2019<br>(201)<br>Candidate List Declared Against: JAN 2017<br>(173)                    |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.  |
| Solder Process Capability                     | Not reviewed for solder process capability  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## Compatible Parts



HDSCS FIXING SLIDES



H3399-B128 HDSCS BACKSHELLS



TE Model / Part # CAT-H3399-C1748 HDSCS PROTECTION CAPS



TE Model / Part # CAT-AM705-T273 AMP MCP, RECEPTACLE AND TAB





TE Model / Part # 1394511-

EINZELLEITDICHTG,WS



TE Model / Part # 1823111-

SINGLE WIRE SEAL, FOR WIRE 2.5SQMM,BN



TE Model / Part # 1719043-

SINGLE WIRE SEAL, **GREEN** 



TE Model / Part # 828922-1 2,5MM CAVITY PLUG FOR 5,4MM DI



TE Model / Part # 1394512-

EINZELLEITDICHTG,BL



TE Model / Part # 828905-1 SINGLE-WIRE-SEAL(5MM HOLE)



TE Model / Part # 828904-1 SINGLE WIRE SEAL FOR J. P.T.CON



TE Model / Part # 2177018-

SINGLE WIRE SEAL, AMP MCP6.3/4.8K,YW

## Also in the Series | HDSCS



Automotive Connector Caps & Covers(19)



Automotive Seals & Cavity Plugs(1)



Automotive, Truck, Bus, & Off-Road Housings(189)




Other Automotive Connector Accessories(22)

# Customers Also Bought



TE Model / Part #1752938-1 PEW 12 TOOL(3-5MM MATE-N-LOK)



TE Model / Part #1803054-5 ANVIL, COMBINATION



TE Model / Part #1803090-1 CRIMPER, INSUL. F, SPECIAL

=TE



TE Model / Part #1803090-2 CRIMPER, INSUL. F, **SPECIAL** 




TE Model / Part #2150076-2 OC-AT-E-FA-070F110F-001-0218



TE Model / Part #2150603-2 OCEAN\_2.0\_Applicator-E-090F130FA



TE Model / Part #2150873-1 OC-AT-E-FM-080F130F-001-0056



TE Model / Part #40608 **SPADE TERMINAL 22-16** AWG TPBR





## **Documents**

**Product Drawings** 

8POS,MIXED,REC HSG,ASSY,SLD

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-2299782-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2299782-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2299782-2\_A.3d\_stp.zip

English

Datasheets & Catalog Pages

**HDSCS Catalog** 

English