



**Part Number :** [386007804](#)


**Product Description :** 6.35mm Pitch Beau PCB Tri-Barrier Terminal Strip, without Mounting Ends, with Clamp Washer Screws, 300V, 4 Circuits

**Series Number :** 38600

**Status :** Planned for Obsolescence

**Product Category :** Terminal Blocks and Barrier Strip

**Engineering Number :** 60504-C-50




---

## Documents & Resources

---

### Product Environment Compliance

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### EU RoHS Certificate of Compliance

---

## Part Details

## General

Status	Planned for Obsolescence
Category	Terminal Blocks and Barrier Strip
Series	38600
Description	6.35mm Pitch Beau PCB Tri-Barrier Terminal Strip, without Mounting Ends, with Clamp Washer Screws, 300V, 4 Circuits
Application	N/A
Component Type	One Piece
Product Family	Beau Barrier Strips
Product Name	Fixed Mount Barrier
Type	Barrier Strip
UPC	800756247403

## Electrical

Current - Maximum per Contact	10.0A
Voltage - Maximum	300V

## Physical

Circuits (Loaded)	4
Circuits (maximum)	4
Color - Resin	Black
Entry Angle	Horizontal
Lock to Mating Part	None
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Material - Resin	Polyester Alloy
Net Weight	45.000/g
Number of Rows	1
Orientation	Horizontal
Panel Mount	No
PC Tail Length	5.10mm
PCB Thickness - Recommended	3.18mm

Pitch - Mating Interface	6.35mm
Pitch - Termination Interface	6.35mm
Polarized to Mating Part	No
Shrouded	Tri-Barrier
Stackable	No
Temperature Range - Operating	-40° to +130°C
Wire Size (AWG)	18, 20, 22

### Solder Process Data

Lead-Free Process Capability	WAVE
------------------------------	------

---

This document was generated on Dec 14, 2023