

PRODUCT-DETAILS

# TY600-120X

## CABLE TIE 120LB 25IN BLK NYL HEAVY



### General Information

Extended Product Type	TY600-120X
Product ID	7TAG054360R0344
EAN	5415022140828
Catalog Description	CABLE TIE 120LB 25IN BLK NYL HEAVY
Long Description	Heavy-Duty Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Indoor Applications, UL/EN/CSA62275 Type 2/215 Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 600mm (23.6 Inches), Width of 7.6mm (0.30 Inches), Thickness of 1.6mm (0.06 Inches), Tensile Strength Rating of 534 Newtons (120 Pounds)

### Ordering

EAN	5415022140828
UPC	786209513908

### Dimensions

Product Net Width	0.3 in 7.62 mm
Product Net Depth / Length	23.6 in 600 mm

### Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	6 in 152 mm
Package Level 1 Height	1.5 in 38 mm
Package Level 1 Depth / Length	29 in 737 mm
Package Level 2 Units	500 piece
Package Level 2 Width	8 in 203 mm
Package Level 2 Height	8 in 203 mm
Package Level 2 Depth / Length	26.5 in 673 mm

---

## Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

---



---

## Additional Information

Brand / Label	Catamount
Bundle Diameter	7.2 in 182.88 mm
Color	Black
Effective Date	20130117
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Standards	UL E49405
Tensile Strength	120 lb 540 N
Thickness	0.06 in 1.6 mm

---



---

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY600-120X
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY600-120X

---



---

## Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

---

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

