196-XXXX

REVISION -05/07/96 TS

REVISION A REFORMATTED 08/14/96 TS

REVISION B REFORMATTED 07/14/97 TS

REVISION C CHANGED A.7. 08/23/99 TS

REVISION D ADDED RoHS 01/10/06 MP

REVISION E SAFETY UPDATED FUSE INFO ADDED. 6-25-09 MP

REVISION F UPDATED TABLE 11-22-19 MP

THREE FLANGE DUAL PRIMARY 2.4VA PC BOARD POWER TRANSFORMER

A. Electrical Specifications (@ 25°C)

1. Maximum Power: 2.4 VA.

2. Input Voltage and Frequency: 115V/230V 50/60 Hz.

3. Secondary Voltage: See Table A

4. Voltage Regulation: 24% TYP @ full load to no load.

5. Temperature Rise: 35°C TYP (45°C MAX allowed).

6. Insulation Resistance:


100 M Ω MIN @ 500VDC, Pri to Sec, Pri to Core. 100 M Ω MIN @ 500VDC, Sec to Core.


7. Hi-Pot: 2500 Vrms 1 minute @ Pri to Sec. 1500 Vrms 1 minute @ Pri to Core. 1500 Vrms 1 minute @ Sec to Core. 500 Vrms 1 minute @ Sec to Sec.

B. Marking: TAMURA, Tamura part number (see sheet 2), MICROTRAN, Microtran part number (see sheet 2), date code, country of origin, safety logos and input and output ratings.

C. Safety:

Insulation Class B (130°C) File No. E92957. CSA 22.2 No. 66-1988, File No. 069808. UL 1585, Class 2 or 3, Noninherently limited, File No. E95844. UL 506, General Purpose, File No. E91239.





PREPARED BY:

SAFETY ENGINEER

C. POPPE

ENGINEER: DRAWING CONTROL NO. REV M. PITCHAI P-A1-11162

MODEL DESCRIPTION SIZE 3 3FD & PSD FAMILY POWER TRANSFORMER

CONTENTS OF THIS DRAWING ARE SUBJECT TO CHANGE WITHOUT 1040 SOUTH ANDREASEN DRIVE, #100 ESCONDIDO, CA. 92029 PRIOR NOTICE 1040 SOUTH ANDREASEN DRIVE, #100 ESCONDIDO, CA. 92029 (760) 871-2009

1

3FD-3XX & PSD3-XX

5

DIM: mm[In] SCL: NONE | SH: 1 OF

MODEL SPECIFICATION

TAMURA SU:

3FD-3


APPROVED:

M. PITCHAI

PROPRIETARY NOTICE: THIS DRAWING PRINT OR DOCUMENT AND SUBJECT MATTER DISCLOSED HEREIN ARE PROPRIETARY ITEMS TO WHICH TAMURA RETAINS THE EXCLUSIVE RIGHT OF DISSEMINATION, REPRODUCTION, MANUFACTURE AND SALE. THIS DRAWING, PRINT OR DOCUMENT IS SUBMITTED IN CONFIDENCE FOR CONSIDERATION BY THE RECIPIENT ALONE UNLESS PERMISSION FOR FURTHER DISCLOSURE IS EXPRESSLY GRANTED IN WRITING.


SEE SHEET 1 OF 2 FOR REVISION **HISTORY**

E. Mounting Footprint:



F. Connection Diagram:





*not UL - recognized for series connect.

G. Table A: (NOTE: All parts are dual marked with both part numbers)

UL APPROVED FUSE

	OL AFFROVED FOSE									
	TAMURA P/N	MICROTRAN PART NO.	PARALLEL		SERIES		SERIES WITH CT		SECONDARY FUSE REQUIRED EACH	
			AC VOLTS	RMS AMPS	AC VOLTS	RMS AMPS	AC VOLTS	RMS AMPS		
	3FD-310	PSS3-10	5.0	0.50	10.0	0.25	5.0-CT-5.0	0.25	0.3A	
	3FD-312	PSD3-12	6.3	0.40	12.6	0.20	6.3-CT-6.3	0.20	0.25A	
	3FD-316	PSD3-16	8.0	0.30	16.0	0.15	8.0-CT-8.0	0.15	0.2A	
	3FD-320	PSD3-20	10.0	0.24	20.0	0.12	10.0-CT-10.0	0.12	0.15A	
	3FD-324	PSD3-24	12.0	0.20	24.0	0.10	12.0-CT-12.0	0.10	0.125A	
	3FD-328	PSD3-28	14.0	0.17	28.0	0.085	14.0-CT-14.0	0.085	0.1A	
	3FD-336	PSD3-36	18.0	0.13	36.0	0.065	18.0-CT-18.0	0.065	0.1A	
	3FD-348	PSD3-48	24.0	0.10	48.0	0.05	24.0-CT-24.0	0.05	1/16A	
PREPARED BY:	3FD-356	PSD3-56	28.0	0.09	56.0	0.045	28.0-CT-28.0	0.045	1/16A	
C. POPPE	3FD-3120	PSD3-120	60.0	0.04	120.0*	0.02	60.0-CT-60.0	0.02	N/A	
ENGINEER:	DRAWING (CONTROL NO	. REV		EL DESCI			MODEL SPECIFICATION		
M. PITCHAI	P-A1	1-11162	F		3FD & P FR TRANSE	SD FAMILY ORMER	7 - 7		, DSD3_VV	

SAFETY ENGINEER

3FD-3XX & PSD3-XX

CONTENTS OF THIS DRAWING ARE SUBJECT TO CHANGE WITHOUT 1040 SOUTH ANDREASEN DRIVE, #100 ESCONDIDO, CA. 92029 PRIOR NOTICE (760) 871-2009

DIM: mm[In] SCL: NONE SH: 2 OF 2

APPROVED:

PROPRIETARY NOTICE: THIS DRAWING PRINT OR DOCUMENT AND SUBJECT MATTER DISCLOSED HEREIN ARE PROPRIETARY ITEMS TO WHICH TAMURA RETAINS THE EXCLUSIVE RIGHT OF DISSEMINATION, REPRODUCTION, MANUFACTURE AND SALE. THIS DRAWING, PRINT OR DOCUMENT IS SUBMITTED IN CONFIDENCE FOR CONSIDERATION BY THE RECIPIENT ALONE UNLESS PERMISSION FOR FURTHER DISCLOSURE IS EXPRESSLY GRANTED IN WRITING. M. PITCHAI

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Tamura:

3FD-316 3FD-336 3FD-320 3FD-312 3FD-324 3FD-328 3FD-310 3FD-348 3FD-356