

720 built-in hollow cup vibrating motor

First, hollow cup motor performance parameters

1. Using the voltage: 1.5V-3.7V
2. Rotate 3V range: 14500 +/- 2000 rpm
Current: 90mA
3. Start voltage: 1.5V-3.7V
4. Efficiency: 80% -95%

Second, the advantages of the hollow cup motor

1. High efficiency, low energy consumption. Low noise,
2. Small size, easy to carry, strong sealing
3. Fast response, start the current

Third, the purpose of the hollow cup motor

1. Beauty Tools: such as silicone cleansing instrument, washing brush, importer, american eye, electric toothbrush, razor, massage belt, electric toothbrush, tattoo machine, etc.
2. Massager: Eye Massager, Chest Massager
3. Toys: car, electric car, mini fan, robot, small doll remote control aircraft, robot, smart toys, etc.
4. Sexy supplies: vibration ring, hop egg, etc. toys, vibrating rod electric electronic products
5. Electronic and electrical appliances: such as music greeting cards, mobile phones, readers, cameras, vacuum cleaners, inverters, etc .;

Fourth, use details

1. When welding, pay attention not to pull the lead
2. Case cannot be extruded
3. The rear cover is not needed to extrusion
4. The storage temperature is preferably 0-20 ° C