



Part Number : [357450410](#)

Product Description : VersaBlade Male Crimp Terminal, 24 AWG, Type A

Series Number : 35745

Status : Active

Product Category : Crimp Terminals



---

## Documents & Resources

### Drawings

[Drawing 357450410\\_sd.pdf](#)

### 3D Models and Design Files

[3D Model 357450410\\_stp.zip](#)

### Specifications

[Application Specification 351500000AS\\_ENG-000.pdf](#)

[Packaging Specification PK-35745-001-001.pdf](#)

[Product Specification 351800400-001.pdf](#)

[Product Specification 351800600-001.pdf](#)

### Tooling Specifications

[Crimp Specification CS-35745-002-001.pdf](#)

---

## Product Environment Compliance

### Compliance

|                    |  |
|--------------------|--|
| GADSL/IMDS         | Not Relevant                                   |
| China RoHS         |  |
| EU ELV             | Not Relevant                                   |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21                 |
| REACH SVHC         | Not Contained per D(2023)3788-DC (14 Jun 2023) |
| EU RoHS            | Compliant per EU 2015/863                      |

### [Multiple Part Product Compliance Statements](#)

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

### Part Details

#### General

|                |   |
|----------------|---|
| Status         | Active  |
| Category       | Crimp Terminals                                   |
| Series         | 35745   |
| Description    | VersaBlade Male Crimp Terminal,<br>24 AWG, Type A |
| Application    | Power, Wire-to-Wire                               |
| Product Family | VersaBlade Wire-to-Wire Connector<br>System       |
| Product Name   | VersaBlade  |
| UPC            | 756054339091                                      |

#### Physical

|                                |                      |
|--------------------------------|----------------------|
| Durability (mating cycles max) | 30                   |
| Gender                         | Male                 |
| Material - Metal               | Brass                |
| Material - Plating Mating      | Tin                  |
| Material - Plating Termination | Tin                  |
| Net Weight                     | 0.253/g              |
| Packaging Type                 | Reel                 |
| Termination Interface Style    | Crimp or Compression |
| Wire Insulation Diameter       | 1.45mm max.          |
| Wire Size (AWG)                | 24                   |
| Wire Size mm <sup>2</sup>      | 0.29                 |

#### Solder Process Data

|                              |     |
|------------------------------|-----|
| Lead-Free Process Capability | N/A |
|------------------------------|-----|

## Use with Part(s)

| Description   | Part Number   |
|---|---|
| VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Natural                    | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510310.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510310.html</a> |
| VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Blue                       | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510314.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510314.html</a> |
| VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Natural, Glow-Wire Capable | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510319.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510319.html</a> |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural                    | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510410.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510410.html</a> |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Red                        | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510412.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510412.html</a> |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Blue                       | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510414.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510414.html</a> |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural, Glow-Wire Capable | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510419.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510419.html</a> |
| VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Natural                    | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510610.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510610.html</a> |
| VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Blue                       | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510614.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510614.html</a> |
| VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Natural, Glow-Wire Capable | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351510619.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351510619.html</a> |
| VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Yellow, Glow-Wire Capable  | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351513319.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351513319.html</a> |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Yellow, Glow-Wire Capable  | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351513419.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351513419.html</a> |
| VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Yellow, Glow-Wire Capable  | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351513619.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351513619.html</a> |

|  |   |
|--|---|
| VersaBlade Hybrid Plug Housing, 3 Circuits, Positive Lock, Blue, Glow-Wire Capable                                       | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351514319.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351514319.html</a>   |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Blue, Glow-Wire Capable                                       | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351514419.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351514419.html</a>   |
| VersaBlade Hybrid Plug Housing, 6 Circuits, Positive Lock, Blue, Glow-Wire Capable                                       | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351514619.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351514619.html</a>   |
| VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, 9 Circuits, Full Flange Panel Mount, Natural, Glow-Wire Capable | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/2026500909.html">/content/molex/molex-dot-com/us/en/products/product-page.html/2026500909.html</a> |
| VersaBlade Multi-Module 2-2 Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable     | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/2041020429.html">/content/molex/molex-dot-com/us/en/products/product-page.html/2041020429.html</a> |
| VersaBlade Multi-Module 4-2 Hybrid Receptacle Housing, 6 Circuits, Natural, Glow-Wire Capable                            | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/2041020609.html">/content/molex/molex-dot-com/us/en/products/product-page.html/2041020609.html</a> |
| VersaBlade Multi-Module Hybrid Plug Housing, 4 Circuits, Friction Lock, Natural, Glow-Wire Capable                       | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/2041020409.html">/content/molex/molex-dot-com/us/en/products/product-page.html/2041020409.html</a> |
| VersaBlade Multi-Module Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural, Glow-Wire Capable                       | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/2041020419.html">/content/molex/molex-dot-com/us/en/products/product-page.html/2041020419.html</a> |
| VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Friction Lock, Type B, Natural                                  | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351810210.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351810210.html</a>   |
| VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Friction Lock, Type B, Blue                                     | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/351810214.html">/content/molex/molex-dot-com/us/en/products/product-page.html/351810214.html</a>   |
| VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Natural, Glow-Wire Capable               | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/359659210.html">/content/molex/molex-dot-com/us/en/products/product-page.html/359659210.html</a>   |
| VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type B, Yellow, Glow-Wire Capable                | <a href="/content/molex/molex-dot-com/us/en/products/product-page.html/359659213.html">/content/molex/molex-dot-com/us/en/products/product-page.html/359659213.html</a>   |
| VersaBlade Hybrid Receptacles Housings and TPAs  | <a href="#"><u>35150</u></a>  |
| VersaBlade Multi-Module Hybrid Receptacle Housings   | <a href="#"><u>35180</u></a>  |
| VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housings   | <a href="#"><u>35524</u></a>  |

---

## Application Tooling

### Global

| Description  | Part Number       |
|--|-------------------|
| Extraction and Activation Tool   | <u>0638132700</u> |
| Hand Crimp Tool for Industry Standard 1.78mm Tab Terminals, 24-26 AWG Wire | <u>0638196900</u> |
| FineAdjust Applicator for .070 Male and Female Crimp Terminals, 24 AWG     | <u>0639044200</u> |
| T2 Terminator for .070 Female Crimp Terminal                               | <u>0639120700</u> |

---

This document was generated on Dec 09, 2023