




Ø5.1


REVISIONS												
REV	ECO	DESCRIPTION	DATE	BY	APPR							
A1		RELEASE NEW PRODUCT	01-SEP-20	SEVEN	ТОММҮ							











NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: THERMOPLASTIC, COLOR:GREY

2. RoHS COMPLIANT

3. MOISTURE RESISTANCE: IP68 (1M OF WATER FOR A PERIOD OF 24 HOURS , MATED CONDITION)

- 4. TEMPERATURE RANGE: -55°C~125°C
- 5. USE WITH CONNECTORS ATM06-4S* (* = MODIFICATIONS AND/OR COLORS)
- 6. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	ATM06-4S-CAP)						
	PART NUMBER		3	DESCRIPTION				ITEM	
QUANTITY			MAT	ERI	ALS L	.IST			
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 2 PL DEC ±0.30 3) Note reference = MATERIAL SPECIFICATIONS:		SIGNATURES		DATE	DATE A MODE				I
		DRAWN:	SEVEN.MAO	Amphenol (1)					
		CHECKED:	ORION.LI	02SEP20	Sine Systems - www.amphenol-sine.com 44724 Morley Drive				
		ENGINEER:							
		APPROVAL:	TOMMY.XIE	02SEP20	Clinton Township, MI 48036				
		CUSTOMER:			4 POS,DUST CAP FOR PLUG,				
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.			ATM SERIES				
PROCESS SPECIFICATIONS:		SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SIR HECT TO NORMAL		A C	· ·	ATM06-4S	S-CAP	A1	
NEXT ASS'Y:				SCALE: NONE	.		SHEET 1	of 1	