# RAYRIM-NR6-0-SP <

#### Raychem

TE Internal #: 5108764005 Heat Shrink Tubing, Black, Irradiated Modified Polyolefin, Flame-Retardant, Reel, Operating Temperature Range -55 – 80 °C View on TE.com >

Heat Shrink Tubing



Primary Product Color: Black

Primary Product Material: Irradiated Modified Polyolefin

Heat Shrink Tubing Flammability: Flame-Retardant

Packaging Method: Reel

Operating Temperature Range: -55 – 80 °C

### Features

# Product Type Features



Product Family	RAYRIM
Body Features	
Primary Product Color	Black
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Flexible
Usage Conditions	
Shrink Temperature (Min)	120 °C
Heat Shrink Tubing Flammability	Flame-Retardant
Operating Temperature Range	-55 – 80 °C
Heat Shrink Tubing Resistance	Abrasion, Mechanical Damage
Recovery Temperature	150 °C
Product Availability	
Applicable Region	Global
Packaging Features	

**C** For support call+1 800 522 6752

10/10/2021 11:13PM | Page 1

#### RAYRIM-NR6-0-SP

Heat Shrink Tubing, Black, Irradiated Modified Polyolefin, Flame-Retardant, Reel, Operating Temperature Range -55 – 80 °C



Packaging Method	Reel
Other	
Product Source	Czech Republic
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021 (219)

Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold:

Not Yet Reviewed

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Halogen Content

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Customers Also Bought**



#### RAYRIM-NR6-0-SP

Heat Shrink Tubing, Black, Irradiated Modified Polyolefin, Flame-Retardant, Reel, Operating Temperature Range -55 – 80 °C





## Documents

**Product Drawings** RAYRIM-NR6-0-SP

English

Datasheets & Catalog Pages RAYRIM Pages from 9-1773447-9

English

Measuring\_Single\_Wall\_Tubing

English

Selecting\_Correct\_Tubing

English

Product Specifications **Quality Specification** 

English

#### **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: RAYRIM-NR6-0-SP