



Specification Control Drawing

a) Part as supplied.

202K232



b) Part after unrestricted recovery.



DIMENSIONS in millimetres (in inches, for reference)

Part No.			Max	±10%	±10%	±10%	±10%	±10%	±20%		±20%
202K232	25 {0.98}									0.5 {0.02}	

Copyright(!)


The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn J.RIBBONS	Checked	Issue 5	Date March 2010	Conforms to ISO Recommendations
Approval Design	MKTG.	Q.A.		3rd Angle Projection Not to Scale

Page 1 of 2

≇ Tyco Electronics <i>Raychem</i>		Specificat Control Di		Part Number $202K232$ Issue 5
lss.	Date	E.C.R. No.	Det	ails of Change
2 3 4 5	May 1990 June 2001 October 2006 March 2010	5629 CR01-HM-0011 CR06-DM-104 ECR-10-004980	-12 add	was 7.0 ed to available materials l description name changed as 18.

Ordering Information)



COMPATIBILITY CHART)

Material Dash Number	Material Description	SPEC Number	Coating Slash Number		
-3	POLYOLEFIN, SEMI-RIGID	RT-301, RK-6703	/42,/86, /180		
-4	POLYOLEFIN, FLEXIBLE	RT-1304 RT-1050	/42,/86, /180		
-6	SILICON	RT-602, RK-6706	N/A		
-12	FLUOROELASTOMER, FLEXIBLE	RT-1312, RW-2071	/225		
-25	ELASTOMER, FLUID RESISTANT	RT-1325, RK-6713	/42, /86, /225		
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42		

NOTES

 As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Potting Ports are optional, when specified by suffix "-00" they will be located as shown.

Tyco Electronics UK Ltd.	Tyco Electronics Corporation
Faraday Road,	300, Constitution Drive,
Swindon, Wiltshire, SN3 5HH	Menlo Park, CA 94025
England	USA
Telephone: (01793) 528171 Fax: 572516	Telephone (650) 361-3860 Fax: (650) 361-5579
Cage Code K1010	Cage Code 06090

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 202K232-25/225-0