

DEWALT®



ONSITE

NEWS & PROMOTIONS

OCTOBER 2021 - JANUARY 2022

www.DEWALT.com.au

GUARANTEED TOUGH.®

A BATTERY **BUILT** FOR LONGER DAYS.



DCB549-XJ

\$439

RRP

GET READY TO EXPERIENCE THE HIGHEST CAPACITY OF ANY DEWALT BATTERY

DeWALT announces the 18V/54V XR FLEXVOLT 15.0Ah Battery (DCB549), the highest capacity lithium ion battery offered as part of the DeWALT cordless system. Delivering a new threshold of performance in the XR FLEXVOLT Battery lineup, the 15.0Ah Battery is designed to provide maximum runtime in heavy-duty commercial applications including concrete and masonry, metalworking, building, and construction. Utilising patented technology to automatically switch voltage in accordance with the tool it is paired with, this battery is part of the 200+ products in the DeWALT 18V XR system and is compatible with all DeWALT 18V XR chargers. The battery operates in extreme conditions and is designed with a three-light LED fuel gage indicating the state of charge.

The 18V/54V XR FLEXVOLT 15.0Ah battery provides the highest capacity of any battery on the DeWALT cordless system. It changes voltage when going from 18V to 54V tools and is compatible with a variety of 18V XR tools and chargers.

54V XR FLEXVOLT 32MM SDS PLUS ROTARY HAMMER



CONTROL

ANTI-ROTATION SYSTEM
INCREASED TOOL CONTROL
 Reduced chance of injury,
 less downtime, safer working
 conditions

**3-MODE, ROTARY HAMMER,
 ROTARY ONLY & ROTARY STOP**
**MULTIPLE APPLICATIONS, A
 TRUE MULTI-DRILL**
 One tool for all applications,
 concrete, wood & metal

WIRELESS TOOL CONTROL



WIRELESS TOOL CONTROL
EASE OF USE, LESS DOWNTIME
 Reduced fatigue, increased
 productivity

RUN TIME / PACK – 80 HOLES @ 18MM X 80MM
**ALLOWING A FASTER TRANSITION FROM
 CORDED TO CORDLESS**
 Improved mobility, quicker set-up and
 pack down, no cables / trip hazards, fewer
 electrocution risks

QUICK CHANGE CHUCK
**INTERCHANGEABLE 3-JAW
 KEYLESS CHUCK AND SDS-PLUS
 TOOLHOLDER**
**A BROADER APPLICATION BASE,
 METAL, WOOD & CONCRETE**

**CLASS LEADING POWER TO WEIGHT
 RATIO 4.5J : 4.8KG**
HIGH POWER IN A LIGHTWEIGHT TOOL
 Less fatigue, increased productivity

DCH417X2-XE KIT COMES WITH:
 2 X 9AH BATTERY
 XR CHARGER,
 TSTAK KITBOX,
 17 PIECE ACCESSORY SET



SUPER BRIGHT LED
**ILLUMINATES THE
 DRILLING LOCATION**
 Allows for use in
 poorly lit areas

VIBRATION

LOW VIBRATION – < 10 M/S²
**REDUCED VIBRATION,
 INCREASED TRIGGER TIMES**
 Work all day within vibration
 guidelines

DCH417X2-XE
 KIT

\$1399
RRP

DCH417NT-XJ
 BARE

\$749
RRP

DCH417 54V XR FLEXVOLT 32MM SDS PLUS ROTARY HAMMER

DEWALT® DCH417X2-XE 32mm SDS Plus Multi Drill with accessories in TSTAK Kit box. The DEWALT® anti-vibration systems ensures vibration is reduced to a new low level allowing the user to work for longer periods of time increasing productivity and reducing operator fatigue. Comes with a variety of drill bits for metal, wood and masonry along with pointed and flat chisels. Features include active vibration control with floating back handle delivers extremely low vibration and more comfort. Anti-Rotation Control System for Increased tool control reducing chance of injury, less downtime, safer working conditions. Quick change 3 jawed chuck provides speed, precision and flexibility when drilling in wood, ceramic and steel, optimised power to weight ratio good power in light weight package and rotation-stop for light chiseling applications, render and tile removal. Incorporates Wireless Tool Control for ease of use being able to pair to DEWALT® Dust Extraction units for less downtime and reduced fatigue, increasing productivity. Ideal for drilling large anchor, fixing and through holes in concrete and masonry from 6 to 32 mm in diameter. Available in 9Ah Kit with 17 Piece Accessory set or Bare Unit. Bare unit does not come with an accessory set.



\$199
RRP

LINE TRIMMER ATTACHMENT

DCMASST1N-XE

Quick Load™ Spool for Easy Line Loading
Highly efficient cutting with 38cm Swath
RUNTIME: 1 Hour (Low Setting) / 34 Minutes (High Setting)*



\$199
RRP

BRUSH CUTTER ATTACHMENT

DCMASBC1N-XE

20cm DEWALT Steel Blade for fast effective cutting
Premium die cast gearbox for improved quality and reliability
Professional guard prevents debris kicking up



\$249
RRP

POLE SAW ATTACHMENT

DCMASPS5N-XE

20cm DEWALT bar & chain with 15cm effective cutting diameter
Auto chain oiling (200ml)
Branch hook for removing pruned branches
Extension pole included (2.7m) allowing 2 different reach settings



\$249
RRP

POLE HEDGE ATTACHMENT

DCMASPH6N-XE

55cm Dual Action Blades for cutting larger branches
Articulating Head allows 135° of movement for angled cuts
19mm Blade gap for superior cutting
Full metal case construction for heavy duty usage



DT20680-QZ
BRUSHCUTTER 4T
BLADE



DT20681-QZ
POLE SAW CHAIN



DT20683-QZ
CARRY BAG



DT20685-QZ
POLESAW EXTENSION
POLE



DT20686-QZ
POLE SAW CHAIN AND
BAR

NEW



POLE SAW
Attachment Sold Separately



POLE HEDGE
Attachment Sold Separately



LINE TRIMMER
Included on DCMAS5713X1 Kit
Also available as Line Trimmer Attachment

POWER AND FLEXIBILITY COMBINED

DCMAS5713X1 - 54V FLEXVOLT SPLIT BOOM 9AH KIT

Get the flexibility and trimming power needed to finish the job with the DEWALT 54V XR FLEXVOLT Split Boom Line Trimmer Kit. The high-efficiency brushless motor maximises runtime and product life while consistently providing the capacity to tackle tough overgrowth and withstand heavy-duty use. Easily convert this trimmer into other outdoor tools with interchangeable attachment-capability that allows you to connect additional add-ons and take on more work.

*Runtime tested on a DCB547 54V 9.0AH battery with a 2.0mm line and 38cm swath

Available as DCMAS5713N-XE Power Head Bare Unit only or DCMAS5713X1-XE Trimmer kit with 1x 9Ah battery.

DCMAS5713X1-XE
KIT

\$649
RRP

DCMAS5713N-XE
BARE

\$349
RRP



HIGH CAPACITY CUTTING & ACCURACY

D36000-XE

\$1699

RRP

D36000-XE **254MM HIGH CAPACITY WET TILE SAW WITH STAND**

Tackle large format tile cutting applications while remaining accurate with the D36000 254mm Wet Tile Saw. The powerful motor, 457mm cutting clearance left of blade, and large format water tray set up allows users to rip 900mm x 900mm tile in half without a plunge cut. The rigid support column, durable rolling cart, and Cut Line Indicator™ provide 0.8mm accuracy over 760mm rip cuts.

254MM HIGH CAPACITY WET TILE SAW WITH STAND D36000-XE

1,600W MOTOR

LARGE FORMAT CAPACITY

940mm rip cut & 216mm cross cut capacity

CUT LINE INDICATOR™

Indicates where the blade will finish a cut

3-POSITION CART KNOB

1. 940mm rip cuts
2. 457mm rip cuts
3. Unlock for cart removal

ADJUSTABLE WATER NOZZLES

Rotate out of the way for notch cuts and to control overspray

BEVEL CAPACITY

22.5° and 45°

WATER CONTAINMENT

Water tray system fully contains 900mm x 900mm tile



940mm
RIP CUT

216mm
CROSS CUT

CUT CAPACITY

457mm CUTTING CLEARANCE
LEFT OF BLADE



Maintain 0.8mm accuracy over 760mm rip cuts with the rigid support column, durable rolling cart, and Cut Line Indicator™



Cut through 216mm plank tiles, door sills, and other wide material in a single pass without lifting tile into the blade.

SPECIFICATIONS

POWER INPUT	1,600W
RPM	4200 RPM
BLADE DIAMETER	254mm
MAX RIP CAPACITY	940mm
MAX CROSS CAPACITY	216mm
MAX DEPTH OF CUT	80mm
DIAGONAL CUT CAPACITY	635mm
BEVEL CAPACITY	45°

D36000-XE INCLUDES

- (1) D36000-XE Wet Tile Saw
- (1) D240001-XJ Stand
- (1) DT3734-QZ Porcelain Tile Blade
- (1) Submersible Pump, (1) Water Pan, (2) Side Water Trays, (3) Rear Water Trays, (1) Cutting Cart Side Extension,
- (1) Angle/Rip Guide, (1) Blade Wrench, (1) Hex Wrench



THE POWER YOU NEED TO GET THE JOB DONE

DCMWSP564 - 2 X 18V XR BRUSHLESS SELF PROPELLED MOWER

Featuring a brushless direct drive motor, this self-propelled lawn mower has the power you need to get the job done. Innovative, auto-sensing technology achieves higher rpm so you can cut thicker grass whether you are mulching, bagging, or using the side discharge. With a fold-over handle for convenient transport and integrated vertical storage, this cordless mower takes up 70% less space when stored than it does when in operation.

DCMWSP564N-XE
BARE

\$899
RRP



NEW

18V XR JOBSITE FAN DCE512N-XJ

\$149
RRP

HIGH AIRFLOW (28 M3/MIN) & HIGH AIR SPEED
Increases cooling effect

180° PIVOTING FAN HEAD
Allow for versatile positioning

COMPATIBLE WITH 18V XR AND XR FLEXVOLT
Works with established range of batteries

HANG HOOKS
Allow for versatile positioning



SPECIFICATIONS

AIRFLOW	1680M3/HR
MAX. SPEED	3000RPM
BLADE SIZE	178MM
SPEED SETTINGS	VARIABLE
NOISE	62DB
WEIGHT	3.4KG

The DCE512 cordless jobsite fan delivers a high airflow and air speed to keep you cool when the going gets tough. Compatible with all 18V XR and XR FLEXVOLT batteries and providing up to 4 hours runtime with a 5Ah battery this portable fan also features a variable speed dial, 180° pivoting head and built in hanging hooks for the ultimate versatility on site.

NEW

12V/18V XR UNDER BONNET LIGHT DCL045N-XJ

DEWALT **AUTO**
\$249
RRP

INDEPENDENT LIGHT ARMS
Individually controllable
Maximise runtime and minimise downtime

FOLDING DESIGN
Collapses down to compact size
Reduces storage space and increases portability

SPRING-LOADED ROTATING HOOKS
Fits a wide range of vehicles (1.3m-1.9m width)
Better illumination in all situations

12V & 18V COMPATIBLE
Can use existing batteries
More value from system



The DCL045 is designed to provide you the best visibility in automotive and industrial environments. Compatible with all 18V and 12V XR batteries this under bonnet light features 2 brightness settings with a maximum output of 1650 lumens. Each of the two light bars can be controlled independently to maximise runtime and versatility. The spring loaded rotating hooks allow for quick and easy fitment to most vehicles and the folding design makes transportation and storage simple.

SPECIFICATIONS

TECHNOLOGY:	LED
BRIGHTNESS HIGH / LOW:	1650 / 800LM
SETTINGS:	2
WEIGHT:	2.3KG

DEWALT

**XR FLEX
VOLT**

JUST GOT

BETTER





UP TO **47%**
MORE POWER*

DCS578



UP TO **30%**
MORE POWER*

DCG418



UP TO **19%**
MORE POWER*

DCS389



XR FLEXVOLT UPGRADES



DCG418N-XJ



DCG418X1-XE



DCS389N-XJ



DCS578N-XE



DCS578X1-XE

*Products tested under controlled conditions to measure power. Power increase compares peak power of DCS578 with DCB547 and DCS575 with DCB546. DCS389 with DCB547 and DCS388 with DCB546. DCG418 with DCB547 and DCG414 with DCB546.

DCS382N-XJ 18V XR BRUSHLESS INLINE RECIPROCATING SAW BARE UNIT

PIVOTING SHOE
Greater contact with material
Better cutting performance

TOOL-FREE BLADE CLAMP
Quick, secure blade change
More productive & no tooling

BRUSHLESS MOTOR
Increased efficiency, compact size
Improved run-time, compact unit

VARIABLE SPEED / 2 FINGER TRIGGER
Ease of use
Better control



ERGONOMIC REAR HANDLE
User Comfort
Ease of use

LED WORK-LIGHT
Illumination of cutting area
Improved cut-line visibility

OVER-MOULDED SCULPTURED FRONT GRIPPING AREA
More Tactile
Easier to grip

\$329
RRP



The DCS382 Reciprocating Saw is a lightweight, compact saw designed for a wide range of construction and demolition applications. The brushless motor helps to provide more run time to help you get the job done. It also features a keyless blade clamp for quick and easy blade changes and a bright LED light to illuminate dark work areas.

SPECIFICATIONS

STROKE LENGTH	28.6MM
STROKES PER MINUTE	0 - 3200SPM
WEIGHT	2.3KG

DCN662N-XJ 18V XR STRAIGHT 16GA FINISH NAILER

The DEWALT DCN662 18V XR 16 Gauge Cordless Straight Finish Nailer drives straight finish nails from 32 to 64mm which makes it ideal for fastening baseboards, door/window casing, and crown moulding. With its brushless motor powered by a DEWALT 18V XR Lithium-Ion battery the DCN662 is ready to go to work without the hassle of using gas, compressor, and hose. Tackle jobs both large and small with the features of a pneumatic tool and the freedom of cordless. Bare unit, batteries and charger sold separately.

SPECIFICATIONS

NAIL PER CHARGE	770 (ON 2AH)
NAILS PER SEC	4
NAIL LENGTH	32-64MM
WEIGHT (KG)	2.8

\$529
RRP




TOOL-FREE JAM RELEASE
Quickly & Easily Clear Jammed Nails

MICRO NOSE
Improves Line of Sight & Accuracy of Nail Placement

TOOL-FREE DEPTH ADJUSTMENT
For Precise Countersinking of Nails

DURABLE MAGAZINE
Accepts from 32 to 64mm nails
Fits 110 nails

TOOL-FREE SELECTABLE TRIGGER
For Sequential or Contact Actuation Modes



TOOL-FREE STALL RELEASE
Quickly Reset the Driver Blade in the Event of a Stall

PROTECTIVE PADS
Reduce Damages to the tool and target material

BRUSHLESS MOTOR
Maximizes Runtime & Durability

RUBBER GRIP
Comfortable Overmolded Rubber Grip

MULTIFUNCTIONAL LED LIGHTS
Provides both Workspace Illumination & Tool Diagnostics

ADJUSTABLE BELT HOOK
Left or Right Attachment Depending on User Preference



DEWALT

TAKE
ADVANTAGE
OF MORE POWER

18V XR WITH **FLEXVOLT ADVANTAGE**

WHEN A DEMANDING JOB REQUIRES AN EXTRA BOOST IN PERFORMANCE, DEWALT® XR® FLEXVOLT ADVANTAGE™ HAS IT COVERED.

This revolutionary technology has been designed by DEWALT engineers to enable 18V XR tools with FLEXVOLT ADVANTAGE to recognise an XR FLEXVOLT battery, unlocking up to 77% more power* when needed to complete more challenging applications.

Not only does this feature deliver additional power when required on tougher jobs, but it increases the versatility and runtime of the equipment, too – allowing an 18V XR product to handle a host of different applications, and significantly enhancing the flexibility and productivity of the professional's toolkit.

DEWALT has built XR FLEXVOLT ADVANTAGE technology into four new high-specification products. Each model delivers the performance of corded combined with the freedom of cordless operation, and is equipped an electronic module that detects the presence of an XR FLEXVOLT battery, as well as an efficient, brushless, high-power density motor suitable for carrying out heavier applications.

UP TO
77%
MORE
POWER*



DCS573

UP TO
54%
MORE
POWER*



DCG416

UP TO
50%
MORE
POWER*



DCS386

UP TO
42%
MORE
POWER*



DCD999



* Based on a DCS573T1 18V XR 184mm Circular Saw with FLEXVOLT ADVANTAGE using a DCB546 6Ah XR FLEXVOLT battery versus a DCB184 5Ah 18V XR battery. DCB546 supplied.
Based on a DCG416 18V XR 125mm Grinder with FLEXVOLT ADVANTAGE using a DCB546 6Ah XR FLEXVOLT battery versus a DCB184 5Ah 18V XR battery. DCB546 supplied.
Based on a DCS386T1 18V XR Reciprocating Saw with FLEXVOLT ADVANTAGE using a DCB546 6Ah XR FLEXVOLT battery versus a DCB184 5Ah 18V XR battery. DCB546 supplied.
Based on a DCD999T1 18V XR Hammer Drill with FLEXVOLT ADVANTAGE using a DCB546 6Ah XR FLEXVOLT battery versus a DCB184 5Ah 18V XR battery. DCB546 supplied.

18V / 54V 5 PIECE KIT 9.0Ah



\$1899
RRP

DCZ596X2T-XE

- DCD999 18V XR with FLEXVOLT ADVANTAGE XRP Hammer Drill Driver
 - DCF887 18V XR 3 Speed Impact Driver
 - 1 x DCB118-XE 18V Fast Charger (8Amp Charge Rate)
 - 1 x TSTAK Case
 - 1 x DEWALT 550mm Bag
- 54V XR FLEXVOLT
- DCS578 54V XR FLEXVOLT 184mm Circular Saw
 - DCG418 54V XR FLEXVOLT 125mm Angle Grinder
 - DCS389 54V XR FLEXVOLT Reciprocating Saw
 - 2 x DCB547-XE 18V/54V XR FLEXVOLT 9.0Ah Battery Pack

KIT INCLUDES



	XRP 3 SPEED HAMMER DRILL	3 SPEED IMPACT DRIVER	54V XR 184MM CIRC SAW	54V XR 125MM ANGLE GRINDER	54V XR RECIPROCATING SAW
MODEL	XR DCD999	XR DCF887	XR FLEXVOLT DCS578	XR FLEXVOLT DCG418	XR FLEXVOLT DCS389
FEATURE	FLEXVOLT ADVANTAGE	High powered BRUSHLESS motor	54V FLEXVOLT	54V FLEXVOLT	54V FLEXVOLT
ADVANTAGE	51% more power when using 9Ah battery*	Delivers 205Nm of torque	Powerful BRUSHLESS motor gives corded performance	Powerful BRUSHLESS motor gives corded performance	Powerful BRUSHLESS motor gives corded performance
BENEFIT	Tool senses higher capacity batteries to increase power & torque	Ensures heavy applications are completed quickly	Reliability & durability for heavy duty ripping & cutting	30% More power than previous model with 2300 watts out	19% more power than previous model with 1874 watts out
FEATURE	LED light	Precision Drive	Quick change depth/bevel adjustments	E-CLUTCH	Variable Speed
ADVANTAGE	High/Medium/Low settings	3 Motor speeds & torque settings	Variable bevel Angle adjustment to 57° & depth up to 64mm	Shuts down the motor quickly when a pinch/stall is detected	Intelligent variable instant speed trigger
BENEFIT	Improved visibility	Improved application control	Precise cutting depth & angle	Reduces the kickback providing safety & tool protection	Total control over application
FEATURE	11 Position adjustable torque control	0.94kg	Airlock compatible	Electronic Brake	Tool free blade change
ADVANTAGE	Optimised precision when screw driving	Super lightweight & compact	Quick, secure connection to extractor	Brake engages when trigger is released	Level action keyless blade clamp
BENEFIT	Minimises damage to screw & application surface	Comfortable to use & fits in small places	Keeps workspace clear or dust & debris	Stops the wheel in 1.5 seconds	Quick & easy blade changes

*Based on a DCD999 18V XR Hammer Drill with FLEXVOLT ADVANTAGE using a DCB547 9Ah XR FLEXVOLT battery versus a DCB184 5Ah 18V XR battery. DCB547 supplied.

**Products tested under controlled conditions to measure power.

Power increase compares peak power of DCS389 with DCB547 and DCS388 with DCB546. DCG418 with DCB547 and DCG414 with DCB546.

18V XR & 18V / 54V XR BRUSHLESS KITS



\$1699
RRP

18V XR BRUSHLESS 5 PIECE KIT 6/5AH DCZ586P1T1T-XE

- DCD999 18V XR XRP Hammer Drill With FLEXVOLT Advantage
- DCF887 18V XR 3 Speed Impact Driver
- DCS573 18V XR 184mm Circular Saw With FLEXVOLT Advantage
- DCG416 18V XR 125mm Angle Grinder With FLEXVOLT Advantage
- DCS386 18V XR Reciprocating Saw With FLEXVOLT Advantage

Kit Includes:

- 1 x 18V/54V XR FLEXVOLT 6.0Ah Battery
- 1 x 18V XR 5.0Ah Battery
- DCB116 XR Multi-Voltage Charger
- 1 x TSTAK Case
- 1 x 550mm Bag



\$1899
RRP

18V/54V XR BRUSHLESS 5 PIECE KIT 9/5AH DCZ596X2T-XE

- DCD999 18V XR XRP Hammer Drill With FLEXVOLT Advantage
- DCF887 18V XR 3 Speed Impact Driver
- DCS578 54V XR FLEXVOLT 184mm Circular Saw
- DCG418 54V XR FLEXVOLT 125mm Angle Grinder
- DCS389 54V XR FLEXVOLT Reciprocating Saw

Kit Includes:

- 2 x 18V/54V XR FLEXVOLT 9.0Ah Batteries
- DCB118 XR Fast Charger
- 1 x TSTAK Case
- 1 x 550mm Bag



\$1499
RRP

18V/54V XR BRUSHLESS 4 PIECE KIT 9/5AH DCZ441P1X1T-XE

- DCD999 18V XR XRP Hammer Drill With FLEXVOLT Advantage
- DCF887 18V XR 3 Speed Impact Driver
- DCF899 18V XR High Torque Impact Wrench
- DCG418 54V XR FLEXVOLT 125mm Angle Grinder

Kit Includes:

- 1 x 18V/54V XR FLEXVOLT 9.0Ah Battery
- 1 x 18V XR 5.0Ah Battery
- DCB118 XR Fast Charger
- 1 x TSTAK Case
- 1 x 500mm Bag



\$1399
RRP

18V XR BRUSHLESS 5 PIECE KIT 5AH DCK560P2-XE

- DCD796 2 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCG405 125mm Angle Grinder Slide Switch
- DCS367 Compact Reciprocating Saw

- DCS570 184mm Circular Saw

Kit Includes:

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- Contractor Bag

FREE VIA REDEMPTION

**75PC ACCESSORY SET
+ 18V XR 4.0AH BATTERY PACK**

DT70764-QZ + DCB182-XE



+



WHEN YOU PURCHASE

SELECTED 18V XR & 18V / 54V XR BRUSHLESS KITS

DCK560P2-XE, DCZ586P1T1T-XE, DCZ596X2T-XE, DCZ441P1X1T-XE

18V / 54V XR BRUSHLESS KITS



\$749
RRP

18V XR BRUSHLESS 2 PIECE KIT- 5/6AH DCZ297P1T1T-XE

- DCD999 18V XR XRP Hammer Drill With FLEXVOLT Advantage
 - DCF887 18V XR 3 Speed Impact Driver
- Kit Includes:
- 1 x 18V/54V XR FLEXVOLT 6.0Ah Battery
 - 1 x 18V XR 5.0Ah Battery
 - DCB116 XR Charger
 - TSTAK Case
 - 400mm Bag

FREE VIA REDEMPTION
75PC ACCESSORY SET
OR 54V XR FLEXVOLT ANGLE GRINDER
DT70764-QZ OR DCG414N-XJ

OR

WHEN YOU PURCHASE
18V XR BRUSHLESS 2 PIECE KIT- 5/6AH
DCZ297P1T1T-XE

DCZ297P1T1T-XE REDEMPTION VALID 15/09/21 - 31/01/22



\$1199
RRP

18V/54V XR BRUSHLESS 3 PIECE KIT 9/5AH DCZ341P1X1T-XE

- DCD999 18V XR XRP Hammer Drill With FLEXVOLT Advantage
 - DCF887 18V XR 3 Speed Impact Driver
 - DCG418 54V XR FLEXVOLT 125mm Angle Grinder
- Kit Includes:
- 1 x 18V/54V XR FLEXVOLT 9.0Ah Battery
 - 1 x 18V XR 5.0Ah Battery
 - DCB118 XR Fast Charger
 - 1 x TSTAK Case
 - 1 x 500mm Bag



\$1199
RRP

18V/54V XR BRUSHLESS 3 PIECE KIT 9/5AH DCZ357P1X1T-XE

- DCD999 18V XR XRP Hammer Drill With FLEXVOLT Advantage
 - DCF887 18V XR 3 Speed Impact Driver
 - DCS578 54V XR FLEXVOLT 184mm Circular Saw
- Kit Includes:
- 1 x 18V/54V XR FLEXVOLT 9.0Ah Battery
 - 1 x 18V XR 5.0Ah Battery
 - DCB118 XR Fast Charger
 - 1 x TSTAK Case
 - 1 X 500mm Bag


FREE VIA REDEMPTION
75PC ACCESSORY SET
OR 54V XR FLEXVOLT RECIPROCATING SAW
DT70764-QZ OR DCS388N-XJ

OR

WHEN YOU PURCHASE
SELECTED 18V XR & 18V / 54V XR BRUSHLESS KITS
DCZ341P1X1T-XE, DCZ357P1X1T-XE



CORDLESS DUST EXTRACTION IS HERE!



54V XR FLEXVOLT M-CLASS DUST EXTRACTOR DCV586M

Powered by 54V XR FLEXVOLT technology the DCV586M is the ultimate dust extraction solution for a new generation of cordless tools and the key to unlocking the cordless jobsite.

The DeWALT BRUSHLESS motor and high capacity XR FLEXVOLT battery coupled with dual M-Class certified filters with automatic cleaning delivers powerful, constant performance and runtime for the most demanding applications.



Other features include a remote for wireless operation, a recessed battery housing to protect from jobsite conditions and TSTAK compatibility.

DCV586M	
Filter clean	Automatic
Wet / dry	Yes
Tool actuation	Wireless keyfob
Capacity	11 L
Hose length	2.5 m



DCV586MT2-XE
KIT
\$989
RRP

DCV586MN-XJ
BARE
\$619
RRP

FREE VIA REDEMPTION FLOOR CLEANING KIT

DWV9350-XJ



WHEN YOU PURCHASE A 1400W 38L M-CLASS DUST EXTRACTOR OR 54V FLEXVOLT M-CLASS EXTRACTOR BARE UNIT OR KIT

DWV902M-XE, DCV586MN-XJ, DCV586MT2-XE

1400W 38L M-CLASS DUST EXTRACTOR DWV902M-XE DUST MANAGEMENT

Advanced Dust Extraction Solutions.

The Perform & Protect dust certification logo guarantees that the risks of dust inhalation are considerably reduced, to work in a cleaner and more secure environment.



DWV902M-XE
\$939
RRP

DWV902M	
Power Input	1400W
Max Airflow	31.1l/sec
Capacity	38L
Power Take Off Rating	1000W
Wet/Dry	Yes





\$1349
RRP



305MM SLIDING MITRE SAW

Compact portable design.


DWS780-XE (CORDED 230V)

Power Input	1675W
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 396 x 470mm
Weight	25kg

Kit Includes

- 60 Tooth Blade
- Dust Bag
- Blade Spanner
- Material clamp

	X	Y	Z	W	V	
90° 90°	303 mm	110 mm	410 mm	33 mm	44 mm	170 mm
45° 90°	330 mm	58 mm	345 mm	44 mm	25 mm	170 mm
90° 45°	211 mm	112 mm	244 mm	76 mm		
45° 45°	315 mm	50 mm				



ACCURACY

PRODUCTIVITY
XPS

CAPACITY

EASE OF USE

AIR LOCK - Fully compatible allowing direct connection with DeWALT dust management system

High quality slide rail assembly – for long life performance

XPS work light – excellent outline visibility, no adjustment required

Outstanding cutting capacity of 303mm x 110mm – to meet all your application requirements

Precision machined base and rotary table for jobsite durability

Stainless mitre detent lock – delivers outstanding repeatable accuracy

Tall dual sliding fences – maximising work piece stability and accuracy

BONUS* LONG BEAM MITRE SAW STAND DWX723-XE



305MM 60 TOOTH CONSTRUCTION SERIES CIRCULAR SAW BLADE DT1960-QZ

\$70.99
RRP



GUARANTEED TOUGH MACHINERY

**254MM (10")
HEAVY DUTY
TABLE SAW 2000W
DWE7491-XE**

\$1349
RRP

DWE7491-XE

Rip Capacity	825mm
Max. D.O.C.	79mm @ 90°
Weight	26.6kg

Includes:

- 24 tooth saw blade
- Mitre attachment
- 2 blade spanners & push stick
- Rack & Pinion Fence for Increased Accuracy & ease of use

BONUS*
TABLE SAW SCISSOR STAND
DWE74912-XJ



**EXTREME RUNTIME
254MM 24 TOOTH
CIRCULAR SAW BLADE
DT90273-QZ**

\$48.99
RRP



\$939
RRP

**1850W PORTABLE LIGHTWEIGHT
TABLE SAW 210MM**

DWE7485-XE

- 610mm Right Rip Capacity
- 20.5kg

BONUS*
HEAVY DUTY STAND
DE7450-XJ



\$1039
RRP

**54V XR FLEXVOLT TABLE SAW
210MM**

DCS7485N-XJ

- 65mm Max. Depth of Cut @90°
- Fence system provides 610 mm of rip capacity

FREE VIA REDEMPTION

**54V XR FLEXVOLT BATTERY
STARTER KIT - 6AH**

DCB118T1-XE



*Bonus in store at participating retailers

OUTDOOR POWER EQUIPMENT

XR



RRP **\$929**

18V XR 3PC COMBO KIT DCZ341P2-XE

Kit Includes:

- DCMHT563 18V XR 25mm Hedge Trimmer
- DCMBL562 18V XR Brushless Axial Blower
- DCMST561 18V XR Brushless Split Shaft Line Trimmer
- 2 x DCB184 18V XR Li-Ion 5Ah Batteries
- DCB115 Multi-Voltage Charger



RRP **\$749**

18V XR 2PC COMBO KIT DCZ243P2-XE

Kit Includes:

- DCM565 18V XR Brushless Chainsaw
- DCMBL562 18V XR Brushless Axial Blower
- 2 x DCB184 18V XR Li-Ion 5Ah Batteries
- DCB115 Multi-Voltage Charger



RRP **\$699**

18V XR 2PC COMBO KIT DCZ241P2-XE

Kit Includes:

- DCMBL562 18V XR Brushless Axial Blower
- DCMST561 18V XR Brushless Split Shaft Line Trimmer
- 2 x DCB184 18V XR Li-Ion 5Ah Batteries
- DCB115 Multi-Voltage Charger

XR

2 x 18V XR BRUSHLESS MOWER

The powerful DCMW564 mower features a 2 x 18V brushless motor, powering you with 36V output. Ideal for tackling medium/large sized applications, achieving up to 800m² on a single charge.

DCMW564P2-XE

Coverage	Up to 800m ² (DCB184)
Cutting Capacity	48cm blade
Versatile	5 Adjustable cutting levels
Construction	51cm metal deck
Collection Bag	55L
Kit Includes	2x 18V XR 5AH Battery Packs + Multi-Voltage Charger



DCMW564N-XE BARE	DCMW564P2-XE KIT
\$569 RRP	\$719 RRP

XR FLEXVOLT



DCMBA572N-XE BARE	DCMBA572X1-XE KIT
\$349 RRP	\$549 RRP

54V XR FLEXVOLT BRUSHLESS AXIAL BLOWER

- Air Speed: 200km/h
- Air Volume: 650CFM
- Control: Variable speed trigger
- Ease of Use: Lock-On Trigger at desired speed
- Axial Design provides optimised balance

XR FLEXVOLT



DCM575N-XE BARE	DCM575X1-XE KIT
\$549 RRP	\$749 RRP

54V XR FLEXVOLT CHAINSAW

- Up to 130 cuts per charge (DCB547-XE)*
- 40cm bar & chain (3/8 low profile 90PX)
- 15m/s chain speed with variable speed trigger
- High efficiency brushless motor
- Chain brake safety stops in under 1 second
- Tool free bar fitment, chain tensioning & auto oiling

XR FLEXVOLT



DCM5713N-XE BARE
\$449 RRP

54V XR FLEXVOLT BRUSHLESS SPLIT SHAFT LINE TRIMMER - BARE UNIT

- Power Output: 530W
- Runtime: 46min (DCB547-XE)*
- Cut Speed: 0-5600/6600RPM
- Cut Capacity: 38cm Swathe, 2.0mm line
- Control: Variable speed trigger

FREE VIA REDEMPTION 18V XR HAMMER DRILL DRIVER

DCD796N-XE



WHEN YOU PURCHASE

54V XR FLEXVOLT BRUSHLESS CHAINSAW KIT OR 54V XR FLEXVOLT BRUSHLESS AXIAL BLOWER KIT

DCM575X1-XE OR DCMBA572X1-XE

OUTDOOR POWER EQUIPMENT

18V XR



DCMPH566N-XE
BARE

RRP **\$369**

18V XR POLE HEDGE TRIMMER - BARE UNIT

- 55cm hardened steel, laser-cut dual-action blade,
- 25mm blade gap
- 7-position 180° pivoting and articulating head
- Up to 75min runtime (DCB184-XE)*
- Max reach 3.35m**



DCMPS567N-XE
BARE

RRP **\$369**

18V XR BRUSHLESS POLE SAW - BARE UNIT

- Powerful 18V Brushless Motor
- 20cm Low Kick Back Bar and Chain
- Metal Bucking Strips and Tree Hook
- 1.5m reach extendable to 4.5m




DCMBL562N-XE
BARE

RRP **\$269**

18V XR AXIAL BLOWER - BARE UNIT

- Efficient Brushless Motor
- Air Volume 450CFM
- Air speed 200 km/h
- Cruise Control Feature
- Optimum Balance & Weight Distribution
- Aerospike Concentrator
- Ergonomic, Light & Compact




DCMHT563N-XE
BARE

RRP **\$299**

18V XR HEDGE TRIMMER - BARE UNIT

- 55cm hardened steel, laser-cut dual-action blade
- 25mm blade gap
- Blade strokes 1400/min
- Ergonomically designed with optimised weight and balance
- Up to 75min runtime (DCB184-XE)*



DCMST561N-XE
BARE

RRP **\$319**

18V XR BRUSHLESS SPLIT SHAFT LINE TRIMMER - BARE UNIT

- Up to 40 mins runtime (DCB184-XE)*
- 36cm swathe with 2.0mm line
- Variable 2 speed control
- Split shaft and folding hinge
- High efficiency BRUSHLESS motor
- Quick Load™ spool system ensures easy loading of 2mm twisted DeWalt line



DCM565N-XE
BARE

RRP **\$369**

18V XR BRUSHLESS CHAINSAW - BARE UNIT

- Power Output: 600W
- Runtime: 70cuts at 100x100mm (DCB184-XE)*
- Chain Speed: 8m/s
- Cut Capacity: 30cm, 3/8"
- Maintenance: Tool-free with auto oiling

FREE VIA REDEMPTION DEWALT TOOL BACKPACK

DWST81690-1



WHEN YOU PURCHASE A SELECTED 18V XR BARE UNIT OR 54V XR FLEXVOLT BARE UNIT FROM THE LANDSCAPING RANGE

DCM565N-XE, DCMST561N-XE, DCMPH566N-XE, DCMPS567N-XE,
DCMHT563N-XE, DCMBL562N-XE, DCM575N-XE,
DCM5713N-XE, DCMBAS72N-XE

* RUNTIME (DCB184-XE) 5AH BATTERY
(DCB547-XE) 6AH BATTERY

**MAX REACH BASED ON 1.8M PERSON HOLDING THE POLE IN A STRAIGHTENED POSITION AT CHEST LEVEL

**DURABLE
BY DESIGN.
BLADES MADE
TO LAST.**



**6 PIECE BI-METAL
RECIPROCATING SAW
BLADE SET
DW4896**

RRP \$31.20

RECIPROCATING SAW BLADES

Optimise the performance of your DEWALT tools with blades specifically designed for tough jobs. The next generation of DEWALT Reciprocating Saw Blades have patented tooth forms to make fast smooth cuts, while new Bi-Metal Blades deliver up to 50% longer life.

UP TO
50%
LONGER LIFE*

BI-METAL

*Average performance of DEWALT reciprocating saw blade range vs. prior generation DEWALT blades.
Excludes DWAR596P, DWAR596P, DWAR596P3, DWAR596P5, DWAR516P, DWAR516P, DWAR516P5, DWAR600CG, DW4844, DWAR800CG, and DW4843.

DURABLE BY DESIGN. HOLE SAWS MADE TO LAST.



**9 PIECE
PLUMBER'S
HOLE SAW KIT
D180001 V**

\$130
RRP

HOLE SAWS

Optimise the performance of your DEWALT drills with hole saws specifically design for tough jobs. Engineered with patented tooth forms, the next generation of hole saws deliver fast, smooth cuts with up to a 50% longer life*.



UP TO
50%
LONGER LIFE*

*Vs. prior generation DEWALT Bi-Metal Hole Saws cutting black pipe

PRECISION GUIDED LASER MEASUREMENT

**30M LASER DISTANCE MEASURE
DWHT77100-XJ**

\$89
RRP

MEASURING RANGE UP TO 30M
For high number of applications

BLACK LETTERS ON WHITE BACKGROUND
Easier to read, indoor and outdoors

TWO BUTTON OPERATION
For ease of use & simple operation

OVERMOULD HOUSING
For better grip



METRIC / IMPERIAL
Measurements can be taken in M, CM, FT, IN

AREA, VOLUME, PYTHAGORAS CALCULATIONS
For a wide range of applications

ACCURACY ±3MM @ 10M
For accurate measurements

2X AAA ALKALINE BATTERIES



AREA / VOLUME CALCULATIONS



PYTHAGORAS CALCULATION



+/- CALCULATOR FUNCTIONS

SPECIFICATIONS

RANGE	30M
ACCURACY	±3MM @ 10M
AREA & VOLUME	YES
PYTHAGORAS	YES
CONTINUOUS MEASUREMENT	YES
MEASURE UNIT	METRIC / IMPERIAL
POWER	2X AAA

TOUGH SERIES™



TOUGH BEYOND MEASURE

8M TOUGH TAPE
DWHT36929-3



SPECIFICATIONS

BLADE WIDTH	32MM
BLADE PRINT	DOUBLE-SIDED
BLADE REACH	4.9M
HOOK TYPE	MAGNETIC (REMOVABLE)
DROP RATING	UP TO 30M*



* USEABLE AFTER 30M DROP ONTO PACKED SOIL

DEWALT®

WIN THE ULTIMATE TRADIE TRUCK TO

WORK PLAY HARD HARDER.



VALUED AT
\$112,339

PURCHASE ANY DEWALT PRODUCT FOR A CHANCE TO

WIN A CHEVROLET SILVERADO LT TRAIL BOSS*

ONE ENTRY FOR EVERY \$1 SPENT
ENTER VIA WWW.GUARANTEEDTOUGH.COM.AU



**SUBSCRIBE TO DEWALT AND RECEIVE
ONE FREE ENTRY TO WIN**

*Conditions apply, see WWW.GUARANTEEDTOUGH.COM.AU. Open to AU & NZ res 18+. Starts: 1/10/21. Purchase by: 11:59pm AEST 31/3/22. Enter by: 11:59pm AEST 7/4/22. Max 1 entry p/email. Retain receipt/s. Draw: 5/210 Central Coast Hwy Erina NSW 2250 on 28/4/22 at 11AM AEST. Prize: 1 x Chevrolet Silverado LT Trail Boss valued at AU\$112,339. Winners published at www.guaranteedtough.com.au on 5/5/22. Promoter: Stanley Black and Decker Australia Pty Ltd (ABN: 82 000021 938) of 810 Whitehorse Road, Box Hill VIC 3182. NSW Authority: NSW TP/01166. Permits: ACT TP21/01078. SA T21/970

DEWALT
810 Whitehorse Road
Box Hill VIC, Australia 3128
Telephone: 1800 338 002
Fax: 1800 080 898

www.DEWALT.com.au

Accessories as a trademark. DEWALT reserves the right to change any deal, price and / or specification at any time without notice. All products quoted are inclusive of GST. Price includes GST unless otherwise stated. Onsite Offers promotion runs from 01/10/2021 - 31/01/2022. Deals available while stocks last and only at participating stores.

DEWALT GUARANTEED TOUGH REDEMPTIONS
VISIT WWW.GUARANTEEDTOUGH.COM.AU TO REDEEM TODAY

DELIVERY MAY TAKE UP TO 45 DAYS FROM RECEIPT OF ENTRY. SIGNATURE REQUIRED UPON DELIVER. ITEMS WILL NOT BE LEFT UNATTENDED. NO PO BOXES ACCEPTED. DELIVERIES LIMITED TO MAINLAND AUSTRALIA. PACIFIC ISLANDS AND OFF-SHORE ADDRESSES NOT ACCEPTED. THIS OFFER CANNOT BE USED IN CONJUNCTION WITH ANY OTHER OFFER. TO REDEEM OFFER OR TO SEE FULL TERMS AND CONDITIONS VISIT WWW.GUARANTEEDTOUGH.COM.AU

Redemption offers are valid only to those consumers who purchase one of the selected DEWALT AU products between 1st October 2021 until 31st January 2022. Proof of purchase is essential to validate claim. Receipt must clearly show model of tool purchased, date of purchase, place of purchase and the price paid to substantiate the claim. DEWALT AU reserves the right to request further information regarding proof of purchase from the redeemer if circumstances warrant. Keep your original receipt for warranty purposes as proof of purchase. Goods must be fully paid for at the time of purchase and on ONE receipt to be eligible. DEWALT AU accepts no liability for claims that may be delayed, misdirected or lost in the mail causing them to not be received by the closing date. Redemption offers will be dispatched within 45 working days of receipt of the claim while stocks last. All Redemption Offer claims must be received by 14th February 2022. This promotion cannot be used in conjunction with any other offer, limited stock available. Offer available while stocks last. An alternative redemption item may be provided at the discretion of DEWALT AU. Offer only valid when product purchased through authorised resellers of DEWALT AU. Excludes parallel importers.