



MATED WITH: -	LOC A	DIST -	REVISIONS					
			P	LTR	DESCRIPTION	DATE	DWN	APVD
PROJECT NR.: 87-9187			K11		REVISED PER ECR-12-002298	06FEB2012	Mah	Abele

<del>828921-3</del>	<del>1.9 ± 0.15</del>	OBSOLETE
<del>828921-2</del>	<del>1.5 ± 0.15</del>	OBSOLETE
828921-1	1.5 ± 0.15	
PN	Maß A	



Bemerkungen  
NOTES

- Einzelheiten der Ausfuehrung bleiben dem Hersteller ueberlassen  
DETAILS OF DESIGN ARE LEFT TO MANUFACTURER
- Passend fuer Drahtgroessenbereich > 1 - 2.5mm<sup>2</sup>  
SUITABLE FOR WIRE SIZE RANGE:
- Passend fuer Isolationsdurchmesser:  
SUITABLE FOR INSULATION DIAMETER: 2.1 - 3.0
- Bestueckungshilfe fuer Einzelleiterabdichtung siehe: TE CONNECTIVITY: 965702  
INSERTER FOR SINGLE WIRE SEAL SEE :
- Keine Luftloecher zulaessig  
NO AIR BUBBLES PERMITTED

1 : 1



nur für Handzangen-  
verarbeitung / oelfrei  
FOR HAND TOOL PROCESS ONLY  
OILFREE

THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED. © COPYRIGHT - By -

DIMENSIONS: mm	DWN	P. Gaupp	17 APR 97	MATERIAL	-	FINISH	-
	CHK	D. Kümpel	21 APR 97	TE Connectivity			
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	-	-				
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -	PRODUCT SPEC	108-18263-1		SIZE	A4	CAGE CODE	00779
	APPLICATION SPEC	114-18031		DRAWING NO	C-828921		
	WEIGHT	-		RESTRICTED TO	-		
CUSTOMER DRAWING				SCALE	5:1	SHEET	1 OF 1
				REV	K11		

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[828921-1](#)