Overview

Introduction

USB TO RS485/422, an industrial-grade USB to RS485/422 isolated converter, adopts the original FT232RNL, an industrial rail case design, built-in protection circuits such as power isolation, ADI magnetic coupling isolation, and TVS. USB TO RS485/422 is easy to operate, and can automatically transmit and receive without delay. It features fast communication



speed, stability, reliability, and safety, which can be applied to various industrial control devices or applications with high communication requirements.

Features

- Onboard Original FT232RL and SP485EEN chip. Fast communication, stable and reliable, better compatibility.
- Onboard unibody power supply isolation, provides stable isolated voltage and needs no extra power supply for the isolated terminal.
- Onboard unibody digital isolation, allows signal isolation, high reliability, strong antiinterference, and low power consumption.
- Onboard TVS (Transient Voltage Suppressor), effectively suppresses surge voltage and transient spike voltage in the circuit, lightning-proof & anti-electrostatic.
- Onboard self-recovery fuse and protection diodes, ensure the current/voltage stable outputs, provide over-current/over-voltage proof, and improve shock resistance.
- Onboard 15KV ESD isolation protection and 600W lightning-proof & anti-surge protection.
- Onboard 120R terminal resistor on the RS485/RS422 ports, enable by default, configurable by jumper.
- 3x LEDs for indicating the power and transceiver status.
- Industrial rail-mount ABS case design, small in size, easy to install, and cost-effective.

Specification

Model	Industrial grade isolated USB to RS485/422 converter					
Baud Rate	FT232RNL	232RNL 300bps ~ 3Mbps				
Host Port	USB					
Device Port	RS485/422	RS485/422				
USB Port	Operating Voltage	5V				
	Interface Type	USB-B				
	Connector	200mA self-recovery fuse, ESD protection				
	Transmission Distance	About 5m				
	Interface	Screw Terminal				
	RS485 Interface	A+, B-, PE				
	RS422 Interface	TA, TB, RA, RB, PE				
RS485/422 Interface	Direction Control	Hardware automatic control				
	Interface Protection	600W lightningproof, anti-surge, and 15KV ESD protection (onboard 120R balancing resistor)				
	Transmission Distance	About 1200m (at low rates)				
	Transmission Mode	Point-to-multi points (up to 32 nodes, it is recommended to use repeaters for 16 nodes or more)				
	PWR	Red power indicator, lights up when there is a USB connection and voltage is detected				

Indicator	TXD	Green TX indicator, light up when the USB port sends data		
	RXD	Blue RX indicator, lights up when the device ports send data back		
Operating Environment	Temperature Range	-15℃ ~ 70℃		
	Humidity Range	5%RH~95%RH		
Operating System	Mac, Linux, Android, WinCE, Windows 10 / 8.1 / 8 / 7 / XP			
Appearance	Enclosure	Rail-mount ABS case, suitable for 35mm DIN rail		
	Outline Dimensions	81.9 × 54.0 × 32.0mm		

Interface Introduction

Interface	PE	ТА	ТВ	RA	RB
RS422	Signal ground	Send differential signal positive T+	Send differential signal negative T-	Receive differential signal positive R+	Receive differential signal negative R-
RS485	Signal ground	Differential signal positive A+	Differential signal negative B-	NC	NC



Description: The RS422 and RS485 interfaces of this product also have a built-in **120R** enabling resistor, which is enabled by default, and the user can remove the case to modify

the settings as needed.

Modification method: Modify the yellow jumper cap at the red frame.

Dimensions



Software Installation

USB Driver Installation

- The first method: download the driver wizard from the Internet, and automatically detect and install the driver.
- The second method: Manually install the driver (the following uses WIN7 installation as an example).
- Connect the device to the computer via a USB cable, and check the device manager, the serial port number has a yellow exclamation mark, indicating that the driver is not installed.



• You can download the software installation package on the official website WIKI, (There must be a path here) Double-click





• Click Extract:



Click Next:

License Agreement				
To continue, accept the following license agreement. To read the entire agreement, use the scroll bar or press the Page Down key.				
IMPORTANT NOTICE: PLEASE R INSTALLING THE RELEVANT SC This licence agreement (Licence): (Licensee or you) and Future Tech of 2 Seaward Place, Centurion Bus Scotland (UK Company Number SC driver software provided by the Lice	EAD CAREFULLY BEFOF FTWARE: s a legal agreement betwee nology Devices Internation inters Park, Glasgow G41 C136640) (Licensor or we) t ensor(Software).	RE A en you lal Limited 1HH, for use of		
BY INSTALLING OR USING THIS	SOFTWARE YOU AGRE	E TO THE V		
I accept this agreement I don't accept this agreement	Save As	Pant		
	To continue, accept the following li agreement, use the scroll bar or pre IMPORTANT NOTICE: PLEASE R INSTALLING THE RELEVANT SC This licence agreement (Licence) i (Licensee or you) and Future Tech of 2 Seaward Place, Certuinon Bus Sotiand (UK Company Number St driver software provided by the Lic BY INSTALLING OR USING THIS I accept this agreement I don't accept this agreement	To continue, accept the following license agreement. To read agreement, use the scroll bar or press the Page Down key. IMPORTANT NOTICE: PLEASE READ CAREFULLY BEFOF INSTALLING THE RELEVANT SOFTWARE: This licence agreement (Licence) is a legal agreement betwee (Licensee or you) and Future Technology Devices Internation of 2 Seaward Place, Certuinon Business Park, Glasgow G41 Scottand (UK Company Number SC136640) (Licensor or we); driver software provided by the Licensor(Software). BY INSTALLING OR USING THIS SOFTWARE YOU AGRE i accept this agreement Save As I don't accept this agreement		

• Check I accept this agreement (A), and then click Next:

设备驱动程序安装向导	
正在安装驱动程序	
ジョン・ション・ション・ション・ション・ション・ション・ション・ション・ション・シ	
((上一步 @))下一步 @))	取消





• Click Finish, and check the computer device manager at this time, you can see that the port number is already available for normal use.

USB TO RS4852-9.png

Hardware Test

Test environment: PC (Windows system) Required accessories:

- USB TO RS485/422 x 2pcs
- Adapter cable

RS485 test

• Connect the RS485 interface of the USB TO RS485/422 module, that is, connect TA --> TA to TB --> TB. The hardware connection diagram is as follows:



Note: The RS485 interface of this product also has a built-in 120R enabling resistor, which is turned on by default. Users can remove the case to modify the settings according to their needs. If signal isolation is required, PE can also be connected to the ground.

• Open two SSCOM serial port debugging assistants on the computer, open the corresponding port number, set the same baud rate, and click Send at regular intervals to receive and send normally. The test results are shown in the figure below:

La SSCOM VS111 Serial/Net data debugger,Author:Timin,25180588月qq.com - □ × PORT COM Settings Excelar Send Data Multi Steines Tools Helo 医医外管 大桥的运	SSCOM V5.13.1 Seria/Net data debugger,AuthonTintin,2518058@qq.com – C × PORT COM Settions Display: Send Data Multi Strings Tools Help DEVEND 1451038
10 10 <td< td=""><td>AT AT A</td></td<>	AT A
Clearbate Openils See ClearSee Office Regist Second 117 -	ClearBate Openfile Saudrile Stup ClearSaud OnTopic Engine Saudrile III -
Carrier and the series rest and the series of the series o	Clevelor A fore Setting She Sine and Fachs Courties 20 mm Ref System (Nore -
T RTS IP DTR Bushat 11500 . AT	T RTS P DTR Puolities 115200 DI 00 05 07
为了他好他定要四口啊的件 5800	为了那谷地发展3500%许 SEED
【升级数95.13.13★金嘉德性的比44极快值课一试 ★27-Thread+国人的开游免费操作系统 ★新一代和FIE式共兼容6006支持FIF-Thread ★68865	【升级到布 13.1】★台市高性纷扰64摄映徽理一试★07-The++44级人的开展免费操作系统★新一代%171芯片集容6006支持87-The++4★086达转表#
www.daxia.com [5:0 R:312 COM47 Opened 115200bps.8.1.None.None	pwww.dakia.com 5:364 R:96 COM39 Opened 115200bps.81.None.None CT:

RS422 Test

• Connect two sets of USB TO RS485/422 together for communication. When the RS422 interface is connected, cross-connection is required, as shown in the figure below:





Note: The RS485 interface of this product also has a built-in 120R enabling resistor, which is turned on by default. Users can remove the case to modify the settings according to their needs. If signal isolation is required, PE can also be connected to the ground.

• On the PC, open two SSCOM, open the corresponding port number, set the same baud rate, and click Send at regular intervals to send and receive normally. The screenshot of the software is shown below:

K SSCOM V5.13.1 Serial/Net data debugger	- 0 ×	A SSCOM V5.13.1 Ser	ial/Net data debugg	м			8
PORT COM_Settings Display Send_Data Multi_Strings Tools Help		PORT COM_Settings	Display Send_Data	Multi_Strings To	iols Help		
□ [17:22:54.392]38→Oabodafe	^ ·	(17:22:54.407)\$t+◆abc	defg				^
□ [17:22:54.503]发→○abodafg		[17:22:54.517]\$t+◆ake	defe				
□ [17:22:54.509]波→○abodefg		[17:22:54.699]\$t+◆abc	defg				
□ [17:22:54.107]波→Oubodafg		[17:22:54.709]{{++}ake	defg				
□ [17:22:54.535]赏→Oabolafg		[17:22:54.821]\$k+◆abe	defg				
117:22:54.928]));→Oubodafg		[17:22:54.933]{t++ake	defg				
□ [17:12:65.005]炭→Oabolafg		[17:22:55.045]\$t+◆ake	defg				
[17:22:05.145])按→○abodafe		[17:22:55.157]\$t+◆abc	defg				
[17:22:96.253]赏→Oabodafg		[17:22:55.260]\$t++ake	defg				
[17:22:05.364]策→Oabolafg		[17:22:55.365]\$t+◆abc	defg				
17:22:95.475]波→Oubodafg		[17:22:55.477]@++ake	defg				
[17:22:05.084]炭→Oabodafg		[17:22:55.687]软+◆abe	defg				
17:22:55.6861∰→Oubodafe		[17:22:55.029]\$t+◆abc	defg				
17.22:65.807]炭→○abodafg		[17:22:55.011]\$t++abe	defe				
[17:22:05.016]∰→Oabolafg		[17:22:55.923]\$t+◆abc	defg				- 1
[17:22:66.026]炭→Oabodafg		[17:22:56.034]{{++ ale	defg				
	~	1 B					
ClearBata OpenFile Stop ClearSene	OnTop Fight SureConfig EXT -	ClearDate OperFile			SendFile Stop ClearSend ConTop R	English SureCenfig	ET
Combus COMESO Pralific USB-te-Seri • MEEShew SaveData Receivedfefile SeadOEI Se	addrery 100 ss/Tisly Add/rLE	ConHum COMS9 USS Serie	l Port 💌 🗆 🕅 HR	Shew SureData	Baceivedfafile Sendett Sendtrery	100 es/Tie/ Add	ErlE
CleseCon C Nors Settings Saw Time and Packs OverTime: [2] no[84] BytesTo #1	π - Veri£jNone -	🛞 ClaseCon 🖒	Here Settings	ow Time and Facke O	verTine: 20 mt Bo 1 DytesTe 末間 • Ver	fyNone •	_
T RTS P DTR Saudiat 1000 V Cross		T RTS V DTR Seadler	611520 • 6716	- 5			
请您注册编立也好球院客户 SEE	~	青您注册嘉立也使结尾客户	SERD				
【升级别vs. 13.1】★台南高性伯比4G摄波值谓一试 ★17-Tåread中国人的开源免费操作系统 ★新一代wiri	i芯片兼否SDG支持AT-Thread ★SBB运器	【升级型(15.13.1】 ★合計	\$富性价比40種块值谓	·试 ★17-Thread中国	人的开源免费操作系统 ★新一代WiFi芯片兼容	FELEO支持ET-Thread	¥25236

Resource

Software

- VCP Driver (or download from FTDI official website ₽):
 - FT232 Driver-Windows-32bit ₽
 - FT232 Driver-Windows-64bit ₽
 - MAC FT232 Driver-MAC-64bit ₽
- Sscom Windows 🗗
- Sscom Android 🗗
- Putty.zip 🛛

Datasheet

- DS_FT232RN.pdf ₽
- FT232R.pdf 🗗
- SP481E SP485E.pdf 🗗

FAQ

Question: It cannot be used on non-windows systems, how to solve it?

Answer:

If you encounter a system other than windows that cannot be used normally, you can
enter the official website link below and use it after installing the corresponding
system driver: https://www.ftdichip.cn/Drivers/D2XX.htm @

Question: Does it support Linux system?

Answer:

• Compatible with multiple systems, support Win7/8/8.1/10, Mac, Linux, Android, WinCE, and other systems.

Question:What should I do if the short-distance communication of RS485 is abnormal?

Answer:

• Remove the 120-ohm terminal resistor of RS485.

Question: Does the module have a 120-ohm balance resistor on board?

Answer:

Yes, if you need to modify the 120R resistor, you can remove the case for setting, see the yellow jumper cap at the red box in the picture below:



Support

Technical Support

If you need technical support or have any feedback/review, please click the **Submit Now** button to submit a ticket, Our support team will check and reply to you within 1 to 2 working days. Please be patient as we make every effort to help you to resolve the issue.

Working Time: 9 AM - 6 AM GMT+8 (Monday to Friday)

Submit Now