

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[T49143-0](#)

[T49143-1](#)

[T49143-2](#)

[T49143-3](#)

[T49144-025](#)

[T49144-030](#)

[T49144-040](#)

[T49144-065](#)

[T49144-080](#)

[T49144-100](#)

EN

This Datasheet is presented by
the manufacturer

DE


Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR

Cette fiche technique est
présentée par le fabricant

PRODUCT SPECIFICATION

| | |
|----------------------|------------------------------|
| Brand | C.K |
| Product Range | Dextro VDE Screwdriver range |

| | |
|---|--|
| <p>Range Description A range of VDE approved professional Electricians screwdrivers</p> <p>Features</p> <ul style="list-style-type: none"> • Optimised grip for fingertip control and final torque down power • Certified & approved by the world renowned VDE institute of Germany • Each screwdriver is tested to 10,000v for the complete assurance of safety • GS (Geprüfte Sicherheit) safety marked • Non roll handle design – Specifically designed to stop the screwdrivers rolling off non flat surfaces • Contoured blade insulation for improved terminal access • Permanent tip type marking on the end of the handle for convenient blade type identification • Toughened high alloy steel blade offering the ultimate in wear resistance and performance • Blade torque capacity up to 20% over the International standards requirement • Precision machined tips for the ultimate screw fit and high torque output • Modulo variant that offers the perfect fit for hybrid slotted/recessed head screws typically found on consumer units, plugs etc. |  |
|---|--|

| Item Number | Item Description | EAN No | Commodity code | Carton Qty |
|-------------|-----------------------------------|---------------|----------------|------------|
| TL13405 | Dextro VDE Screwdriver MOD1x75mm | 5013969703870 | 82054000 | 6 |
| TL13406 | Dextro VDE Screwdriver MOD2x100mm | 5013969703887 | 82054000 | 6 |
| TL13407 | Dextro VDE Screwdriver PH0x60mm | 5013969703894 | 82054000 | 6 |
| TL13408 | Dextro VDE Screwdriver PH1x80mm | 5013969703900 | 82054000 | 6 |
| TL13409 | Dextro VDE Screwdriver PH2x100mm | 5013969703917 | 82054000 | 6 |
| TL13410 | Dextro VDE Screwdriver PH3x150mm | 5013969703924 | 82054000 | 6 |
| TL13411 | Dextro VDE Screwdriver PZ0x60mm | 5013969703931 | 82054000 | 6 |
| TL13412 | Dextro VDE Screwdriver PZ1x80mm | 5013969703948 | 82054000 | 6 |
| TL13413 | Dextro VDE Screwdriver PZ2x100mm | 5013969703955 | 82054000 | 6 |
| TL13415 | Dextro VDE Screwdriver PZ3x150mm | 5013969703979 | 82054000 | 6 |

| | | | | |
|---------|---|---------------|----------|----|
| TL13416 | Dextro VDE Screwdriver Slotted Parallel 2.5x75mm | 5013969703986 | 82054000 | 6 |
| TL13417 | Dextro VDE Screwdriver Slotted Parallel 3.0x100mm | 5013969703993 | 82054000 | 6 |
| TL13418 | Dextro VDE Screwdriver Slotted Parallel 3.5x100mm | 5013969704006 | 82054000 | 6 |
| TL13419 | Dextro VDE Screwdriver Slotted Parallel 4x100mm | 5013969704013 | 82054000 | 6 |
| TL13420 | Dextro VDE Screwdriver Slotted Parallel 5.5x125mm | 5013969704020 | 82054000 | 6 |
| TL1321 | Dextro VDE Screwdriver Slotted Parallel 6.5x150 | 5013969704037 | 82054000 | 6 |
| TL13422 | Dextro VDE Screwdriver Slotted Parallel 8.0x175mm | 5013969704044 | 82054000 | 6 |
| TL13424 | Dextro VDE Screwdriver Slotted Parallel 10.0x200mm | 5013969704051 | 82054000 | 6 |
| TL13425 | Dextro VDE Screwdriver 6 piece Set SLP/PH 2.5 x 75, 4 x 100, 5.5 x 125, PH1 x 75, PH2 x 100, mainstester | 5013969704075 | 82054000 | 18 |
| TL13426 | Dextro VDE Screwdriver 6 Piece Set SLP/PZD 2.5 x 75, 4 x 100, 5.5 x 125, PZ1 x 75, PZ2 x 100, mainstester | 5013969704082 | 82054000 | 18 |
| TL13427 | Dextro VDE Screwdriver 8 Piece Set SLP/PH 2.5 x 75, 4 x 100, 5.5 x 125, 6.5 x 150, PH0, PH1 x 80, PH2 x 100, mainstester | 5013969704099 | 82054000 | 18 |
| TL13428 | Dextro VDE Screwdriver 8 Piece Set SLP/PZD 2.5 x 75, 4 x 100, 5.5 x 125, 6.5 x 150, PZ0, PZ1 x 80, PZ2 x 100, mainstester | 5013969704105 | 82054000 | 18 |
| T49146 | Dextro VDE Screwdriver set MOD 1 & 2 | 5013969704068 | 82054000 | 6 |

| | | | | | |
|-------------------------------|--|---------------|--------------|-----------|---------------|
| Technical product information | Blade/Shaft | | | | |
| | <p>Made from chrome molybdenum vanadium steel, hardened to 57-59 HRC, black non peel finish. Slotted 8mm and 10mm made from chrome vanadium steel, hardened to 53-55 HRC, black non peel finish.</p> | | | | |
| | Handle | | | | |
| | <p>The handle core is polypropylene, injection moulded around the blade with a TPE soft grip over-mould. The handles are shatterproof down to -35° C.</p> | | | | |
| | Dimensions | | | | |
| | Dimensions (mm) | Handle length | Blade length | Blade Dia | Tip thickness |
| | T49145-1 | 107 | 80 | 5.0 | - |
| | T49145-2 | 120 | 100 | 6.0 | - |
| | T49142-0 | 95 | 60 | 3.5 | - |
| | T49142-1 | 107 | 80 | 5.0 | - |
| | T49142-2 | 120 | 100 | 6.0 | - |
| | T49142-3 | 135 | 150 | 8.0 | - |
| | T49143-0 | 95 | 60 | 3.5 | - |
| | T49143-1 | 107 | 80 | 5.0 | - |
| | T49143-2 | 107 | 100 | 6.0 | - |
| | T49143-2200 | 120 | 200 | 6.0 | - |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|----------|------|-----|-----|---|------------|----|----|-----|-----|------------|----|-----|-----|-----|------------|----|-----|-----|-----|------------|-----|-----|-----|-----|------------|-----|-----|-----|-----|------------|-----|-----|-----|-----|------------|-----|-----|-----|-----|------------|-----|-----|------|-----|
| | <table border="1"> <tr><td>T49143-3</td><td>135</td><td>150</td><td>8.0</td><td>-</td></tr> <tr><td>T49144-025</td><td>95</td><td>75</td><td>2.5</td><td>0.4</td></tr> <tr><td>T49144-030</td><td>95</td><td>100</td><td>3.0</td><td>0.5</td></tr> <tr><td>T49144-035</td><td>95</td><td>100</td><td>3.5</td><td>0.6</td></tr> <tr><td>T49144-040</td><td>107</td><td>100</td><td>4.0</td><td>0.8</td></tr> <tr><td>T49144-055</td><td>120</td><td>125</td><td>5.5</td><td>1.0</td></tr> <tr><td>T49144-065</td><td>120</td><td>150</td><td>6.5</td><td>1.2</td></tr> <tr><td>T49144-080</td><td>135</td><td>175</td><td>8.0</td><td>1.2</td></tr> <tr><td>T49144-100</td><td>135</td><td>200</td><td>10.0</td><td>1.6</td></tr> </table> | T49143-3 | 135 | 150 | 8.0 | - | T49144-025 | 95 | 75 | 2.5 | 0.4 | T49144-030 | 95 | 100 | 3.0 | 0.5 | T49144-035 | 95 | 100 | 3.5 | 0.6 | T49144-040 | 107 | 100 | 4.0 | 0.8 | T49144-055 | 120 | 125 | 5.5 | 1.0 | T49144-065 | 120 | 150 | 6.5 | 1.2 | T49144-080 | 135 | 175 | 8.0 | 1.2 | T49144-100 | 135 | 200 | 10.0 | 1.6 |
| T49143-3 | 135 | 150 | 8.0 | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T49144-025 | 95 | 75 | 2.5 | 0.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T49144-030 | 95 | 100 | 3.0 | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T49144-035 | 95 | 100 | 3.5 | 0.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T49144-040 | 107 | 100 | 4.0 | 0.8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T49144-055 | 120 | 125 | 5.5 | 1.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T49144-065 | 120 | 150 | 6.5 | 1.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T49144-080 | 135 | 175 | 8.0 | 1.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T49144-100 | 135 | 200 | 10.0 | 1.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standards compliance | <p>Electrical safety Fully approved and independently audited by the German VDE institute to VDE 0682/201:2005 01 IEC 60900:2004</p> <p>Dimensional and performance Slotted screwdrivers – DIN 5260 ISO 2380 PZD/SDV/PH Screwdrivers – DIN ISO 8764</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User health and safety information | Users and bystanders are advised to wear safety goggles Users are advised to regularly examine their VDE tools, Even the slightest damage can compromise the insulation integrity and potentially expose the user to the risk of injury or even death | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RoHS/WEEE compliance | This product range does not fall within the scope of RoHS or WEEE regulations | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Material safety data | None applicable | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Warranty | C.K Dextro VDE screwdrivers are guaranteed for life against imperfect materials or workmanship Normal wear and tear or damage caused through inappropriate use is not covered | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Country of origin | Germany | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Dimensional details

| Item | Product only | | | | Product on primary packaging | | | |
|----------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
| | Width mm | Depth mm | Height mm | Net weight g | Width mm | Depth mm | Height mm | Gross weight g |
| T49145-1 | 33 | 27 | 187 | 61 | 33 | 27 | 187 | 62 |
| T49145-2 | 37 | 30 | 220 | 92 | 37 | 30 | 220 | 93 |
| T49142-0 | 30 | 24 | 155 | 35 | 30 | 24 | 155 | 36 |
| T49142-1 | 33 | 27 | 187 | 61 | 33 | 27 | 187 | 62 |
| T49142-2 | 37 | 30 | 220 | 92 | 37 | 30 | 220 | 93 |
| T49142-3 | 42 | 34 | 285 | 162 | 42 | 34 | 285 | 163 |
| T49143-0 | 30 | 24 | 155 | 35 | 30 | 24 | 155 | 36 |
| T49143-1 | 33 | 27 | 187 | 61 | 33 | 27 | 187 | 62 |

| | | | | | | | | |
|-------------|----|----|-----|-----|-----|----|-----|-----|
| T49143-2 | 37 | 30 | 220 | 92 | 37 | 30 | 220 | 93 |
| T49143-2200 | 37 | 30 | 320 | 117 | 37 | 30 | 320 | 118 |
| T49143-3 | 42 | 33 | 285 | 162 | 42 | 33 | 285 | 163 |
| T49144-025 | 30 | 24 | 170 | 34 | 30 | 24 | 170 | 35 |
| T49144-030 | 30 | 24 | 195 | 37 | 30 | 24 | 195 | 38 |
| T49144-035 | 30 | 24 | 195 | 41 | 30 | 24 | 195 | 42 |
| T49144-040 | 33 | 27 | 207 | 58 | 33 | 27 | 207 | 59 |
| T49144-055 | 37 | 30 | 245 | 91 | 37 | 30 | 245 | 92 |
| T49144-065 | 37 | 30 | 270 | 112 | 37 | 30 | 270 | 113 |
| T49144-080 | 42 | 33 | 310 | 118 | 42 | 33 | 310 | 119 |
| T49144-100 | 42 | 33 | 335 | 246 | 42 | 33 | 335 | 247 |
| T49182 | - | - | - | - | 220 | 50 | 300 | 707 |
| T49183 | - | - | - | - | 220 | 50 | 300 | 707 |
| T49192 | - | - | - | - | 220 | 50 | 300 | 854 |
| T49193 | - | - | - | - | 220 | 50 | 300 | 854 |
| T49146 | - | - | - | - | 95 | 30 | 285 | 170 |

| Item | Shelf box (secondary packaging) | | | | Euro Pallet data Wi x Hi | |
|-------------|---------------------------------|----------|-----------|----------------|-----------------------------|---------------------|
| | Width mm | Depth mm | Height mm | Gross weight g | No of cartons on base | Number of rows high |
| T49145-1 | 100 | 190 | 35 | 419 | 42 | 20 |
| T49145-2 | 100 | 223 | 35 | 612 | 35 | 24 |
| T49142-0 | 80 | 158 | 35 | 263 | 63 | 13 |
| T49142-1 | 100 | 190 | 35 | 426 | 42 | 20 |
| T49142-2 | 100 | 223 | 35 | 612 | 35 | 24 |
| T49142-3 | 110 | 288 | 40 | 1058 | 28 | 20 |
| T49143-0 | 80 | 158 | 35 | 263 | 63 | 13 |
| T49143-1 | 100 | 190 | 35 | 426 | 42 | 20 |
| T49143-2 | 100 | 223 | 35 | 612 | 35 | 24 |
| T49143-2200 | 110 | 323 | 40 | 788 | 21 | 20 |
| T49143-3 | 110 | 288 | 40 | 1058 | 28 | 20 |
| T49144-025 | 60 | 173 | 35 | 248 | 78 | 11 |
| T49144-030 | 60 | 198 | 35 | 266 | 65 | 12 |
| T49144-035 | 60 | 198 | 35 | 290 | 65 | 12 |
| T49144-040 | 80 | 210 | 35 | 401 | 45 | 18 |
| T49144-055 | 90 | 248 | 40 | 618 | 39 | 20 |

| | | | | | | |
|------------|-----|-----|-----|-------|----|----|
| T49144-065 | 90 | 273 | 40 | 744 | 32 | 20 |
| T49144-080 | 105 | 313 | 60 | 826 | 22 | 13 |
| T49144-100 | 105 | 338 | 60 | 1594 | 21 | 13 |
| T49182 | 610 | 415 | 250 | 13376 | 4 | 4 |
| T49183 | 610 | 415 | 250 | 13376 | 4 | 4 |
| T49192 | 610 | 415 | 250 | 16022 | 4 | 4 |
| T49193 | 610 | 415 | 250 | 16022 | 4 | 4 |
| T49146 | 170 | 330 | 140 | 1236 | 12 | 6 |

Packaging waste details

| Item | Primary Packaging | | | | Secondary packaging | | | |
|-------------|-------------------|-----|--------|---------|---------------------|-----|--------|-----|
| | Plastic g | Use | Card g | Use | Plastic g | Use | Card g | Use |
| T49145-1 | - | - | 1 | Tag | - | - | 47 | Box |
| T49145-2 | - | - | 1 | Tag | - | - | 54 | Box |
| T49142-0 | - | - | 1 | Tag | - | - | 47 | Box |
| T49142-1 | - | - | 1 | Tag | - | - | 54 | Box |
| T49142-2 | - | - | 1 | Tag | - | - | 54 | Box |
| T49142-3 | - | - | 1 | Tag | - | - | 80 | Box |
| T49143-0 | - | - | 1 | Tag | - | - | 47 | Box |
| T49143-1 | - | - | 1 | Tag | - | - | 54 | Box |
| T49143-2 | - | - | 1 | Tag | - | - | 54 | Box |
| T49143-2200 | - | - | 1 | Tag | - | - | 80 | Box |
| T49143-3 | - | - | 1 | Tag | - | - | 80 | Box |
| T49144-025 | - | - | 1 | Tag | - | - | 38 | Box |
| T49144-030 | - | - | 1 | Tag | - | - | 38 | Box |
| T49144-035 | - | - | 1 | Tag | - | - | 38 | Box |
| T49144-040 | - | - | 1 | Tag | - | - | 47 | Box |
| T49144-055 | - | - | 1 | Tag | - | - | 66 | Box |
| T49144-065 | - | - | 1 | Tag | - | - | 66 | Box |
| T49144-080 | - | - | 1 | Tag | - | - | 112 | Box |
| T49144-100 | - | - | 1 | Tag | - | - | 112 | Box |
| T49182 | - | - | - | - | - | - | 650 | Box |
| T49183 | - | - | - | - | - | - | 650 | Box |
| T49192 | - | - | - | - | - | - | 650 | Box |
| T49193 | - | - | - | - | - | - | 650 | Box |
| T49146 | - | - | 32 | Backing | - | - | 214 | Box |

| | | | | | | | | |
|--|--|--|--|------|--|--|--|--|
| | | | | card | | | | |
|--|--|--|--|------|--|--|--|--|

[T49145-1](#)

[T49145-2](#)

[T49182](#)

[T49183](#)

[T49192](#)



element14

EN - For pricing and availability in your local country please visit one of the below links:

DE - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

FR - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[T49143-0](#)

[T49143-1](#)

[T49143-2](#)

[T49143-3](#)

[T49144-025](#)

[T49144-030](#)

[T49144-040](#)

[T49144-065](#)

[T49144-080](#)

[T49144-100](#)

EN

This Datasheet is presented by
the manufacturer

DE

Dieses Datenblatt wird vom
Hersteller bereitgestellt

FR

Cette fiche technique est
présentée par le fabricant