




Sockets, Socket Sets, Accessories for manual drives



STAHLWILLE sets of socket spanners and inserts provide guaranteed safety and efficiency.

The professionals in industry and the trades are under pressure to work quickly, accurately and economically. Which is why they make heavy demands on their tools. Due to the numerous technical innovations incorporated in them, STAHLWILLE ratchets and sockets make a valuable contribution to the prevention of both mistakes and injuries.





STAHLWILLE QuickRelease system

The problem:

imagine what happens if a tool falls into an inaccessible place during repair or overhaul work.

The consequences:

arduous, costly search and recovery, possibly involving disassembly of an aeroengine or machine.

The solution:

the safety lock built into the QuickRelease system prevents damage to workpieces and guarantees secure, rapid connection of all individual components to form a single combined unit. Nothing can get lost because it is not possible to inadvertently release a tool. To release a tool, it is first necessary to press the release button deliberately.

Even if you have oily or greasy hands, attaching and separating the individual components is so simple it noticeably smoothes your workflows.









Safety advantage 2



STAHLWILLE AS Drive

The problem

removing heavily corroded screws requires the application of considerable force. The socket slips off the head of the screw.

The consequences:

uncontrolled movements cause injuries and damage to both the workpiece and the tools.


The solution:

STAHLWILLE sockets are equipped with the AS Drive* profile. This permits high transmission of forces to the lands of nuts and bolts without damaging them. The risk of injury is minimised and the corners of the screw heads and nuts are no longer damaged.

*AS Drive = Anti-Slip Drive







The tolerances on the jaw sizes and square drives of these cold-extruded sockets are as close as if they had been broached. This prevents them slipping off the heads.
The consequences:
minimum wear on both screws and tools.

Safety advantage 3



STAHLWILLE HPQ inserts

The problem:

although there is hardly enough room to move, you still have to apply considerable torque to loosen a stubborn screw.

The consequences:

many of the sockets available are useless simply because their wall thickness makes them impracticable in awkward places.

The solution:

STAHLWILLE HPQ* sockets are manufactured from selected tough steel alloys. These sockets will not slip off the head of the screw, nor will they stretch when subjected to heavy loads. Their extremely thin walls and unbelievably high load capacity are simply exemplary. HPQ sockets are free of cadmium and are therefore suitable for use on titanium alloy parts and titanium fasteners as used e.g. in the aerospace industry, where safety is a crucial factor. They meet these aerospace standards: E DIN EN 3709, E DIN EN 3710, SAE AS 954-E, S.B.A.C. AS 40605/40606, MS-33787, MIL-W-8982.

*HPQ = High Performance Quality



Some sets of STAHLWILLE socket spanners are supplied in sturdy plastic cases.









40DL


Sockets





extra deep, metric sizes: E DIN EN 3710, E DIN EN 3709, DIN 3124/ISO 2725-1, ASME B 107.5M,

American sizes: ASME B 107.1, Fed. Spec. GGG-W-641, SAE AS 954-E, HPQ high performance steel, chrome plated.





0 1	O	d ₁	d_2	d_3	L	t ₁	t_2	₽	<i>9</i>	
Code	mm	mm	mm	mm	mm	mm	mm	g		
01240005	5	7.9	10.7	4	50	4.5	42	18	5	
01240055	5.5	8.5	10.7	4.5	50	6	42	16	5	
01240006	6	9.2	10.7	5	50	6	42	18	5	
01240007	7	10.7	10.7	6	50	6.5	40.9	21	5	
01240008	8	11.6	11.6	7	50	8	40.1	23	5	
01240009	9	12.8	12.8	8	50	8	39.8	30	5	
01 24 00 10	10	14.3	14.3	9	50	9	41.9	35	5	
01240011	11	15.5	15.5	10	50	10.5	41.6	40	5	
01 24 00 12	12	16.5	16.5	11	50	12	41.3	47	5	
01 24 00 13	13	17.8	17.8	12	50	12	41	50	5	
01 24 00 14	14	18.8	18.8	13	50	15	40.7	57	5	

40aDL		0	Soc	kets						
Code	O	d ₁ mm	d ₂ mm	d ₃ mm	L mm	t ₁ mm	t ₂ mm	G` ∂ g	6	
01 64 00 10 01 64 00 12 01 64 00 14 01 64 00 16	5/ ₃₂ 3/ ₁₆ 7/ ₃₂ 1/ ₄	6.7 7.6 8.6 9.4	10.7 10.7 10.7 10.7	3.2 4 5 5.2	50 50 50 50	4.5 4.5 6 6	42 42 42 42	13 15 16 19	5 5 5 5	
01640018 01640020 01640022 01640024	9/ ₃₂ 5/ ₁₆ 11/ ₃₂ 3/ ₈	10.7 11.6 12.7 13.7	10.7 11.6 12.7 13.7	6.5 7 8.1 8.3	50 50 50 50	8 8 9	40.2 40.1 39.7 39.7	20 24 26 33	5 5 5 5	
01640028 01640032 01640034	7/ ₁₆ 1/ ₂ 9/ ₁₆	15.8 17.3 18.8	15.8 17.3 18.8	10 11.5 13.1	50 50 50	10.5 12 15	41.6 41.1 40.7	42 44 55	5 5 5	

STAHLWILLE HPQ inserts

STAHLWILLE HPQ* sockets are manufactured from selected tough steel alloys. The result: they are extremely durable. HPQ sockets are free of cadmium and are therefore suitable for use on titanium alloy parts and titanium fasteners as used e.g. in the aerospace industry, where safety is a crucial factor.





40aDL/7 **Set: Sockets**

AS -drive



extra deep Content:

3/16; 1/4; 5/16; 3/8; 7/16; 1/2; 9/16"



	\Box
Code	g
96016401	241
packed in carton	

40aDL/10CL Set: Sockets with clip strip





Content:

3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16"

1 clip strip No 40CL-2



96016410	350
Code	g
	6


40aDV

AS drive HRO



Sockets

SAE AS 954, S.B.A.C. AS 40605/40606, HPQ high performance steel, chrome plated.





	O	d_1	d_2	d_3	L	t ₁	t_2	44		
Code	"	mm	mm	mm	mm	mm	mm	g		
01650014	7/32	8.6	10.7	5	31.8	6	23.8	12	10	
01650016	1/4	9.4	10.7	5.2	31.8	6	23.8	13	10	
01650018	9/32	10.7	10.7	6.6	31.8	6.5	22	13	10	
01650020	⁵ /16	11.6	11.6	7	31.8	8	21.9	15	10	