Safety	Data	Sheet
--------	------	-------

Regulation EC No 1907/2006 Art.31

Productname :	GEAR OIL SUPER 150 FG
Ref.Nr.:	BDS000826_3_20180727 (EN)

Creationdate : Replaces: 27.07.18 Version : 4.0 BDS000826\_20170629

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

GEAR OIL SUPER 150 FG Bulk

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Lubricants

### 1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd. Wylds Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom Tel.: +44 1278 727200 Fax.: +44 1278 425644 E-mail : hse.uk@crcind.com

### 1.4. Emergency telephone number

### (+44)(0)1278 72 7200 (office hours)

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

 Physical:
 Not classified

 Classification is based on test data.
 Not classified

 Health:
 Not classified

 Classification based on calculation method.
 Hazardous to the aquatic environment, chronic category 3 Harmful to aquatic life with long lasting effects.

 Classification based on calculation method.
 Hazardous to the aquatic life with long lasting effects.

#### 2.2. Label elements

# Labelling according to Regulation (EC) No 1272/2008

#### None



1 / 8 CRC Industries UK Limited Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater, Somerset, TA6 4DD Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Safety Data S	Sheet	Regulation EC No 1	907/2006 Art.31	
Productname :	GEAR OIL SUPER 150 FG	Creationdate :	27.07.18 Version : 4.0	
Ref.Nr.:	BDS000826_3_20180727 (EN)	Replaces:	BDS000826_20170629	

Hazard statement(s):	H412 : Harmful to aquatic life with long lasting effects.
	P273 : Avoid release to the environment.

#### 2.3. Other hazards

The product does not contain any PBT or vPvB substances.

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable.

# 3.2. Mixtures

No health or environmental hazardous components in concentrations exceeding the limits for classification.

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

Contact with eyes :	If substance has got into eyes, immediately wash out with plenty of water for several minutes Seek medical attention if irritation persists
Contact with skin :	Wash with water and soap. Seek medical attention if irritation persists
Inhalation :	Fresh air, keep warm and at rest. Seek medical attention if ill effects occur
Ingestion :	If swallowed do not induce vomiting Seek medical advice

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation :	Low toxicity expected under normal conditions of use	
Ingestion :	Low toxicity expected under normal conditions of use	
Skin contact :	May cause irritation.	
	Symptoms : redness and pain	
Eye contact :	May cause irritation.	
	Symptoms : redness and pain	

#### 4.3. Indication of any immediate medical attention and special treatment needed

General Advice :	If you feel unwell, seek medical advice (show the label where possible
	If symptoms persist always call a doctor

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media



CRC Industries UK Limited Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater, Somerset, TA6 4DD Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

# Safety Data Sheet

Productname :	GEAR OIL SUPER 150 FG	Creationdate :	27.07.18 Version : 4.0
Ref.Nr.:	BDS000826_3_20180727 (EN)	Replaces:	BDS000826_20170629

foam, carbon dioxide or dry agent

#### 5.2. Special hazards arising from the substance or mixture

Forms hazardous decomposition products CO,CO2

#### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources Ensure adequate ventilation Wear suitable protective clothing including eye/face protection.

#### 6.2. Environmental precautions

Do not allow to enter public sewers and watercourses If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

### 6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

#### 6.4. Reference to other sections

For further information see section 8

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Use only in well ventilated areas Avoid contact with skin and eyes. Wash thoroughly after use Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated place Keep out of reach of children.

### 7.3. Specific end use(s)



3/8

CRC Industries UK Limited Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater, Somerset, TA6 4DD Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Safety Data Sheet		Regulation EC No 1907/2006 Art.31		
Productname :	GEAR OIL SUPER 150 FG	Creationdate :	27.07.18 Version : 4.0	
Ref.Nr.:	BDS000826_3_20180727 (EN)	Replaces:	BDS000826_20170629	

Lubricants

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Exposure limits :

Hazardous ingredient	CAS-nr.	method	
National established exposure limits, United Kingdom			
2,6-di-tert-butyl-p-cresol	128-37-0	TWA	10 ppm

# 8.2. Exposure controls

Control procedures :	Ensure adequate ventilation
Personal protection :	Take precautions to avoid contact with skin and eyes when handling the product.
	It is good practice to wear gloves and to provide adequate ventilation whenever using the product.
	In all cases handle and use the product in accordance with good industrial hygiene practices.
inhalation :	In case of insufficient ventilation, wear suitable respiratory equipment.
recommended respiratory protection:	Air purifying respirator equiped with organic gas/vapor cartridge (type A)
hands and skin :	For accidental contact the use of disposable gloves should be sufficient provided they are changed immediately after a splash or spill may occur. If intentional contact is expected reusable gloves should be used with a breakthrough time greater than the total duration of the product use.
Recommended gloves:	Nitrile
eyes :	Wear safety eyewear according to EN 166.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Apperance : physical state :	Liquid.
colour :	Colorless.
odour :	Characteristic odor.
рН :	Not applicable.
Boiling point/range :	Not available.
Flash point :	256 °C
Evaporation rate :	Not applicable.
Explosion limits : upper limit :	Not available.
lower limit :	Not available.
Vapour pressure :	Not available.
Relative density :	0.85 g/cm3 (@ 20°C).
Solubility in water :	Insoluble in water
Auto-ignition :	> 200 °C



4/8

CRC Industries UK Limited Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater, Somerset, TA6 4DD Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

# Safety Data Sheet Regulation EC No 1907/2006 Art.31 Productname : GEAR OIL SUPER 150 FG BDS000826\_3\_20180727 (EN) Creationdate : 27.07.18 Version : 4.0 BDS000826\_20170629

Viscosity : 150 cSt @ 40°C

### 9.2. Other information

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reactions known if used for its intended purpose

#### 10.2. Chemical stability

Stable

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

#### 10.4. Conditions to avoid

Avoid overheating

#### 10.5. Incompatible materials

Strong oxidising agent

### **10.6. Hazardous decomposition products**

CO,CO2

# SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

acute toxicity:	based on available data the classification criteria are not met
skin corrosion/irritation:	based on available data the classification criteria are not met
serious eye damage/irritation:	based on available data the classification criteria are not met
respiratory or skin sensitisation:	based on available data the classification criteria are not met
germ cell mutagenicity:	based on available data the classification criteria are not met
carcinogenicity:	based on available data the classification criteria are not met
toxicity for reproduction:	based on available data the classification criteria are not met
STOT-single exposure:	based on available data the classification criteria are not met
STOT repeated exposure:	based on available data the classification criteria are not met
aspiration hazard:	based on available data the classification criteria are not met

Information on likely routes of exposure:



Safety Data Sheet		Regulation EC No 1907/2006 Art.31		
Productname :	GEAR OIL SUPER 150 FG	Creationdate :	27.07.18 Version : 4.0	
Ref.Nr.:	BDS000826 3 20180727 (EN)	Replaces:	BDS000826_20170629	

Inhalation :	Low toxicity expected under normal conditions of use
Ingestion :	Low toxicity expected under normal conditions of use
Skin contact :	May cause irritation.
Eye contact :	May cause irritation.

**Toxicological data :** 

No information available

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Hazardous to the aquatic environment, chronic category 3 Harmful to aquatic life with long lasting effects.

#### Ecotoxicological data:

No information available

### 12.2. Persistence and degradability

No experimental data available

#### 12.3. Bioaccumulative potential

No experimental data available

#### 12.4. Mobility in soil

Insoluble in water

#### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

#### 12.6. Other adverse effects

No experimental data available

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

#### Product :

This material and its container must be disposed of in a safe way. Do not discharge into drains or the environment, dispose to an authorised waste collection point.



6 / 8 CRC Industries UK Limited Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater, Somerset, TA6 4DD Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Safety Data Sheet		Regulation EC No 1907/2006 Art.31		
Productname :	GEAR OIL SUPER 150 FG	Creationdate :	27.07.18 Version : 4.0	
Ref.Nr.:	BDS000826 3 20180727 (EN)	Replaces:	BDS000826 20170629	

#### Contaminated packaging : Disposal should be in accordance with local, state or national legislation

# SECTION 14: Transport information 14.1. UN number UN-number : Not classified as hazardous for transport 14.2. UN proper shipping name Proper shipping name: Not applicable. 14.3. Transport hazard class(es) Not applicable. Class: ADR/RID - Classification code: Not applicable. 14.4. Packing group Packing group: Not applicable. 14.5. Environmental hazards ADR/RID - Environmentally No hazardous: IMDG - Marine pollutant: No IATA/ICAO - Environmentally No hazardous: 14.6. Special precautions for user Not applicable. ADR/RID - Tunnelcode: Not applicable. IMDG - Ems: IATA/ICAO - PAX: Not applicable. IATA/ICAO - CAO Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements. Regulation (EC) No 1907/2006 (REACH) Regulation (EC) No 1272/2008 (CLP)



7/8 **CRC Industries UK Limited** Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,

Somerset, TA6 4DD Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Productname :	GEAR OIL SUPER 150 FG	Creationdate :	27.07.18 Version : 4.0
Ref.Nr.:	BDS000826_3_20180727 (EN)	Replaces:	BDS000826_20170629

# 15.2. Chemical safety assessment

No information available

# SECTION 16: Other information

*Explanation hazard statements:	<ul> <li>H302 : Harmful if swallowed.</li> <li>H314 : Causes severe skin burns and eye damage.</li> <li>H315 : Causes skin irritation.</li> <li>H318 : Causes serious eye damage.</li> <li>H332 : Harmful if inhaled.</li> <li>H400 : Very toxic to aquatic life.</li> <li>H410 : Very toxic to aquatic life with long lasting effects.</li> </ul>
REVISIONS IN CHAPTRE :	Classification according to Regulation (EC) No 1272/2008
acronyms and synonyms:	TWA = time weight average STEL = short time exposure limit VOC = volatile organic compounds PBT = persistant bioaccumulative toxic vPvB = very persitant very bioaccumulative
This product should be stored by	ndlod and used in accordance with good industrial bygione pr

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

