Data brief

# Digital MEMS microphone expansion board based on MP34DT06J for STM32





#### **Product summary Digital MEMS** microphone expansion X-NUCLEOboard based on CCA02M2 MP34DT06J for STM32 Nucleo MEMS audio sensor omnidirectional stereo MP34DT06J digital microphone Microphone coupon STEVALboard based on MIC001V1 MP34DT05-A Microphone coupon STEVALboard based on MIC002V1 MP34DT06J Microphone coupon STEVALboard based on MIC003V1 IMP34DT05

### **Features**

- 2 on-board MP34DT06J digital MEMS microphones
- 6 slots to plug in digital microphone coupon boards such as STEVAL-MIC001V1, STEVAL-MIC002V1 and STEVAL-MIC003V1
- Synchronized acquisition and streaming of up to 4 microphones
- Free comprehensive development firmware library and audio capture plus USB streaming sample application compatible with STM32Cube
- Compatible with STM32 Nucleo boards
- Equipped with ST morpho connector (upwards and downwards)
- Equipped with Arduino UNO R3 connector (upwards) to allow multiple boards
- RoHS and WEEE compliant

### **Description**

The X-NUCLEO-CCA02M2 expansion board has been designed around MP34DT06J digital MEMS microphone.

It is compatible with the ST morpho connector layout and with digital microphone coupon boards such as STEVAL-MIC001V1, STEVAL-MIC002V1 and STEVAL-MIC003V1.

The X-NUCLEO-CCA02M2 embeds two MP34DT06J microphones and allows synchronized acquisition and streaming of up to 4 microphones through I²S, SPI, DFSDM or SAI peripherals.

It represents a quick and easy solution for the development of microphone-based applications as well as a starting point for audio algorithm implementation.



### 1 Schematic diagrams

Figure 1. X-NUCLEO-CCA02M2 circuit schematic (1 of 3)






Figure 2. X-NUCLEO-CCA02M2 circuit schematic (2 of 3)





DB4016 - Rev 1 page 2/5




Figure 3. X-NUCLEO-CCA02M2 circuit schematic (3 of 3)









DB4016 - Rev 1 page 3/5



### **Revision history**

**Table 1. Document revision history** 

Date	Version	Changes
18-Sep-2019	1	Initial release.

DB4016 - Rev 1 page 4/5



### **IMPORTANT NOTICE - PLEASE READ CAREFULLY**

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to <a href="https://www.st.com/trademarks">www.st.com/trademarks</a>. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2019 STMicroelectronics - All rights reserved

DB4016 - Rev 1 page 5/5

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

STMicroelectronics: X-NUCLEO-CCA02M2