

uvex

Respiratory protection

Doc.-No.: TS-AT 8732210

Rev.-St.: 01

Product data sheet cup shape mask FFP2 NR D, EN 149:2001 – uvex silv-Air 2210



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth, Germany

Product features	<ul style="list-style-type: none">• Optimised shape• Soft material edges for high wearing comfort• Continuous headband for a comfortable and secure fit• Exhalation valve for reduced build-up of heat and moisture inside the mask• Flexible and adjustable nose piece• Mask fulfils the requirements of the dolomite dust test (D)• Compatible with uvex safety eyewear• The half sealing lip provides good fitting combined with high wearing comfort
Materials	Headband: elastic textile Nose clip: aluminum Headband clips: without Filter / mask: Melt Blown PP, Polyester Sealing lip: PVC foam Valve: ABS

Areas of use The respiratory protection mask can be used against solid, aqueous and non-volatile liquid aerosols up to 10 times the respective limit values.	Mining, chemical industry, shipyards, iron and steel industry, woodworking, dust and fumes of substances such as asbestos, quartz, aluminium, copper, barium, titanium, vanadium, chrome, manganese and coal dust with more than 10% free silicon dioxide.
Weight	19 g
Standard	EN 149:2001 + A1:2009

Versions/Colour:

Article-No.	Colour/Version	Retail unit
8732.210	cup shape mask FFP2, white with valve	15 pieces per box
8752.210	cup shape mask FFP2, white with valve	3 pieces in retail packaging

TS-AT-8732 Rev. St. 01 29.10.2014