



CONTACT LAYOUT




BOARD HOLE PATTERN (TOP VIEW)






Information:
 Level 2.3
 siehe Bestückungsplan / see contact layout
 ohne Zentrierzapfen / without location peg
 Anforderungsstufe 2 / class 2
 Mit Abschirmblech an Reihe f /
 with shielding on row f

Copyright by ERNI Production GmbH & Co. KG
 Proprietary notice pursuant to ISO 16016 to be observed.

Information:		Tolerances	
All rights reserved. Only for Information. To ensure that this is the latest version of this drawing, please contact one of the ERNI companies before using.		 All Dimensions in mm	
f	02.09.2016	Subject to modification without prior notice. Drawing will not be updated.	
Index	Date	www.ERNI.com	



CONTACT LENGTH EXAMPLES
 Kontaktlänge Beispiele



A DATUM PLANE DEPTH
 Bezugsebene Tiefe

RoHS Konform
 RoHS compliant

- 1) $\varnothing 0,6 \pm 0,05$ Durchmesser des metallisierten Loches
 $\varnothing 0,6 \pm 0,05$ Diameter of finished plated-through hole

Schichtaufbau im metallisierten Loch siehe Zeichnung 164062 Nr.1
 Metal plating of plated-through hole see drawing 164062 No.1

Fehlende Masse und Angaben nach IEC 61076-4-101
 Missing information and dimensions per IEC 61076-4-101

Scale	2:1
Designation	ERmet Messerleiste A, abgew ERmet male wide A, r/a
	923762
Class	ERMA
	I A3

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[923762](#) [923762-E](#)