

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0011030036](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: [Extraction Tool](#)

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General


Product Family	Application Tooling
Series	207121
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Extraction Hand Tool
UPC	800753609525
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Engineering Number HT71800

Reference - Drawing Numbers

Application Tooling Documents
 ATS-011030036, TM-638000029-001, TM-638000029CN-001, TM-638000029DE-001, TM-638000029FR-001, TM-638000029IT-001, TM-638000029JP-001, TM-638000029KR-001, TM-638000029MY-001, TM-638000029PL-001, TM-638000029RU-001, TM-638000029SK-001, TM-638000029SP-001, TM-638000029TH-001, TM-638000029TW-001, TM-638000029VN-001



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

[207121](#) Series

Application Tooling | **FAQ**

Description | **Product #**

MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Brass, Tin (Sn) Plating	2081001
MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)	2081002
MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating	2081003
MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)	2081004
Clascon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	2081103

Claspcn Crimp 2081104
 Terminal Socket, Tin
 (Sn) Plated Brass
 Contact, 24-30 AWG,
 Bag
 MLX Male Crimp 2082003
 Terminal 42023,
 14-20 AWG, Reel,
 Brass, Tin (Sn)
 Plating
 MLX Crimp Terminal 2082004
 42023, 14-20 AWG,
 Bag Tin (Sn)
 MLX Male Crimp 2082005
 Terminal 42023,
 14-20 AWG, Reel,
 Phosphor Bronze,
 Tin (Sn) Plating
 MLX Crimp Terminal 2082006
 42023, 14-20 AWG,
 Bag Tin (Sn)
 MLX Crimp Terminal 2082008
 42023, 14-20 AWG,
 Bag Selective Gold
 (Au)
 42023-2A0, Ter Male 2082011
 2.13 Chn Unplate
 Claspcn Crimp 2085101
 Terminal Socket, Tin
 (Sn) Plated Brass
 Contact, 16-24 AWG,
 Reel
 093FemaleTerm 2091115
 Chain/IntLeaf Brs
 Tin18-22
 2.36mm Diameter, 2091155
 Standard .093" Pin
 and Socket Crimp
 Terminal, Series
 41483, Female, with
 Tin (Sn) Plated Brass
 Contact, 14-18 AWG
 with Large Insulation
 Diameter, Chain
 2.36mm Diameter 2091651
 Socket, Without
 Insulation Crimp for
 16-20 AWG Wire
 2.36mm Diameter, 2092117
 Standard .093" Pin
 and Socket Crimp
 Terminal, Series
 1380, Male, with Tin
 (Sn) Plated Brass
 Contact, without
 Dents, 18-22 AWG,
 Reel
 093 MaleTermChain/ 2092127
 IntLeaf Brs Tin18-22
 2.36mm Diameter, 2092171
 Standard .093" Pin
 and Socket Crimp
 Terminal, Series
 1190, Male, with Tin
 (Sn) Plated Brass

Contact, 14-18 AWG,
Large Insulation
Crimp, Bag
2.36mm Diameter, 2095101
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Chain
2.36mm Diameter, 2096102
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Reel
Flat Blade Crimp 5060301
Terminal, Series
2176, Female, With
Tin (Sn) Plated Brass
Contact, With Detent,
14-22 AWG (or 18
AWG Double Crimp),
Reel Packaged
Crimp Terminal 5121104
6482, 14-18 AWG,
Reel
Flat Blade Appliance 6021103
Motor Switch Crimp
Housing, 10 Circuits
Flat Blade Appliance 6022030
Water Valve Crimp
Housing, 3 Circuit,
Natural
Flat Blade Appliance 6023042
Defrost Timer Crimp
Housing, 4 Circuit, 4
Circuits
Flat Blade Appliance 6023103
Motor Switch Crimp
Housing, 10 Circuit,
10 Circuits
Flat Blade Appliance 6023104
Dryer Motor Crimp
Housing, 10 Circuit
KK 396 Crimp 8500008
Terminal 8818, 18-22
AWG, Reel, Brass
Tin (Sn)
KK 396 Crimp 8500023
Terminal 8818, 18-22
AWG, Bag, Brass Tin
(Sn)
KK Crimp Terminal, 8500109
Series 2477,
Humpback, with Tin
(Sn) Plated Brass
Contact, 18-24 AWG,
Reel
KK Crimp Terminal, 8500110
Series 2477,
Humpback, with Tin

(Sn) Plated Brass
Contact, 18-24 AWG,
Loose
KK 156 TERMINAL 8500112
CRIMP 22-26 AWG
TIN
KK 396 Crimp 8520131
Terminal 8818,
18-22 AWG, Reel,
Phosphor Bronze Tin
(Sn)
KK 396 Crimp 8520132
Terminal 8818,
18-22 AWG, Bag,
Phosphor Bronze Tin
(Sn)
KK 156 TERMINAL 8530814
CRIMP 1820 AWG
KK 156 TERMINAL 8550138
CRIMP 1820 AWG
GOLD
KK Crimp Terminal, 8560113
Series 2477,
Humpback, with
Overall Gold (Au)
Plated Brass
Contact, 18-24 AWG,
Reel
KK Crimp Terminal, 8560114
Series 2477,
Humpback, with
Overall Gold (Au)
Plated Brass
Contact, 18-24 AWG,
Loose
3.96mm Pitch KK 8580127
Crimp Terminal
2878, 18-20 AWG,
Reel, Phosphor
Bronze, 0.51µm
Selective Gold (Au),
Bifurcated
KK 396 Crimp 8580135
Terminal 8818,
18-22 AWG, Reel,
Phosphor Bronze
Selective Gold (Au)
KK 396 Crimp 8580136
Terminal 8818,
18-22 AWG, Bag,
Phosphor Bronze
Selective Gold (Au)
3.96mm Pitch KK 8650119
Crimp Terminal
2878, 18-20 AWG,
Bag, Phosphor
Bronze, 0.38µm
Selective Gold (Au),
Bifurcated
KK 396 Crimp 8650128
Terminal 8818,
18-22 AWG, Reel,
Phosphor Bronze
Selective Gold (Au)

KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650129</u>
4.80mm Pitch Crimp Terminal, Female, Reel	<u>8700001</u>
4.80mm Pitch Crimp Terminal, Male, Reel	<u>8700002</u>
3.96 and 5.08mm Pitch KK Cat Ear Crimp Terminal, Female, 18-24 AWG, Reel	<u>8700012</u>
SPOX Crimp Terminal 5103, 22-28 AWG, Reel, Brass (CuZn), Chain Type	<u>8700056</u>
SPOX Crimp Terminal 5103, 22-28 AWG, Reel, Phosphor Bronze (CuSn), Chain Type	<u>8700058</u>
2.50mm Pitch Mini-Latch Crimp Terminal, Male, Brass, Reel	<u>8700102</u>
2.50mm Pitch Mini-Latch Crimp Terminal, Male, Brass, Bag	<u>8700103</u>
Board-in Crimp Terminal , Series 5298, Male, with Tin Insulation Diameter, Reel Packaged	<u>8700106</u>
.062DIA CRIMP REC.	<u>8701011</u>
.062DIA CRIMP PIN	<u>8701013</u>
SPOX Crimp Terminal, 18-24 AWG, Brass, Bag	<u>8701030</u>
SPOX Crimp Terminal, 18-24 AWG, Brass, Reel	<u>8701031</u>
2.50mm Pitch, Mini-SPOX Female Crimp Terminal, 22-28 AWG, Reel	<u>8701039</u>
2.50mm Pitch Mini-SPOX Crimp Terminal, 22-28 AWG, Bag	<u>8701040</u>
2.5 Low Profile Crimp Rec Chain W/ Plt	<u>8701047</u>
3.96mm Pitch KK Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits	<u>9011036</u>

.156 IDT ASSEMBLY 9072031
724103L
KK 396 PC Board 9481024
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 2 Circuits
KK 396 PC Board 9481034
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 3 Circuits
KK 396 PC Board 9481044
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 4 Circuits
KK 396 PC Board 9481054
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 5 Circuits
KK 396 PC Board 9481064
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 6 Circuits
KK 396 PC Board 9481074
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 7 Circuits
KK 396 PC Board 9481084
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 8 Circuits
KK 396 PC Board 9481094
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 9 Circuits
KK 396 PC Board 9481104
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 10 Circuits
KK 396 PC Board 9481105
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9481114
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 11 Circuits
KK 396 PC Board 9481124
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 12 Circuits
KK 396 PC Board 9481134
Connector, Right
Angle, Polyester

Connector, 5.00µm
Tin (Sn), 13 Circuits
KK 396 PC Board 9481144
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 14 Circuits
KK 396 PC Board 9481154
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 15 Circuits
KK 396 PC Board 9483024
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483025
Connector, Right
Angle, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483026
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483034
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483035
Connector, Right
Angle, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483036
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483044
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483045
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483046
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483054
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483055
Connector, Right-
Angle, Polyester

Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483056
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483064
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483065
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483066
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483074
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483075
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483084
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483085
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483086
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483094
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483095
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483096
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483104
Connector, Bottom
Entry, Polyester

Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483105
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483106
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483114
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483115
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483116
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483124
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483125
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483126
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483134
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 13 Circuits
KK 396 PC Board 9483135
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 13 Circuits
KK 396 PC Board 9483136
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 13 Circuits
KK 396 PC Board 9483144
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 14 Circuits
KK 396 PC Board 9483145
Connector, Right-
Angle, Polyester

Connector, Gold (Au)
Selective, 14 Circuits
KK 396 PC Board 9483154
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 15 Circuits
KK 396 PC Board 9483155
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 15 Circuits
KK 396 PC Board 9483156
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 15 Circuits
KK 396 PC Board 9484028
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 2 Circuits
KK 396 PC Board 9484029
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 2 Circuits
KK 396 PC Board 9484038
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 3 Circuits
KK 396 PC Board 9484039
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 3 Circuits
KK 396 PC Board 9484048
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 4 Circuits
KK 396 PC Board 9484049
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 4 Circuits
KK 396 PC Board 9484058
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 5 Circuits
KK 396 PC Board 9484059
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 5 Circuits
KK 396 PC Board 9484068
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 6 Circuits
KK 396 PC Board 9484069
Connector, Bottom
Entry, Polyester

Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board	<u>9484078</u>
Connector, Top Entry, Polyester	
Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board	<u>9484079</u>
Connector, Bottom Entry, Polyester	
Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board	<u>9484088</u>
Connector, Top Entry, Polyester	
Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board	<u>9484098</u>
Connector, Top Entry, Polyester	
Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board	<u>9484099</u>
Connector, Bottom Entry, Polyester	
Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board	<u>9484108</u>
Connector, Top Entry, Polyester	
Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board	<u>9484109</u>
Connector, Bottom Entry, Polyester	
Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board	<u>9484118</u>
Connector, Top Entry, Polyester	
Connector, 5.00µm Tin (Sn), 11 Circuits KK 396 PC Board	<u>9484119</u>
Connector, Bottom Entry, Polyester	
Connector, 5.00µm Tin (Sn), 11 Circuits KK 396 PC Board	<u>9484128</u>
Connector, Top Entry, Polyester	
Connector, 5.00µm Tin (Sn), 12 Circuits KK 396 PC Board	<u>9484129</u>
Connector, Bottom Entry, Polyester	
Connector, 5.00µm Tin (Sn), 12 Circuits KK 396 PC Board	<u>9484138</u>
Connector, Top Entry, Polyester	
Connector, 5.00µm Tin (Sn), 13 Circuits KK 396 PC Board	<u>9484139</u>
Connector, Bottom Entry, Polyester	

Connector, 5.00µm
 Tin (Sn), 13 Circuits
 KK 396 PC Board 9484148
 Connector, Top
 Entry, Polyester
 Connector, 5.00µm
 Tin (Sn), 14 Circuits
 KK 396 PC Board 9484149
 Connector, Bottom
 Entry, Polyester
 Connector, 5.00µm
 Tin (Sn), 14 Circuits
 KK 396 PC Board 9484158
 Connector, Top
 Entry, Polyester
 Connector, 5.00µm
 Tin (Sn), 15 Circuits
 KK 396 PC Board 9484159
 Connector, Bottom
 Entry, Polyester
 Connector, 5.00µm
 Tin (Sn), 15 Circuits
 KK 156 PC Board 9485088
 Connector, Top
 Entry, Polyester
 Connector, Tin (Sn),
 8 Circuits
 3.96mm Pitch SPOX 9501021
 Crimp Housing,
 Female, with Friction
 Ramp, 2 Circuits,
 Natural
 3.96mm Pitch SPOX 9501023
 Crimp Housing,
 Female, with Friction
 Ramp and Void, 2
 Circuits, Natural
 3.96mm Pitch SPOX 9501041
 Crimp Housing,
 Female, with Friction
 Ramp, 4 Circuits,
 Natural
 3.96mm Pitch SPOX 9501051
 Crimp Housing,
 Female, with Friction
 Ramp, 5 Circuits,
 Natural
 3.96mm Pitch SPOX 9501053
 Crimp Housing,
 Female, with Friction
 Ramp and Void, 5
 Circuits, Natural
 3.96mm Pitch SPOX 9501061
 Crimp Housing,
 Female, with Friction
 Ramp, 6 Circuits,
 Natural
 3.96mm Pitch SPOX 9501063
 Crimp Housing,
 Female, with Friction
 Ramp and Void, 6
 Circuits, Natural
 3.96mm Pitch SPOX 9501071
 Crimp Housing,
 Female, with Friction

Ramp, 7 Circuits,
Natural
3.96mm Pitch SPOX [9501073](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 7
Circuits, Natural
3.96mm Pitch SPOX [9501083](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 8
Circuits, Natural
3.96mm Pitch SPOX [9501091](#)
Crimp Housing,
Female, with Friction
Ramp, 9 Circuits,
Natural
3.96mm Pitch SPOX [9501101](#)
Crimp Housing,
Female, with Friction
Ramp, 10 Circuits,
Natural
3.96mm Pitch SPOX [9501103](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 10
Circuits, Natural
3.96mm Pitch SPOX [9501111](#)
Crimp Housing,
Female, with Friction
Ramp, 11 Circuits,
Natural
3.96mm Pitch SPOX [9501113](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 11
Circuits, Natural
3.96mm Pitch SPOX [9501121](#)
Crimp Housing,
Female, with Friction
Ramp, 12 Circuits,
Natural
KK 3.96mm Crimp [9503021](#)
Terminal Housing,
Friction Ramp, 2
Circuits, Natural
KK 3.96mm Crimp [9503031](#)
Terminal Housing,
Friction Ramp, 3
Circuits, Natural
KK 3.96mm Crimp [9503041](#)
Terminal Housing,
Friction Ramp, 4
Circuits, Natural
KK 3.96mm Crimp [9503051](#)
Terminal Housing,
Friction Ramp, 5
Circuits, Natural
KK 3.96mm Crimp [9503061](#)
Terminal Housing,
Friction Ramp, 6
Circuits, Natural
KK 3.96mm Crimp [9503071](#)
Terminal Housing,

Friction Ramp, 7 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503081</u>
Friction Ramp, 8 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503091</u>
Friction Ramp, 9 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503101</u>
Friction Ramp, 10 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503111</u>
Friction Ramp, 11 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503121</u>
Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503131</u>
Friction Ramp, 13 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503141</u>
Friction Ramp, 14 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503151</u>
Friction Ramp, 15 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503161</u>
Friction Ramp, 16 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503171</u>
Friction Ramp, 17 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503181</u>
Friction Ramp, 18 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503191</u>
Friction Ramp, 19 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503201</u>
Friction Ramp, 20 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503211</u>
Friction Ramp, 21 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503221</u>
Friction Ramp, 22 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503231</u>

Friction Ramp, 23
Circuits, Natural
KK 3.96mm Crimp 9503241
Terminal Housing,
Friction Ramp, 24
Circuits, Natural
KK 3.96mm Crimp 9507021
Terminal Housing, 2
Circuits, Natural
KK 3.96mm Crimp 9507031
Terminal Housing, 3
Circuits, Natural
KK 3.96mm Crimp 9507041
Terminal Housing, 4
Circuits, Natural
KK 3.96mm Crimp 9507051
Terminal Housing, 5
Circuits, Natural
KK 3.96mm Crimp 9507061
Terminal Housing, 6
Circuits, Natural
KK 3.96mm Crimp 9507071
Terminal Housing, 7
Circuits, Natural
KK 3.96mm Crimp 9507081
Terminal Housing, 8
Circuits, Natural
KK 3.96mm Crimp 9507091
Terminal Housing, 9
Circuits, Natural
KK 3.96mm Crimp 9507101
Terminal Housing, 10
Circuits, Natural
KK 3.96mm Crimp 9507111
Terminal Housing, 11
Circuits, Natural
KK 3.96mm Crimp 9507121
Terminal Housing, 12
Circuits, Natural
KK 3.96mm Crimp 9507131
Terminal Housing, 13
Circuits, Natural
KK 3.96mm Crimp 9507141
Terminal Housing, 14
Circuits, Natural
KK 3.96mm Crimp 9507151
Terminal Housing, 15
Circuits, Natural
KK 3.96mm Crimp 9507161
Terminal Housing, 16
Circuits, Natural
KK 3.96mm Crimp 9507171
Terminal Housing, 17
Circuits, Natural
KK 3.96mm Crimp 9507181
Terminal Housing, 18
Circuits, Natural
KK 3.96mm Crimp 9507191
Terminal Housing, 19
Circuits, Natural
KK 3.96mm Crimp 9507201
Terminal Housing, 20
Circuits, Natural

KK 3.96mm Crimp 9507211
Terminal Housing, 21
Circuits, Natural
KK 3.96mm Crimp 9507221
Terminal Housing, 22
Circuits, Natural
KK 3.96mm Crimp 9507231
Terminal Housing, 23
Circuits, Natural
KK 3.96mm Crimp 9507241
Terminal Housing, 24
Circuits, Natural
KK 3.96mm Crimp 9508020
Terminal Housing, 2
Circuits, Natural
KK 3.96mm Crimp 9508021
Terminal Housing,
Friction Ramp, 2
Circuits, Natural
KK 3.96mm Crimp 9508023
Terminal Housing,
Friction Ramp, 2
Circuits, Natural
KK 3.96mm Crimp 9508030
Terminal Housing, 3
Circuits, Natural
KK 3.96mm Crimp 9508031
Terminal Housing,
Friction Ramp, 3
Circuits, Natural
KK 3.96mm Crimp 9508033
Terminal Housing,
Friction Ramp, 3
Circuits, Natural
KK 3.96mm Crimp 9508040
Terminal Housing, 4
Circuits, Natural
KK 3.96mm Crimp 9508041
Terminal Housing,
Friction Ramp, 4
Circuits, Natural
KK 3.96mm Crimp 9508043
Terminal Housing,
Friction Ramp, 4
Circuits, Natural
KK 3.96mm Crimp 9508050
Terminal Housing, 5
Circuits, Natural
KK 3.96mm Crimp 9508051
Terminal Housing,
Friction Ramp, 5
Circuits, Natural
KK 3.96mm Crimp 9508053
Terminal Housing,
Friction Ramp, 5
Circuits, Natural
KK 3.96mm Crimp 9508060
Terminal Housing, 6
Circuits, Natural
KK 3.96mm Crimp 9508061
Terminal Housing,
Friction Ramp, 6
Circuits, Natural
KK 3.96mm Crimp 9508063
Terminal Housing,

Friction Ramp, 6
Circuits, Natural
KK 3.96mm Crimp 9508070
Terminal Housing, 7
Circuits, Natural
KK 3.96mm Crimp 9508071
Terminal Housing,
Friction Ramp, 7
Circuits, Natural
KK 3.96mm Crimp 9508073
Terminal Housing,
Friction Ramp, 7
Circuits, Natural
KK 3.96mm Crimp 9508080
Terminal Housing, 8
Circuits, Natural
KK 3.96mm Crimp 9508081
Terminal Housing,
Friction Ramp, 8
Circuits, Natural
KK 3.96mm Crimp 9508083
Terminal Housing,
Friction Ramp, 8
Circuits, Natural
KK 3.96mm Crimp 9508090
Terminal Housing, 9
Circuits, Natural
KK 3.96mm Crimp 9508091
Terminal Housing,
Friction Ramp, 9
Circuits, Natural
KK 3.96mm Crimp 9508093
Terminal Housing,
Friction Ramp, 9
Circuits, Natural
KK 3.96mm Crimp 9508100
Terminal Housing, 10
Circuits, Natural
KK 3.96mm Crimp 9508101
Terminal Housing,
Friction Ramp, 10
Circuits, Natural
KK 3.96mm Crimp 9508103
Terminal Housing,
Friction Ramp, 10
Circuits, Natural
KK 3.96mm Crimp 9508110
Terminal Housing, 11
Circuits, Natural
KK 3.96mm Crimp 9508111
Terminal Housing,
Friction Ramp, 11
Circuits, Natural
KK 3.96mm Crimp 9508113
Terminal Housing,
Friction Ramp, 11
Circuits, Natural
KK 3.96mm Crimp 9508120
Terminal Housing, 12
Circuits, Natural
KK 3.96mm Crimp 9508121
Terminal Housing,
Friction Ramp, 12
Circuits, Natural

KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Natural	<u>9508123</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Natural	<u>9508131</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Natural	<u>9508133</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural	<u>9508141</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural	<u>9508143</u>
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 2 Circuits	<u>9652028</u>
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 3 Circuits	<u>9652038</u>
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 4 Circuits	<u>9652048</u>
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 5 Circuits	<u>9652058</u>
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 6 Circuits	<u>9652068</u>
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 7 Circuits	<u>9652078</u>
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 8 Circuits	<u>9652088</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Glow-Wire Capable	<u>9930200</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Glow-Wire Capable	<u>9930300</u>

KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Glow-Wire Capable	<u>9930400</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Glow-Wire Capable	<u>9930500</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Glow-Wire Capable	<u>9930600</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Glow-Wire Capable	<u>9930700</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Glow-Wire Capable	<u>9930800</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Glow-Wire Capable	<u>9930900</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Glow-Wire Capable	<u>9931000</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Glow-Wire Capable	<u>9931100</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Glow-Wire Capable	<u>9931200</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Glow-Wire Capable	<u>9931300</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Glow-Wire Capable	<u>9931400</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 Circuits, Glow-Wire Capable	<u>9931500</u>
15 PIN MICRO-D FEMAL ASSY M8351309B11	<u>10008503</u>
5.08mm Pitch KK Crimp Terminal	<u>10011024</u>

Housing, 2 Circuits,
Natural
5.08mm Pitch KK 10011044
Crimp Terminal
Housing, 4 Circuits,
Natural
5.08mm Pitch KK 10011054
Crimp Terminal
Housing, 5 Circuits,
Natural
5.08mm Pitch KK 10011064
Crimp Terminal
Housing, 6 Circuits,
Natural
5.08mm Pitch KK 10011074
Crimp Terminal
Housing, 7 Circuits,
Natural
5.08mm Pitch KK 10011084
Crimp Terminal
Housing, 8 Circuits,
Natural
5.08mm Pitch KK 10011094
Crimp Terminal
Housing, 9 Circuits,
Natural
5.08mm Pitch KK 10011104
Crimp Terminal
Housing, 10 Circuits,
Natural
5.08mm Pitch KK 10011114
Crimp Terminal
Housing, 11 Circuits,
Natural
5.08mm Pitch KK 10011124
Crimp Terminal
Housing, 12 Circuits,
Natural
5.08mm Pitch SPOX 10013026
Crimp Terminal
Housing, 2 Circuits,
Natural
5.08mm Pitch SPOX 10013046
Crimp Terminal
Housing, 4 Circuits,
Natural
5.08mm Pitch SPOX 10013056
Crimp Terminal
Housing, 5 Circuits,
Natural
5.08mm Pitch SPOX 10013066
Crimp Terminal
Housing, 6 Circuits,
Natural
5.08mm Pitch SPOX 10013076
Crimp Terminal
Housing, 7 Circuits,
Natural
5.08mm Pitch SPOX 10013086
Crimp Terminal
Housing, 8 Circuits,
Natural
5.08mm Pitch SPOX 10013096
Crimp Terminal

Housing, 9 Circuits, Natural	
KK PC Board	<u>10021022</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 2 Circuits	
KK PC Board	<u>10021032</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 3 Circuits	
KK PC Board	<u>10021042</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 4 Circuits	
KK PC Board	<u>10021052</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 5 Circuits	
KK PC Board	<u>10021062</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 6 Circuits	
KK PC Board	<u>10021072</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 7 Circuits	
KK PC Board	<u>10021082</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 8 Circuits	
KK PC Board	<u>10021092</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 9 Circuits	
KK PC Board	<u>10021102</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 10 Circuits	
KK PC Board	<u>10021112</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 11 Circuits	
KK PC Board	<u>10021122</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 12 Circuits	
5.08mm Pitch KK Header, Right Angle, Square Pin, 4 Circuits, Tin (Sn) Plating	<u>10061045</u>
KK Header, Vertical, Round Pin, 2 Circuits, Tin (Sn)	<u>10081021</u>

Plating, Pin Length
19.05mm
KK Header, Vertical, [10081022](#)
Round Pin, 2
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081029](#)
Round Pin, 2
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081031](#)
Round Pin, 3
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081039](#)
Round Pin, 3
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081041](#)
Round Pin, 4
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081049](#)
Round Pin, 4
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081051](#)
Round Pin, 5
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081061](#)
Round Pin, 6
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081069](#)
Round Pin, 6
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081071](#)
Round Pin, 7
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081081](#)
Round Pin, 8
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081082](#)
Round Pin, 8
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081089](#)
Round Pin, 8
Circuits, Tin (Sn)

Plating, Pin Length
20.32mm
KK Header, Vertical, [10081091](#)
Round Pin, 9
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081101](#)
Round Pin, 10
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081102](#)
Round Pin, 10
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081111](#)
Round Pin, 11
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081112](#)
Round Pin, 11
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081121](#)
Round Pin, 12
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10085021](#)
with Polarizing
Backwall, 2 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085031](#)
with Polarizing
Backwall, 3 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085041](#)
with Polarizing
Backwall, 4 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085051](#)
with Polarizing
Backwall, 5 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085061](#)
with Polarizing
Backwall, 6 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085071](#)
with Polarizing
Backwall, 7 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085081](#)
with Polarizing
Backwall, 8 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085091](#)
with Polarizing
Backwall, 9 Circuits,
Tin (Sn) Plating

KK Header, Vertical, 10085101
with Polarizing
Backwall, 10 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085111
with Polarizing
Backwall, 11 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085121
with Polarizing
Backwall, 12 Circuits,
Tin (Sn) Plating
KK PC Board 10101021
Connector, Right-
Angle Mount Style A,
1.00µm Tin (Sn), 2
Circuits
KK PC Board 10101031
Connector, Right-
Angle Mount Style A,
1.00µm Tin (Sn), 3
Circuits
KK PC Board 10101033
Connector, Top
Entry Mount Style C,
1.00µm Tin (Sn), 3
Circuits
KK PC Board 10101041
Connector, Right-
Angle Mount Style A,
1.00µm Tin (Sn), 4
Circuits
KK PC Board 10101043
Connector, Top
Entry Mount Style C,
1.00µm Tin (Sn), 4
Circuits
KK PC Board 10101051
Connector, Right-
Angle Mount Style A,
1.00µm Tin (Sn), 5
Circuits
KK PC Board 10101053
Connector, Top
Entry Mount Style C,
1.00µm Tin (Sn), 5
Circuits
KK PC Board 10101061
Connector, Right-
Angle Mount Style A,
1.00µm Tin (Sn), 6
Circuits
KK PC Board 10101063
Connector, Top
Entry Mount Style C,
1.00µm Tin (Sn), 6
Circuits
KK PC Board 10101071
Connector, Right-
Angle Mount Style A,
1.00µm Tin (Sn), 7
Circuits
KK PC Board 10101073
Connector, Top
Entry Mount Style C,

1.00µm Tin (Sn), 7 Circuits	
KK PC Board	<u>10101081</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 8 Circuits	
KK PC Board	<u>10101083</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 8 Circuits	
KK PC Board	<u>10101091</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 9 Circuits	
KK PC Board	<u>10101093</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 9 Circuits	
KK PC Board	<u>10101101</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 10 Circuits	
KK PC Board	<u>10101103</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 10 Circuits	
KK PC Board	<u>10101111</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 11 Circuits	
KK PC Board	<u>10101113</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 11 Circuits	
KK PC Board	<u>10101121</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 12 Circuits	
KK PC Board	<u>10101123</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 12 Circuits	
KK 254 Crimp	<u>10112023</u>
Housing, High Pressure, 2 Circuits, Natural	
KK 254 Crimp	<u>10112033</u>
Housing, High Pressure, 3 Circuits, Natural	
KK 254 Crimp	<u>10112043</u>
Housing, High Pressure, 4 Circuits, Natural	

KK 254 Crimp Housing, High Pressure, 5 Circuits, Natural	<u>10112053</u>
KK 254 Crimp Housing, High Pressure, 6 Circuits, Natural	<u>10112063</u>
KK 254 Crimp Housing, High Pressure, 7 Circuits, Natural	<u>10112073</u>
KK 254 Crimp Housing, High Pressure, 8 Circuits, Natural	<u>10112083</u>
KK 254 Crimp Housing, High Pressure, 9 Circuits, Natural	<u>10112093</u>
KK 254 Crimp Housing, High Pressure, 10 Circuits, Natural	<u>10112103</u>
KK 254 Crimp Housing, High Pressure, 11 Circuit	<u>10112113</u>
KK 254 Crimp Housing, High Pressure, 12 Circuits, Natural	<u>10112123</u>
KK 254 Crimp Housing, High Pressure, 13 Circuits, Natural	<u>10112133</u>
KK 254 Crimp Housing, High Pressure, 14 Circuits, Natural	<u>10112143</u>
KK 254 Crimp Housing, High Pressure, 15 Circuits, Natural	<u>10112153</u>
KK 254 Crimp Housing, High Pressure, 16 Circuits, Natural	<u>10112163</u>
KK 254 Crimp Housing, High Pressure, 17 Circuits, Natural	<u>10112173</u>
KK 254 Crimp Housing, High Pressure, 18 Circuits, Natural	<u>10112183</u>
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals	<u>10181031</u>
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 3 Male Terminals	<u>10181032</u>

2.36mm Diameter 10181033
Standard .093" Pin
and Socket Header,
Shrouded, 3 Circuits,
1 Female Terminal, 2
Male Terminals

2.36mm Diameter 10181034
Standard .093" Pin
and Socket Header,
Shrouded, 3 Circuits,
1 Female Terminal, 2
Male Terminals

2.36mm Diameter 10181035
Standard .093" Pin
and Socket Header,
Shrouded, 3 Circuits,
2 Male Terminals, 1
Female Terminal

2.36mm Diameter 10181036
Standard .093" Pin
and Socket Header,
Shrouded, 3 Circuits,
1 Female Terminal, 1
Male Terminal

2.36mm Diameter 10181037
Standard .093" Pin
and Socket Header,
Shrouded, 3 Circuits,
2 Female Terminals,
1 Male Terminal

2.36mm Diameter 10181038
Standard .093" Pin
and Socket Header,
Shrouded, 3 Circuits,
3 Female Terminals

2.36mm Diameter 10181040
Standard .093" Pin
and Socket Header,
Shrouded, 4 Circuits,
1 Female Terminal, 1
Male Terminal

2.36mm Diameter 10181041
Standard .093" Pin
and Socket Header,
Shrouded, 4 Circuits,
4 Male Terminals

2.36mm Diameter 10181042
Standard .093" Pin
and Socket Header,
Shrouded, 4 Circuits,
4 Female Terminals

2.36mm Diameter 10181044
Standard .093" Pin
and Socket Header,
Shrouded, 4 Circuits,
3 Female Terminals,
1 Male Terminals

2.36mm Diameter 10181045
Standard .093" Pin
and Socket Header,
Shrouded, 4 Circuits,
2 Male Terminals, 2
Female Terminals

2.36mm Diameter 10181046
Standard .093" Pin

and Socket Header,
 Shrouded, 4 Circuits,
 3 Male Terminals, 1
 Female Terminal
 2.36mm Diameter 10181047
 Standard .093" Pin
 and Socket Header,
 Shrouded, 4 Circuits,
 1 Female Terminal, 3
 Male Terminals
 2.36mm Diameter 10181048
 Standard .093" Pin
 and Socket Header,
 Shrouded, 4 Circuits,
 1 Female Terminal,
 2 Male Terminals, 1
 Female Terminal, 1
 Male Terminal
 2.36mm Diameter 10181049
 Standard .093" Pin
 and Socket Header,
 Shrouded, 4 Circuits,
 2 Female Terminals,
 1 Male Terminal, 1
 Female Terminal,
 1 Male Terminal, 1
 Female Terminal
 2.36mm Diameter 10181050
 Standard .093" Pin
 and Socket Header,
 Shrouded, 4 Circuits,
 2 Female Terminals,
 2 Male Terminals
 2.36mm Diameter 10181090
 Standard .093" Pin
 and Socket Header,
 Shrouded, 9 Circuits,
 9 Male Terminals
 2.36mm Diameter 10181091
 Standard .093" Pin
 and Socket Header,
 3 Rows, Shrouded,
 Unfilled Polyester,
 UL 94V-0, 9 Circuits,
 9 Female Terminals
 2.36mm Diameter 10181120
 Standard .093"
 Pin and Socket
 Header, Shrouded,
 12 Circuits, 12 Male
 Terminals
 2.36mm Diameter 10181122
 Standard .093"
 Pin and Socket
 Header, 3 Rows,
 Shrouded, Unfilled
 Polyester, UL 94V-0,
 12 Circuits, 12
 Female Terminals
 2.36mm Diameter 10181150
 Standard .093"
 Pin and Socket
 Header, Shrouded,
 15 Circuits, 15 Male
 Terminals

5.08mm Pitch SPOX [10221022](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 2
Circuits

5.00/7.50mm Pitch [10311028](#)
SPOX Header,
Vertical, with Friction
Lock, 2 Circuits

5.00/7.50mm Pitch [10311038](#)
SPOX Header,
Vertical, with Friction
Lock, 3 Circuits

5.00/7.50mm Pitch [10311048](#)
SPOX Header,
Vertical, with Friction
Lock, 4 Circuits

5.00/7.50mm Pitch [10311058](#)
SPOX Header,
Vertical, with Friction
Lock, 5 Circuits

5.00/7.50mm Pitch [10311068](#)
SPOX Header,
Vertical, with Friction
Lock, 6 Circuits

5.08mm Pitch SPOX [10321021](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 2
Circuits

5.08mm Pitch SPOX [10321031](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 3
Circuits

5.08mm Pitch SPOX [10321051](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 5
Circuits

5.08mm Pitch SPOX [10321061](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 6
Circuits

5.08mm Pitch SPOX [10321071](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 7
Circuits

5.08mm Pitch SPOX [10321091](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 9
Circuits

5.08mm Pitch SPOX [10631029](#)
Wire-to-Board
Header, Vertical,
Friction Lock, with
Void, 2 Circuits

5.00mm Pitch SPOX [10633024](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 2
Circuits, Natural

5.00mm Pitch SPOX [10633044](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 4
Circuits, Natural

5.00mm Pitch SPOX [10633054](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 5
Circuits, Natural

5.00mm Pitch SPOX [10633064](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 6
Circuits, Natural

7.92mm Pitch SPOX [10634037](#)
Header, Vertical,
with Friction Lock, 3
Circuits

7.92mm Pitch SPOX [10634047](#)
Header, Vertical,
with Friction Lock, 4
Circuits

6.35mm Pitch MLX [10844020](#)
Power Connector
Header, Vertical,
2 Circuits, PA
Polyamide Nylon
6/6 94V-2, Tin (Sn)
Plating, White

6.35mm Pitch MLX [10844022](#)
Power Connector,
2.13mm Contact
Diameter, Vertical,
PA Polyamide
(Nylon) 6/6, Tin (Sn),
White, 2 Circuits

2.13mm Diameter [10844025](#)
MLX Power
Connector Header,
Vertical, 2 Circuits,
Polyester 94V-0,
0.76µm Gold (Au)
Selective Plating,
Brick Red

6.35mm Pitch MLX [10844030](#)
Power Connector
Header, Vertical,
3 Circuits, PA
Polyamide Nylon
6/6 94V-2, Tin (Sn)
Plating, White

6.35mm Pitch MLX [10844032](#)
Power Connector,
2.13mm Contact
Diameter, Vertical,
PA Polyamide
(Nylon) 6/6, Tin (Sn),
White, 3 Circuits

6.35mm Pitch MLX [10844036](#)
Power Connector,
2.13mm Contact
Diameter, Vertical,
PA Polyamide
(Nylon) 6/6. Gold

(Au) Selective, White, 3 Circuits 6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 3 Circuits	<u>10844037</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 4 Circuits	<u>10844042</u>
2.13mm Diameter MLX Power Connector Header, Vertical, 4 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, Brick Red	<u>10844045</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 4 Circuits	<u>10844047</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	<u>10844060</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 9 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	<u>10844090</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 9 Circuits	<u>10844092</u>
2.13mm Diameter MLX Power Connector Header, Vertical, 9 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm Gold (Au) Selective Plating, White	<u>10844094</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon	<u>10844120</u>

6/6 94V-2, Tin (Sn) Plating, White 6.35mm Pitch MLX	<u>10844122</u>
Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 12 Circuits 2.13mm Diameter	<u>10844124</u>
MLX Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm Gold (Au) Selective Plating, White 2.13mm Diameter	<u>10844125</u>
MLX Power Connector Header, Vertical, 12 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, Brick Red 6.35mm Pitch MLX	<u>10844150</u>
Power Connector Header, Vertical, 15 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White 6.35mm Pitch MLX	<u>10844152</u>
Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 15 Circuits 2.13mm Diameter	<u>10844155</u>
MLX Power Connector Header, Vertical, 15 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, Brick Red 6.35mm Pitch MLX	<u>10845021</u>
Power Connector, 2.13mm Contact Diameter, Vertical, Polyester 94V-0, White/Natural, 2 Circuits 2.13mm Diameter	<u>10845022</u>
MLX Power Connector Header, Vertical, 2 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White 6.35mm Pitch MLX	<u>10845031</u>
Power Connector, 2.13mm Contact	

Diameter, Vertical, PCT Polyester, Tin (Sn), White, 3 Circuits	
2.13mm Diameter MLX Power	<u>10845032</u>
Connector Header, Vertical, 3 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	
6.35mm Pitch MLX Power Connector	<u>10845040</u>
Header, Vertical, 4 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	
6.35mm Pitch MLX Power Connector,	<u>10845041</u>
2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 4 Circuits	
2.13mm Diameter MLX Power	<u>10845042</u>
Connector Header, Vertical, 4 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	
6.35mm Pitch MLX Power Connector	<u>10845060</u>
Header, Vertical, 6 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	
6.35mm Pitch MLX Power Connector,	<u>10845061</u>
2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 6 Circuits	
6.35mm Pitch MLX Power Connector	<u>10845090</u>
Header, Vertical, 9 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	
6.35mm Pitch MLX Power Connector,	<u>10845091</u>
2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 9 Circuits	
6.35mm Pitch MLX Power Connector	<u>10845120</u>
Header, Vertical, 12 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	

6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 12 Circuits	<u>10845121</u>
2.13mm Diameter MLX Power Connector Header, Vertical, 12 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	<u>10845122</u>
6.35mm Pitch MLX Power Connector Header, Vertical, 15 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845150</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 15 Circuits	<u>10845151</u>
6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, White, 15 Circuits	<u>10845153</u>
2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right Angle, 4 Circuits, 6.10mm Mating Pin Length, Tin (Sn) Plating	<u>10883041</u>
2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right Angle, 4 Circuits, 8.13mm Mating Pin Length, Tin (Sn) Plating	<u>10883042</u>
2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right Angle, 6 Circuits, 6.10mm Mating Pin Length, Tin (Sn) Plating	<u>10883061</u>
2.54mm Pitch C-Grid Breakaway Header, High Profile, Dual Row, Right Angle, 6 Circuits, 8.13mm Mating Pin Length, Tin (Sn) Plating	<u>10883062</u>
2.54mm Pitch C-Grid Breakaway Header,	<u>10883081</u>

High Profile, Dual
Row, Right Angle,
8 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883082](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
8 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883101](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
10 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883102](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
10 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883121](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
12 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883122](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
12 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883141](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
14 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883142](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
14 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883161](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
16 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883162](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,

16 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883181](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
18 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883182](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
18 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883201](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
20 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883202](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
20 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883221](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
22 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883222](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
22 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883241](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
24 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883242](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
24 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883261](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
26 Circuits, 6.10mm

Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883262](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
26 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883281](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
28 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883282](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
28 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883301](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
30 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883302](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
30 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10894042](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 6.10mm
Mating Pin Length,
0.38 μ m Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894043](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 8.13mm
Mating Pin Length,
0.38 μ m Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894046](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 6.10mm
Mating Pin Length,
0.76 μ m Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894047](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,

4 Circuits, 8.13mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894062](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894063](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894066](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894067](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 8.13mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894082](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894083](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894086](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894087](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 8.13mm

Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894102](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894103](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894106](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894107](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 8.13mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894122](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894123](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894126](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894127](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 8.13mm
Mating Pin Length,

0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894142](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894146](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894147](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 8.13mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894162](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894163](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894166](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894167](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 8.13mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894182](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
18 Circuits, 6.10mm
Mating Pin Length,

This document was generated on 03/09/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION