

## Molded Parts Specification Control Drawing

- 1. All dimensions are in  $\frac{\text{inches}}{[\text{millimeters}]}$
- 2. Dimensions appearing in table are as follows:
  - a As Supplied
  - b After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.





202D2XX-X-48

Boot, Straight With Lip

TABLE OF DIMENSIONS											
PART	н		J			Р	R	s	Т	НW	JW
NUMBER	Min	Max	Min -3425	Min -5,-6,-8 -12,-100	Max	±10%	Ref	Ref	Ref	±20%	±20%
	a	b	-3,-4,-25 -130 C	-12,-100 C	b	b	b	b	b	ь	b
202D211-X-48	.88	.45	<u>.88</u>	<u>.55</u>	. <u>25</u>	3.00	<u>.46</u>	. <u>12</u>	. <u>04</u>	.06	. <u>045</u>
	[22,4]	[11,4]	[22,4]	[14,0]	[6,4]	[76,2]	[11,7]	[3,0]	[1,0]	[1,52]	[1,14]
202D221-X-48	1.01	.59	1.01	.63	.29	3.00	.48	.12	.04	.06	. <u>045</u>
	[25,7]	[15,0]	[25,7]	[16,0]	[7,4]	[76,2]	[12,2]	[3,0]	[1,0]	[1,52]	[1,14]
202D232-X-48	1.16	.74	1.16	.72	.33	3.00	.48	. <u>12</u>	.04	.07	. <u>045</u>
	[29,5]	[18,8]	[29,5]	[18,3]	[8,4]	[76,2]	[12,2]	[3,0]	[1,0]	[1,78]	[1,14]
202D242-X-48	1.34	.90	1.34	.84	<u>.38</u>	3.00	.48	. <u>12</u>	.04	.07	. <u>045</u>
	[34,0]	[22,9]	[34,0]	[21,3]	[9,7]	[76,2]	[12,2]	[3,0]	[1,0]	[1,78]	[1,14]
202D253-X-48	1.47	1.16	1.47	.91	<u>.41</u>	3.00	.55	. <u>12</u>	. <u>065</u>	.08	. <u>045</u>
	[37,3]	[29,5]	[37,3]	[23,1]	[10,4]	[76,2]	[14,0]	[3,0]	[1,65]	[2,0]	[1,14]

If this document is printed it becomes uncontrolled. Check with the web for latest revision.

Part Number :

Description :

### **tyco**/Electronics

TYCO ELECTRONICS 307 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025

Revision: B Date: 6/21/02 Part Number : 202D2XX-X-48


Description: Boot, Straight With Lip

### Molded Parts Specification Control Drawing

Part Number :	202D2XX-X-48					
Description :	Boot, Straight With L	.ip				

COMPATABILITY	CHART					
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION	
-3	Polyolefin, Semi-rigid	RT-301	/42; /86	S-1017;S-1048	Adhesive	
-4	Polyolefin, Flexible	RT-1304	/42; /86	S-1017;S-1048	Adhesive	
-5	Neoprene	RT-501	/42	S-1017		
-6	Silicone	RT-602	N/A			
-8	Polyolefin, Space	RT-1308	N/A			
-12	*VITON, Flexible	RT-1312	N/A			
-25	Elastomer, Fluid Resistant	RT-1325	/42,/86	S-1017; S-1048	Adhesive	
-130	Polyolefin, Flexible	RW-2008	/42; /86	S-1017;S-1048	Adhesive	
-100	Polyolefin, Semi-flexible ZEROHAL <sup>M</sup>	RT-1323	/86	S-1048	Adhesive	

\*VITON is a Registered Trademark of Dupont



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

TYCO ELECTRONICS
TYCO ELECTRONICS
307 CONSTITUTION DRIVE
MENLO PARK, CALIFORNIA 94025

Revision: B Date: 6/21/02 Part Number : 202D2XX-X-48

Description : Boot, Straight With Lip

CAD FILE MP02076

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

<u>TE Connectivity</u>: 202D242-4-48-0