

## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101
Unit	Trade / Industry
Type	Angle, concrete grinder (electric)
Status	Ok
Creation date	2017-05-30 axf\$imp_tools_ap2eu.execute
Last date modified	2018-07-03 egle



### Assigned Categories

Category Path	OCS / Trade/industry / Angle grinders & metalworking
Leaf-Category	Small angle grinders
Category Path	OCS / Professional Power Tools
Leaf-Category	New tools
Category Path	OCS / Professional Power Tools / Angle grinders & metalworking
Leaf-Category	Small angle grinders 500 W-1900 W
Category Path	OCS / Trade/industry / New tools
Leaf-Category	Small angle grinders
Category Path	OCS / Professional Power Tools
Leaf-Category	Heavy Duty

### Release

PM responsible	Aleksandar Ravic
----------------	------------------

### Description

Product category subdivision	Angle Grinder
Positioning	Best tool control and improved power level in 900 watt class



## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101

### Description

User benefit incl. Reason to believe	<ul style="list-style-type: none"><li>• Fast working progress due to a powerful 900 watt motor</li><li>• Perfect tool control due to slim grip size and ergonomic design</li><li>• Speed selection for perfect working results on different materials and accessories</li></ul>
First SOL	2017-07-01

### Technical data

Rated input power [W]	900
No-load speed [rpm]	2.800 – 11.000
Power output [W]	450
Grinding spindle thread	M 10/M 14 (M 10) (M 14)
Disc diameter [mm]	115 (100)
Tool dimensions (width) [mm]	73
Tool dimensions (length) [mm]	280
Tool dimensions (height) [mm]	100
Tool dimensions (width x length x height) [mm]	73 x 280 x 100
Weight [kg]	1,9
Switch	2-way

### Noise/vibration information

Noise level	The A-rated noise level of the power tool is typically as follows: Sound pressure level 93 dB(A); Sound power level 104 dB(A). Uncertainty K= 3 dB.
-------------	---

# GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101






## Linked products

Matching-Code	<ul style="list-style-type: none"> <li>Grinding   Angle grinders   Bore 16.0 mm   Outer diameter 100 mm</li> <li>Grinding   Angle grinders   Bore 22.23 mm   Outer diameter 115 mm</li> <li>Grinding   Angle grinders   Bore 22.23 mm   Outer diameter 125 mm</li> <li>Cutting   Angle grinders   Bore 22.23 mm   Outer diameter 115 mm</li> <li>Cutting   Angle grinders   Bore 22.23 mm   Outer diameter 125 mm</li> <li>Diamond cutting   Angle grinders   Outer diameter 115 mm, Inner diameter 22 mm</li> <li>Diamond cutting   Angle grinders   Outer diameter 125 mm, Inner diameter 22 mm</li> <li>Wire brushes   Angle grinders   M10</li> <li>Wire brushes   Angle grinders   M14</li> <li>Cutting   Angle grinders   Bore 16.0 mm   Outer diameter 100 mm</li> </ul>
Areas of application	<ul style="list-style-type: none"> <li>Cutting ferrous metals</li> <li>Cutting wood</li> <li>Cutting plastic</li> <li>Cutting non-ferrous metal</li> <li>Cutting stone</li> <li>Grinding coating material</li> <li>Grinding concrete</li> <li>Grinding ferrous metals</li> <li>Grinding wood</li> <li>Grinding plastic</li> <li>Grinding natural materials</li> <li>Grinding stone</li> <li>Brushing coating material</li> <li>Brushing ferrous metals</li> <li>Brushing non-ferrous metal</li> </ul>

## Segment

Mailing segment	<ul style="list-style-type: none"> <li>Metal</li> <li>Stone</li> </ul>
-----------------	--

## Linked digital objects

<p>Operating Instructions, Asia 10</p>  <p>1 609 92A 3EC_1702 Object ID: #252822</p>	<p>Product image</p>  <p>GWS9-115S_dyn_01 Object ID: #257422</p>	<p>Symbol image</p>  <p>Speed_Trigger Object ID: #132423</p>	<p>Dimensional drawing</p>  <p>GWS9-115S Object ID: #257413</p>	<p>Application image</p>  <p>GWS900-100-115-125- Object ID: #257433</p>
--	---	---	---	--




## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101

### CSO selection 1

Order No.	0 601 396 1K0
EAN-Code	3165140861120
Product Name	GWS 900-100 S
Title	Angle Grinder GWS 900-100 S Professional
New for OCS/Print until	01.01.2018
Baretool number	• 3601C961K0
Scope of supply	• Auxiliary handle • Protective guard (1 605 510 224) • Wrench • Carton box
SOL Date	01.07.2017
HD SKU	☑
Packaging dimensions (width x length x height) [mm]	120 x 360 x 120
Voltage, electrical [V]	0
Speed control	☑
Grinding spindle thread	M 10
Disc diameter [mm]	100
Switch	2-way

### Linked Digital Objects

<p>Product image</p>  <p>GWS900-100S_dyn_01 Object ID: #257703</p>	<p>HD logo</p>  <p>HeavyDuty_Icon Object ID: #226806</p>	<p>Dimensional drawing</p>  <p>GWS900-100S_linedrawing Object ID: #257704</p>
--	---	--

## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101

### CSO selection 2

Order No.	0 601 396 1L0
EAN-Code	3165140861106
Product Name	GWS 900-100 S
Title	Angle Grinder GWS 900-100 S Professional
New for OCS/Print until	01.01.2018
Baretool number	• 3601C961L0
Scope of supply	<ul style="list-style-type: none"><li>• Auxiliary handle</li><li>• Protective guard (1 605 510 224)</li><li>• Wrench</li><li>• Carton box</li></ul>
SOL Date	01.07.2017
HD SKU	☑
Packaging dimensions (width x length x height) [mm]	120 x 360 x 120
Voltage, electrical [V]	240
Speed control	☑
Grinding spindle thread	M 10
Disc diameter [mm]	100
Switch	2-way

### Linked Digital Objects

#### Product image




GWS900-100S\_dyn\_01  
Object ID: #257703

#### HD logo



HeavyDuty\_Icon  
Object ID: #226806

#### Dimensional drawing



GWS900-100S\_linedrawing  
Object ID: #257704

## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101

### CSO selection 3

Order No.	0 601 396 100
EAN-Code	
Product Name	GWS 9/900-XXX S
Title	Angle Grinder GWS 9/900-XXX S Professional
New for OCS/Print until	01.01.2018
Baretool number	• 3601C96100
SOL Date	01.07.2017
HD SKU	☑
Packaging dimensions (width x length x height) [mm]	118 x 358 x 118
Voltage, electrical [V]	240
Speed control	☑
Grinding spindle thread	M 10
Disc diameter [mm]	100
Switch	2-way

### Linked Digital Objects

#### Product image




GWS900-100S\_dyn\_01  
Object ID: #257703

#### HD logo



HeavyDuty\_Icon  
Object ID: #226806

#### Dimensional drawing



GWS900-100S\_linedrawing  
Object ID: #257704

## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101

### CSO selection 4

Order No.	0 601 396 101
EAN-Code	3165140860987
Product Name	GWS 9-115 S
Title	Angle Grinder GWS 9-115 S Professional
New for OCS/Print until	01.01.2018
Baretool number	• 3601C96101
Scope of supply	• Auxiliary handle • Protective guard • Wrench • Carton box
SOL Date	01.07.2017
HD SKU	☑
Packaging dimensions (width x length x height) [mm]	125 x 360 x 125
Speed control	☑
Grinding spindle thread	M 14
Disc diameter [mm]	115
Switch	2-way

### Linked Digital Objects

Product image, scope of delivery



FullExecution\_060139-  
Object ID: #272655

HD logo



HeavyDuty\_Icon  
Object ID: #226806

## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101

### CSO selection 5

Order No.	0 601 396 103
EAN-Code	3165140923088
Product Name	GWS 9-115 S
Title	Angle Grinder GWS 9-115 S Professional
New for OCS/Print until	01.04.2018
Baretool number	• 3601C96103
Scope of supply	<ul style="list-style-type: none"><li>• Auxiliary handle</li><li>• Protective guard</li><li>• Wrench</li><li>• Carton box</li></ul>
SOL Date	01.10.2017
HD SKU	☑
Packaging dimensions (width x length x height) [mm]	310 x 450 x 120
Voltage range [V]	220 – 240
Speed control	☑
Grinding spindle thread	M 10
Disc diameter [mm]	115
Switch	2-way

### Linked Digital Objects

Product image, scope of delivery



FullExecution\_060139-  
Object ID: #272653

HD logo



HeavyDuty\_Icon  
Object ID: #226806








## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101

### CSO selection 6

Order No.	0 601 396 161
EAN-Code	3165140923101
Product Name	GWS 9-115 S
Title	Angle Grinder GWS 9-115 S Professional
New for OCS/Print until	01.05.2018
Baretool number	• 3601C96161
Scope of supply	<ul style="list-style-type: none"><li>• Backing flange</li><li>• Cardboard box</li><li>• Protective guard</li><li>• Locking nut</li><li>• Auxiliary handle</li><li>• Two-hole spanners</li></ul>
SOL Date	01.11.2017
Packaging dimensions (width x length x height) [mm]	125 x 360 x 125
Voltage, electrical [V]	110
Speed control	☑
Protective guard with quick adjustment	☑
Grinding spindle thread	M 14
Disc diameter [mm]	115

### Linked Digital Objects


Product image  GWS_9-115_S_dyn_01 Object ID: #262933	Symbol image  Bosch_BI_Icon_Restart- Object ID: #236057	Symbol image  Electronic_Picto_GW Object ID: #5781	Symbol image  Ergonomic_GSS Object ID: #162479	Symbol image  verdrehssichereSchutzhaube Object ID: #27716
---	---	--	---	--

## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101

### Linked Digital Objects

#### Dimensional drawing



GWS\_9-115\_S  
Object ID: #264333

### CSO selection 7

Order No.	0 601 396 171
EAN-Code	3165140923095
Product Name	GWS 9-115 S
Title	Angle Grinder GWS 9-115 S Professional
New for OCS/Print until	01.05.2018
Baretool number	• 3601C96171
Scope of supply	<ul style="list-style-type: none"><li>• Backing flange</li><li>• Cardboard box</li><li>• Protective guard</li><li>• Locking nut</li><li>• Auxiliary handle</li><li>• Two-hole spanners</li></ul>
SOL Date	01.11.2017
Packaging dimensions (width x length x height) [mm]	125 x 360 x 125
Voltage range [V]	220 – 240
Speed control	☑
Protective guard with quick adjustment	☑
Grinding spindle thread	M 14






## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101


### CSO selection 7

Disc diameter [mm]	115
--------------------	-----

### Linked Digital Objects

<p>Product image</p>  <p>GWS_9-115_S_dyn_01 Object ID: #262933</p>	<p>Symbol image</p>  <p>Bosch_BI_Icon_Restart Object ID: #236057</p>	<p>Symbol image</p>  <p>Electronic_Picto_GW Object ID: #5781</p>	<p>Symbol image</p>  <p>Ergonomic_GSS Object ID: #162479</p>	<p>Symbol image</p>  <p>verdrehsichereSchutzhaube Object ID: #27716</p>
--	---	---	--	--

<p>Dimensional drawing</p>  <p>GWS_9-115_S Object ID: #264333</p>
---

### CSO selection 8

Order No.	0 601 396 180
EAN-Code	6949509224859
Product Name	GWS 900-100 S
Title	Angle Grinder GWS 900-100 S Professional
New for OCS/Print until	01.01.2018
Baretool number	• 3601C96180

## GWS 9-115 S (GWS 9/900-XXX S; GWS 900-100 S)

Internal ID	#44452
Master-Order-No.	0 601 396 101

### CSO selection 8

Scope of supply	<ul style="list-style-type: none"><li>• Auxiliary handle</li><li>• Protective guard (1 605 510 224)</li><li>• Wrench</li><li>• Carton box</li></ul>
SOL Date	01.07.2017
HD SKU	☑
Packaging dimensions (width x length x height) [mm]	120 x 360 x 120
Voltage, electrical [V]	220
Speed control	☑
Grinding spindle thread	M 10
Disc diameter [mm]	100
Switch	2-way

### Linked Digital Objects

#### Product image




GWS900-100S\_dyn\_01  
Object ID: #257703

#### HD logo



HeavyDuty\_Icon  
Object ID: #226806

#### Dimensional drawing



GWS900-100S\_linedrawing  
Object ID: #257704