


Floatvalve Bronze Seat BS 1212 Part one high pressure



Size	Pattern No.	Pack 1 Qty	Pack 2 Qty	Code	Barcode	Price (£) ex VAT
1/2	857B-Y	10	0	514097	5013866016684	£19.60
1/2	857B-V	10	0	514127	5013866016691	£21.91
3/4	857B	5	0	514078	5013866016660	£61.52
1	857B	1	20	514079	5013866006791	£144.80



Code	Description	Α	В	С	Kg
514097	1/2 857B-Y BRASS PT.1 FLOATVALVE (HP)	No. 3 (1/8")	1 1/4"	8 3/4"	0.44
514127	1/2 857B-V BRASS PT.1 FLOATVALVE (HP)	No. 3 (1/8")	1 7/8"	10 1/2"	0.50
514078	3/4 857B BRASS PT.1 FLOATVALVE (HP)	No. 6 (1/4")	1 1/4"	13"	0.92
514079	1 857B BRASS PT.1 FLOATVALVE (HP)	No. 9 (3/8")	1 1/2"	16"	1.97
Pegler Yo	rkshire reserve the right to change specifications				

Valves and Fittings

Pegler Yorkshire Customcare 5 Year Guarantee - Terms and Conditions

Products are subject to a 5 year guarantee that is between Pegler Yorkshire and the final purchaser of the product.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects and does not cover parts subject to normal wear and tear.

This product range has been designed for the use of homeowners, domestic and commercial applications and therefore the guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions in the fitting instructions.

This is reinforced where valves are covered by the European Pressure Equipment Directive (PED97/23/EC) where Installation, Operating and Maintenance Instructions are supplied with each product and/or carton.

Provided it is installed correctly and receives adequate preventative maintenance it should give years of trouble –free service

Abusive behaviour and accidental damage to the product are not covered by this guarantee.

The extent of this liability is limited to the cost of the replacement of the defective item and not to fitting or consequential damages.

Description	Minimum Operating Pressure (bar)	Maximum Cold Working Pressure (bar)	Maximum Hot Working Pressure (bar)
857 Bronze Seat	No Minimum Operating Pressure	14.0 bar at temperatures up to 85oC	Not Suitable for Maximum Hot Working Pressure

Care

No regular aesthetic care is required for this product

Maintenance

No regular maintenance is required for this product.

For any further help please contact the Service Support Team on: 0800 1560050.

Regulations

3

3

3

VW1 PISTON WASHER

VW2 PISTON WASHER

VW3 PISTON WASHER

VW4 PISTON WASHER

VW4 PISTON WASHER

It is important to ensure that the water supplies to your fittings are connected in accordance with the water regulations (WRAS) requirements and good plumbing practice.

This product has been designed in accordance with BS1212 part 1 standard.


Code

Barcode

Date To

Price (£) ex VAT

Component	Material
Body	Brass
Body cap	Brass
Lever	Brass
Cotter pin	Brass
Lever nut	Brass
Body union nut	Brass
Tail pipe	Brass
Union nut washer	Fibre
Backnuts	Brass or nylon
Seat	Bronze
Piston	Brass
Piston washer	NBR
Cap seal	NBR



1	BC1 BODY CAP	816047 50		013866057540		/01/1900	To Current	£1.84	
1	BC1 BODY CAP	816047	50	13866057540	01	/01/1900	To Current	£1.84	
1	BC1 BODY CAP	816047	50	5013866057540		/01/1900	To Current	£1.84	
1	BC3 BODY CAP	816013	5013866057397		01	/01/1900	To Current	£7.39	
1	BC4 BODY CAP	816014	5013866057403		01	/01/1900	To Current	£18.50	
1	BC5 BODY CAP	816015	50	13866057410	01/01/1900		To Current	£41.87	
1	BC5 BODY CAP	816015	50	13866057410	01/01/1900		To Current	£41.87	
1	BC6 BODY CAP	816016	50	13866057427	01	/01/1900	To Current	£44.33	
1	BC1 BODY CAP	816047	50	13866057540	01	/01/1900	To Current	£1.84	
				2					
Spare Key	Description	Code		Barcode		Date From	Date To	Price (£) ex VAT	
2	P2 PISTON (BRASS)	81620)2	5013866058141		01/01/1900	To Current	£6.15	
2	P2 PISTON (BRASS)	81620)2	5013866058141		01/01/1900	To Current	£6.15	
2	P1 PISTON (NYLON)	81620	00	5013866058127		01/01/1900	To Current	£1.94	
2	P3 PISTON (BRASS)	81621	10	5013866058158		01/01/1900	To Current	£9.64	
2	P4 PISTON (BRONZE)	81601	10	5013866057366	01/01/1900		To Current	£50.46	
2	P5 PISTON (BRONZE)	81601	11	5013866057373		01/01/1900	To Current	£91.08	
2	P5 PISTON (BRONZE)	81601	11 5013866057373		01/01/1900		To Current	£91.08	
2	P6 PISTON (BRONZE)	81601	12	5013866057380		01/01/1900	To Current	£130.48	
2	P2 PISTON (BRASS)	81620)2	2 5013866058141		01/01/1900 To Cu		£6.15	
				3					
Spare Key	Description	Code		Barcode		Date From	Date To	Price (£) ex VAT	
3	VW1 PISTON WASHER	R 8162	20	5013866058165	5	01/01/1900	To Current	£0.75	
3	VW1 PISTON WASHER	R 8162	20	5013866058165	5	01/01/1900	To Current	£0.75	

816220 5013866058165 01/01/1900

5013866058189

5013866058196

01/01/1900

01/01/1900

01/01/1900

01/01/1900

816221 5013866058172

816223 5013866058196

816222

816223

To Current £0.75

To Current £1.49

To Current £4.06

To Current £10.13

To Current £10.13

3	VW5 PISTON WASHER	816225	50138660	58202	01/01/19	00 To Curr	ent £15	5.52
3	VW1 PISTON WASHER	816220	50138660	58165	01/01/19	00 To Curr	ent £0.	75
			4					
Spare Key	Description		Code	Barcode	е	Date From	Date To	Price (£) ex
4	ST5 FLOATVALVE SEAT - E	BRONZE	816030	501386	6057496	01/01/1900	To Current	£4.06
4	ST5 FLOATVALVE SEAT - E (1/8)	BRONZE	816030	501386	6057496	01/01/1900	To Current	£4.06
4	ST5 FLOATVALVE SEAT - E (1/8)	BRONZE	816030	501386	6057496	01/01/1900	To Current	£4.06
4	ST9 FLOATVALVE SEAT - E (1/4)	BRONZE	816031	501386	6057502	01/01/1900	To Current	£5.91
4	ST13 FLOATVALVE SEAT - (3/8)	BRONZE	816032	501386	6057519	01/01/1900	To Current	£13.93
4	ST15 FLOATVALVE SEAT - (3/4)	BRONZE	816023	501386	6057472	01/01/1900	To Current	£34.34
4	ST15 FLOATVALVE SEAT - (3/4)	BRONZE	816023	501386	6057472	01/01/1900	To Current	£34.34
4	ST17 FLOATVALVE SEAT - (1)	BRONZE	816035	501386	6057533	01/01/1900	To Current	£52.53
4	ST5 FLOATVALVE SEAT - E (1/8)	BRONZE	816030	501386	6057496	01/01/1900	To Current	£4.06
			5					
Spare Key	Description	Code	Barcode		Date From			e (£) ex VAT
5	SW17 SEAT WASHER	816090	501386605		01/01/190			
5	SW17 SEAT WASHER	816090	501386605	7649	01/01/190	00 To Curre	ent £0.	75
5	SW17 SEAT WASHER	816090	501386605	7649	01/01/190	00 To Curre	ent £0.	75
5	SW18 SEAT WASHER	816091	501386605	7656	01/01/190	00 To Curre	ent £0.9	95
5	SW19 SEAT WASHER	816092	501386605	7663	01/01/190	00 To Curre	ent £1.	72
5	SW20 SEAT WASHER	816093	501386605	7670	01/01/190	00 To Curre	ent £3.	11
5	SW21 SEAT WASHER	816094	501386605	7687	01/01/190	00 To Curre	ent £3.	70
5	SW22 SEAT WASHER	816095	501386605	7694	01/01/190	00 To Curre	ent £5.9	91
5	SW17 SEAT WASHER	816090	501386605	7649	01/01/190	00 To Curre	ent £0.	75
			6					
Spare Key	Description	Code	Barcode		Date Fr			ice (£) ex VA
6	CTP1 SPLIT COTTER PIN				01/01/1			.72
6	CTP1 SPLIT COTTER PIN				01/01/1			.72
6	CTP1 SPLIT COTTER PIN				01/01/1			.72
6	CTP3 SPLIT COTTER PIN	816241	1 5013866	058288	01/01/1	900 To Cur	rent £1	.84
6	CTP4 SPLIT COTTER PIN	816242	2 5013866	058295	01/01/1	900 To Cur	rent £2	.55
6	CTP5 SPLIT COTTER PIN	816243	3 5013866	058301	01/01/1	900 To Cur	rent £1	1.55
6	CTP5 SPLIT COTTER PIN	816243	3 5013866	058301	01/01/1	900 To Cur	rent £1	1.55
6	CTP6 SPLIT COTTER PIN	816245	5 5013866	058318	01/01/1	900 To Cur	rent £1	2.34
6	CTP1 SPLIT COTTER PIN	816240	5013866	058271	01/01/1	900 To Cur	rent £1	.72
			7					
Spare Key	Description		Code	Barco		Date From	Date To	VAT
7	LA1 FLOATVALVE LEVER A ASSEMBLY		816060		866057564	01/01/1900	Current	£6.43
7	LA6 FLOATVALVE LEVER A ASSEMBLY LA1 FLOATVALVE LEVER A		816065 816060		366057588 366057564	01/01/1900	Current	£7.39
7	ASSEMBLY LA2 FLOATVALVE LEVER A		816060 816061		366057564 366057571	01/01/1900	Current	£9.64
7	ASSEMBLY LA9 FLOATVALVE LEVER A		816073		366057618	01/01/1900	Current	£49.21
7	ASSEMBLY LA10 FLOATVALVE LEVER		816074		366057625	01/01/1900	Current	£64.01
7	ASSEMBLY LA10 FLOATVALVE LEVER		816074		866057625	01/01/1900	Current	£64.01
7	ASSEMBLY LA11 FLOATVALVE LEVER	ARM	816075	50138	366057632	01/01/1900		£93.57
	ASSEMBLY						Current	
7	LA6 FLOATVALVE LEVER A	RM	816065	50138	866057588	01/01/1900	То	£7.39

ASSEMBLY Current

Pegler Yorkshire Group Ltd, St Catherine's Ave, Doncaster, S Yorkshire, DN4 8DF
Telephone: Phone +44 (0) 844 243 4400 Fax: +44 (0) 844 243 9870 Website: www.pegleryorkshire.co.uk
Registered office: Pegler Yorkshire Group Ltd, St Catherine's Ave, Doncaster, S Yorkshire, DN4 8DF Company no: 00401507



FLOW RATE & SIZE SELECTION CHART (GPM)												
	Sta Pres		BS 1212 PART 1 Seat Bore Size									
	P.S.I.	Feet	1/8"	1/4"	3/8"	1/2"	5/8"	3/4"	¹⁵ / ₁₆ "	1"	11/4"	
	0.5	1.15	0.20	0.82	1.84	3.28	5.12	7.37	11.50	13.10	20.50	
	1.0	2.30	0.29	1.16	2.61	4.65	7.25	10.40	16.30	18.60	29.00	
	2.0	4.60	0.41	1.65	3.69	6.57	10.30	14.80	23.10	26.30	41.00	
	4.0	9.20	0.58	2.33	5.22	9.29	14.50	20.90	32.60	37.10	58.00	
LOW	7.0	16.10	0.77	3.08	6.90	12.30	19.20	27.60	43.20	49.10	77.00	
PRESSURE	10.0	23.10	0.92	3.69	8.27	14.70	23.00	33.10	51.70	58.90	92.00	
	15.0	34.60	1.13	4.52	10.10	18.00	28.20	40.50	63.40	72.00	113.00	
	20.0	46.20	1.31	5.22	11.70	20.80	32.50	46.80	73.00	83.00	130.00	
	25.0	57.70	1.46	5.82	13.00	23.20	36.30	52.30	82.00	93.00	145.00	
	30.0	69.30	1.60	6.40	14.30	25.50	39.80	57.30	90.00	102.00	159.00	
	35.0	80.80	1.73	6.90	15.50	27.50	43.00	62.00	97.00	110.00	172.00	
	40.0	92.40	1.85	7.38	16.50	29.50	46.00	66.00	103.00	118.00	184.00	
	50.0	115.00	2.06	8.24	18.50	32.80	51.00	74.00	115.00	131.00	205.00	
	60.0	138.00	2.26	9.02	20.20	36.00	56.00	81.00	125.00	144.00	225.00	
MEDIUM	70.0	161.00	2.44	9.74	21.80	38.80	61.00	87.00	136.00	155.00	243.00	
PRESSURE	80.0	184.00	2.60	10.40	23.30	41.50	65.00	93.00	146.00	166.00	260.00	
	90.0	207.00	2.76	11.00	24.70	44.00	69.00	99.00	155.00	176.00	275.00	
	100.0	231.00	2.92	11.60	26.10	46.50	73.00	105.00	163.00	186.00	291.00	
	110.0	254.00	3.06	12.20	27.40	48.80	76.00	109.00	172.00	195.00	305.00	
	125.0	289.00	3.26	13.10	29.20	52.10	81.00	117.00	183.00	208.00	325.00	
HIGH	150.0	346.00	3.58	14.30	32.00	57.10	89.00	128.00	200.00	228.00	356.00	
PRESSURE	175.0	404.00	3.86	15.40	34.60	61.60	96.00	138.00	216.00	246.00	385.00	
	200.0	462.00	4.13	16.50	37.00	65.90	103.00	148.00	231.00	267.00	412.00	

Flow Rate and Size Selection Chart general Notes:

The discharge through a floatvalve is governed by the running pressure maintained at its inlet. In practice this is difficult to measure and so the tables shown indicate the 'estimated' flow rate in G.P.M. that will occur at various static heads for each size of floatvalve or for each size of seat in floatvalves that accept a variety of seat sizes. The flow rates quoted will only occur when the floatvalve is fully open and will reduce as the water level in the tank rises. Excessive pipe runs to the floatvalve will result in lower running pressures and thus reduced flow rates.



				Piston	Backnut	Seat	Tail	Lever	Recommend	led Float Size	Weight
		Patt. No.	Size	Material	Material	Bore	Length	Length	Copper	Plastic	Approx kg
		857 N	1/2"	Nylon	Brass	No. 3 (1/8")	11/4"	83/4"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.39
		857 N-Z	1/2"	Nylon	Nylon	No. 3 (1/8")	11/4"	83/4"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.34
		857 N-S	1/2"	Nylon	Brass	No. 5 (³ / ₁₆ ")	11/4"	83/4"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.39
		857 N-Y	1/2"	Brass	Brass	No. 3 (1/ ₈ ")	11/4"	83/4"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.42
	NYLON	857 N-X	1/2"	Nylon	Brass	No 3 (1/ ₈ ")	11/4"	101/2"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.41
	SEAT	857 N-W	1/2"	Nylon	Brass	No. 3 (1/8")	1 ⁷ / ₈ "	101/2"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.43
		857 N-V	1/2"	Brass	Brass	No. 3 (1/ ₈ ")	17/8"	101/2"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.48
		857 N-U	1/2"	Nylon	Brass	No. 3 (1/ ₈ ")	21/2"	101/2"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.45
		857 N	3/4"	Brass	Brass	No. 6 (1/ ₄ ")	11/4"	13"	51/ ₂ " x ⁵ / ₁₆ "W	5" x ⁵ / ₁₆ "W	0.90
HIGH		857 N	1"	Bronze	Brass	No. 9 (³ / ₈ ")	11/2"	16"	6" x ⁷ / ₁₆ "W	6" x ⁷ / ₁₆ "W	1.67
PRESSURE		857 B-Y	1/2"	Brass	Brass	No. 3 (1/ ₈ ")	11/4"	83/4"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.43
	BRONZE	857 B-V	1/2"	Brass	Brass	No. 3 (1/ ₈ ")	1 ⁷ / ₈ "	101/2"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.47
	SEAT	857 B	3/4"	Brass	Brass	No. 6(1/ ₄ ")	11/4"	13"	51/2" x 5/16"W	5" x ⁵ / ₁₆ "W	0.92
		857 B	1"	Bronze	Brass	No. 9 (³ / ₈ ")	11/2"	16"	6" x ⁷ / ₁₆ "W	6" x ⁷ / ₁₆ "W	1.69
		857 B	11/4"	Bronze	Bronze	No. 19 (³ / ₄ ")	1 ⁷ / ₈ "	221/2"	8" x ⁹ / ₁₆ "W	10" x ⁹ / ₁₆ "W	3.78
		857 B	11/2"	Bronze	Bronze	No. 19 (³ / ₄ ")	1 ⁷ / ₈ "	221/2"	10" x ⁹ / ₁₆ "W	10" x ⁹ / ₁₆ "W	3.90
		857 B	2"	Bronze	Bronze	No. 25 (1")	21/8"	29"	12" x ⁵ / ₈ "W	12" x ⁵ / ₈ "W	6.76
		859 N	1/2"	Brass	Brass	No. 9 (³ / ₈ ")	11/4"	83/4"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.50
LOW	NYLON	859 N-V	1/2"	Brass	Brass	No. 9 (³ / ₈ ")	1 ⁷ / ₈ "	101/2"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.53
PRESSURE	SEAT	859 N	3/4"	Brass	Brass	No. 13 (1/2")	11/4"	13"	5 ¹ / ₂ " x ⁵ / ₁₆ "W	5" x ⁵ / ₁₆ "W	0.90
		859 N	1"	Bronze	Brass	No. 16 (5/8")	11/2"	16"	6" x ⁷ / ₁₆ "W	6" x ⁷ / ₁₆ "W	1.67
	BRONZE SEAT	859 B	1/2"	Brass	Brass	No. 9 (3/8")	11/4"	83/4"	4 ¹ / ₂ " x ⁵ / ₁₆ "W	4 ¹ / ₂ " x ⁵ / ₁₆ "W	0.42

Note: It is normal practice to consider the 857 as a high pressure floatvalve and the 859 as a low pressure. It is, however, possible to use a low pressure valve at high pressures provided an appropriate float is used to ensure shut off at the higher pressure. Similarly, a high pressure valve can be used at low pressures provided the resulting lower flow rates are acceptable. Where two seat size options exist for different sizes of floatvalve, select the smaller size of floatvalve if the flow rate through the seat is more than 5% in excess of the flow required.