

Productname : LEAK FINDER|PMUC
Ref.Nr.: BDS000591_3_20111010

Creationdate : 10.10.11 Version : 1.0
Replaces: AB14501

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LEAK FINDER PMUC
Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Gas leak detector

1.3. Details of the supplier of the safety data sheet

CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele
Belgium
Tel.: +32(0)52/45.60.11
Fax.: +32(0)52/45.00.34
E-mail : hse@crcind.com

Subsidiaries		Tel	Fax
CRC Industries Finland Oy	Asemanrinne 13, 08500 Lohja as.	00358/(19)32.921	00358/(19)383.676
CRC Industries France	6, avenue du marais, B.P. 90028, 95102 Argenteuil Cedex	01.34.11.20.00	01.34.11.09.96
CRC Industries Deutschland GmbH	Südring 9, D-76473 Iffezheim	(07229) 303.0	(07229)30 32 66
CRC INDUSTRIES IBERIA S.L.U.	GREMIO DEL CUERO-PARC.96, POLIGONO INDUSTRI. DE HONTORIA, 40195 SEGOVIA	0034/921.427.546	0034/921.436.270
CRC Industries Sweden	Kryptongatan 14, 431 53 Mölndal	0046/31 706 84 80	0046/31 27 39 91

1.4. Emergency telephone number

CRC Industries Europe, Belgium: Tel.: +32(0)52/45.60.11 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC:

Health:	not classified
Physical:	not classified
Environment:	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



Safety Data Sheet

Regulation EC No 1907/2006 Art.31

Productname : LEAK FINDER|PMUC
Ref.Nr.: BDS000591_3_20111010

Creationdate : 10.10.11 Version : 1.0
Replaces: AB14501

2.2. Label elements

Risk-phrase(s) : R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety-phrase(s) : S2: Keep out of the reach of children.
S23: Do not breathe vapours/spray.
S24/25: Avoid contact with skin and eyes.
S35: This material and its container must be disposed of in a safe way.
S51: Use only in well-ventilated areas.

Extra label elements according to Aerosol Dispenser Directive 75/324/EC: Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Mixture of water with surfactant, monoethanolamine and preservative

Hazardous ingredient	CAS-nr.	EC-nr	w/w %	symbol	R-phrases*	Notes
dinitrogen oxide	10024-97-2	233-032-0	1-5	-	-	B
2-aminoethanol ethanolamine	141-43-5	205-483-3	<1	C	20/21/22-34	A
Amines, C12-18-alkyldimethyl, N-oxides	68955-55-5	273-281-2	<1	Xi,N	38-41-50	
(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	110-25-8	203-749-3	<2.5	Xi,N	38-41-50/53	
potassium hydroxide; caustic potash	1310-58-3	215-181-3	<0.1	C	22-35	B

Explanation notes

A : substance with Community workplace exposure limit

B : substance with national established workplace exposure limit

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
dinitrogen oxide		10024-97-2	233-032-0	1-5	Oxidising gas, category 1, Gas under pressure*	H270,H280	B
2-aminoethanol ethanolamine		141-43-5	205-483-3	<1	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B	H332,H312,H302,H314	A
potassium hydroxide; caustic potash		1310-58-3	215-181-3	<0.1	Acute Tox. 4, Skin Corr. 1A	H302,H314	B

Explanation notes

A : substance with Community workplace exposure limit

B : substance with national established workplace exposure limit

(* Explanation phrases : see chapter 16)



CRC Industries Europe bvba

Touwslagerstraat 1, 9240 Zele – Belgium
Tel (+32) (0) 52 / 45 60 11 – Fax (+32) (0) 52 / 45 00 34 – www.crcind.com

Productname : LEAK FINDER|PMUC
Ref.Nr.: BDS000591_3_20111010

Creationdate : 10.10.11 Version : 1.0
Replaces: AB14501

SECTION 4: First aid measures

4.1. Description of first aid measures

Contact with eyes :	If substance has got into eyes, immediately wash out with plenty of water
Contact with skin :	Wash with water and soap.
Inhalation :	Fresh air, keep warm and at rest.
Ingestion :	Ingestion is unlikely to occur If swallowed accidentally, do not induce vomiting and seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation :	No adverse health effects expected
Ingestion :	May cause gastrointestinal disturbances Symptoms : sore throat, abdominal pain, nausea, vomiting
Skin contact :	Repeated exposure may cause skin dryness or cracking.
Eye contact :	No adverse health effects expected

4.3. Indication of any immediate medical attention and special treatment needed

General Advice :	In case of accident or if you feel unwell, seek medical advice (show the label where possible) If symptoms persist always call a doctor
-------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

water, foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C
Forms hazardous decomposition products
CO,CO2

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water
In case of fire, do not breathe fumes

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources
Ensure adequate ventilation



Productname : LEAK FINDER|PMUC
Ref.Nr.: BDS000591_3_20111010

Creationdate : 10.10.11 Version : 1.0
Replaces: AB14501

Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material
Wash spill site with water and detergent

6.4. Reference to other sections

For further information see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition
Do not spray on a naked flame or incandescent material.
Do not pierce or burn aerosols, even after use.
Do not breathe aerosols or vapours.
Ensure adequate ventilation
Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.
Store in a well-ventilated place.
Store frost free
Keep out of reach of children.

7.3. Specific end use(s)

Gas leak detector

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits :

Hazardous ingredient	CAS-nr.	method	
EU established exposure limits:			
2-aminoethanol ethanolamine	141-43-5	TWA	1 ppm



CRC Industries Europe bvba

Touwslagerstraat 1, 9240 Zele – Belgium
Tel (+32) (0) 52 / 45 60 11 – Fax (+32) (0) 52 / 45 00 34 – www.crcind.com

Productname : LEAK FINDER|PMUC
Ref.Nr.: BDS000591_3_20111010

Creationdate : 10.10.11 Version : 1.0
Replaces: AB14501

		STEL	3 ppm
National established exposure limits, United Kingdom			
dinitrogen oxide	10024-97-2	TWA	100 ppm
2-aminoethanol ethanolamine	141-43-5	TWA	1 ppm
		STEL	3 ppm

8.2. Exposure controls

Control procedures :	Ensure adequate ventilation Keep away from heat and sources of ignition
Personal protection :	Take precautions to avoid contact with skin and eyes when handling the product. Ensure adequate ventilation
inhalation :	In case of insufficient ventilation, wear suitable respiratory equipment. Air purifying respirator equipped with organic gas/vapor cartridge (type A or AX)
hands and skin :	Wear suitable protective gloves against chemicals (neoprene)
eyes :	Wear safety goggles.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Apperance : physical state :	N2O propelled liquid.
colour :	Colourless to yellow.
odour :	Neutral.
pH :	7.5 - 8.0
Boiling point/range :	100 °C
Flash point :	None
Evaporation rate :	Not applicable.
Explosion limits : upper limit :	Not available.
lower limit :	Not available.
Vapour pressure :	Not available.
Relative density :	1.00 g/cm3 (@ 20°C).
Solubility in water :	Soluble in water
Auto-ignition :	> 200 °C
Viscosity :	Not available.

9.2. Other information

VOC: 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purpose



Productname : LEAK FINDER|PMUC
Ref.Nr.: BDS000591_3_20111010

Creationdate : 10.10.11 Version : 1.0
Replaces: AB14501

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Avoid overheating
Store frost-free

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO2

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation :	No adverse health effects expected
Ingestion :	Ingestion is unlikely to occur
Skin contact :	Repeated exposure may cause skin dryness or cracking.
Eye contact :	No adverse health effects expected

Toxicological data :

No information available

SECTION 12: Ecological information

12.1. Toxicity

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Ecotoxicological data:

No information available

12.2. Persistence and degradability



Productname : LEAK FINDER|PMUC
Ref.Nr.: BDS000591_3_20111010

Creationdate : 10.10.11 Version : 1.0
Replaces: AB14501

No experimental data available

12.3. Bioaccumulative potential

No experimental data available

12.4. Mobility in soil

Soluble in water

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product : This material and its container must be disposed of in a safe way.
Do not discharge into drains or the environment, dispose to an authorised waste collection point.

Contaminated packaging : Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information

14.1. UN number

UN-number : 1950

14.2. UN proper shipping name

Proper shipping name: AEROSOLS

14.3. Transport hazard class(es)

Class: 2.2
Subsidiary risk: 5.1
ADR/RID - Classification code: 5O

14.4. Packing group

Packing group: Not applicable.

14.5. Environmental hazards



Productname : LEAK FINDER|PMUC
Ref.Nr.: BDS000591_3_20111010

Creationdate : 10.10.11 Version : 1.0
Replaces: AB14501

ADR/RID - Environmentally
hazardous: No
IMDG - Marine pollutant: No
IATA/ICAO - Environmentally
hazardous: No

14.6. Special precautions for user

ADR/RID - Tunnelcode: (E)
IMDG - Ems: F-D, S-U
IATA/ICAO - PAX: 203
IATA/ICAO - CAO: 203

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.
Dir. 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.
EU-directive 99/45/EC
Regulation (EC) No 1907/2006 (REACH)

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

*Explanation risk-phrases: R22: Harmful if swallowed.
R34: Causes burns.
R35: Causes severe burns.
R38: Irritating to skin.
R41: Risk of serious damage to eyes.
R50: Very toxic to aquatic organisms.
R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

*Explanation hazard statements: H270 : May cause or intensify fire; oxidiser.
H280 : Contains gas under pressure; may explode if heated.
H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.
H314 : Causes severe skin burns and eye damage.
H332 : Harmful if inhaled.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.



Safety Data Sheet

Regulation EC No 1907/2006 Art.31

Productname : LEAK FINDER|PMUC
Ref.Nr.: BDS000591_3_20111010

Creationdate : 10.10.11 Version : 1.0
Replaces: AB14501

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.



CRC Industries Europe bvba

Touwslagerstraat 1, 9240 Zele – Belgium

Tel (+32) (0) 52 / 45 60 11 – Fax (+32) (0) 52 / 45 00 34 – www.crcind.com

9 / 9