Note: This datasheet may be out of date.

Please download the latest datasheet of XRCGB24M000F3A00R0 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=XRCGB24M000F3A00R0

## XRCGB24M000F3A00R0












### Appearance & Shape







The crystal unit for automotive electronics that realized small package and highly accurate frequency.

Based on Murata's excellent package technology and high grade quartz crystal elements, achieving small size and high accuracy unit.

#### Features

- 1. The series has high reliability and is available for a wide temperature range.
- 2. The crystal unit is small size  $(2.0 \times 1.6 \times 0.7 \text{ (mm)})$ , and contribute to reduction in mounting area.
- 3. The series complies to RoHS and ELV directives, being lead-free (phase 3).
- 4. The series complies to AEC-Q200.

# Applications

Automotive Usage		Powertrain/Safety
Other Usage	:	Automotive



## Packaging Information

Packaging	Specifications	Minimum Order Quantity
R0	180mm Plastic Tape	3000

1 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before or ordering.

2. This detailed has calculated the control of t

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: http://www.murata.com/

Last updated :2017/01/27



Note: This datasheet may be out of date.  $\underline{ Please \ download \ the \ latest \ data sheet \ of \ XRCGB24M000F3A00R0 \ from \ the \ official \ website \ of \ Murata}$ 

 $\label{lem:manufacturing} \underline{\text{Co., Ltd.}} \\ \text{http://www.murata.com/en-us/products/productdetail?partno=XRCGB24M000F3A00R0} \\$ 

## XRCGB24M000F3A00R0



Туре	HCR2016
Frequency	24.0000MHz
Frequency Tolerance	±30ppm max. (25±3℃)
Operating Temperature Range	-40°C to 125°C
Frequency Shift by Temperature	±35ppm max.
Frequency Aging	±2ppm max./year
Wash	Not avairable
Load Capacitance	6pF
Equivalent Series Resistance(max.)	120Ω
Drive Level(max.)	300µW
Shape	SMD

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




URL: http://www.murata.com/

Note: This datasheet may be out of date.

 $\underline{ Please \ download \ the \ latest \ data sheet \ of \ XRCGB24M000F3A00R0 \ from \ the \ official \ website \ of \ Murata}$  $\underline{\text{Manufacturing Co., Ltd.}} \\ \text{http://www.murata.com/en-us/products/productdetail?partno=XRCGB24M000F3A00R0} \\$ 

## XRCGB24M000F3A00R0





Temperature Characteristics

3 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

