


Product Search Data Sheet

XRCGB27M120F2P10R0



Appearance & Shape







The crystal unit that realized small package and highly accurate frequency.

Based on Murata's excellent package technology and high grade quartz crystal elements, achieving small size and high accuracy resonators.

Features

1. The series is available in the applications to be necessary for high accuracy resonator. Especially, it is the best for the communication clocks such as S-ATAand USB2.0.

2. The resonator is extremerly small size (2.0 x 1.6 x 0.7 (mm)), and contribute to reduction in mounting area. 3. The series complies to RoHS directive, being lead-free (phase 3).



Other Usage

Consumer

Packaging Information

Packaging	Specifications	Minimum Order Quantity
R0	180mm Plastic Tape	3000

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date. Please download the latest datasheet of XRCGB27M120F2P10R0 from the official website of Murata Manufacturing Co., Ltd. uctdetail?partno=XRCGB27M120F2P10R0



Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of XRCGB27M120F2P10R0 from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en/products/productdetail?partno=XRCGB27M120F2P10R0

XRCGB27M120F2P10R0

Specifications

Product Type	Crystal Unit	
Series	XRCGB	
Туре	HCR2016	
Frequency	27.1200MHz	
Frequency Tolerance	+/-20ppm max. (25+/-3°C)	
Operating Temperature Range	-30°C to 85°C	
Frequency Shift by Temperature	+/-20ppm max.	
Frequency Aging	+/-5ppm max./year	
Equivalent Series Resistance (ESR)	80ohm max.	
Drive Level (DL)	150µW (300µW max.)	
Load Capacitance (Cs)	10pF	
Shape	SMD	
Wash	Not available	
L x W (size)	2.0x1.6mm	

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention




Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of XRCGB27M120F2P10R0 from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en/pro cts/productdetail?partno=XRCGB27M120F2P10R0

XRCGB27M120F2P10R0





Temperature Characteristics

3 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention