



Bestückungsplan / contact layout




M / scale 1:1



■ = bestückt / assemble

Lochbild für Leiterplatte board hole pattern (Bestückungsseite) (component mounting side)



- 1) $\phi 0.6 \pm 0.05$ Durchmesser des metallisierten Loches
- $\phi 0.6 \pm 0.05$ Diameter of finished plated-through hole

Schichtaufbau im metallisierten Loch siehe Zeichnung 164062 Nr.1
Metal plating of plating-through hole according to 164062 No.1

Fehlende Maße und Angaben nach IEC 61076-4-101
Missing information and dimensions per 61076-4-101

<p>Information: Abschirmblech Reihe f montiert / shielding row f mounted Anforderungsstufe 2 / class 2</p> <p>All rights reserved. Only for Information. To ensure that this is the latest version of this drawing, please contact one of the ERNI companies before using.</p>	<p>Tolerances</p> <p>All Dimensions in mm</p>	<p>Scale 2:1</p>	<p>Designation</p> <p>ERmet-FS Federleiste B22 <i>ERmet-Female Straight Type B22</i></p>
<p>f</p>	<p>01.02.2018</p>	<p>Class</p>	<p>ERMB22</p>
<p>Index</p>	<p>Date</p>	<p>Class</p>	<p>ERMB22</p>

Copyright by ERNI Production GmbH & Co. KG
Proprietary notice pursuant to ISO 16016 to be observed.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[114134](#) [114134-E](#)