

PF 32.000 EMC Filterfan PFA 30.000 EMC Exhaust filter




- Installation size 3, air flow rate up to 125 m³/h
- Secure contact due to improved contact springs on the screen grid
- System of protection IP 54 and IP 55, NEMA type 12
- UL, cUL approval
- UV-resistance (IP 55 version)

Data	PF 32.000 EMC					Unit	
Article number	IP 54	11832101055	11832151055	11832851055	11832801055	11832701055	
	IP 55	11832103055	11832153055	11832853055	11832803055	11832703055	
Rated voltage ± 10 %	AC 50 Hz / 60 Hz		DC			V	
		230	115	12	24		48
Unimpeded airflow	IP 54	110 / 125				m ³ /h	
	IP 55	100 / 110					
Air flow rate in combination (PF + PFA 30.000 EMC)	IP 54	82 / 93					
	IP 55	55 / 64					
Power consumption		19 / 18	20 / 20	5	5	5	W
Current consumption		0.12 / 0.18	0.24 / 0.23	0.42	0.21	0.1	A
Noise level (according to EN ISO 3741)	IP 54	40 / 40				dB(A)	
	IP 55	40					
Weight		0.96		0.7		kg	
Type of connection		terminal strip		cable, 2-core, length 310 mm			
Fuse		6				A	
System of protection according to EN 60529 / UL 50	IP 54	NEMA type 12 - standard filter					
	IP 55	NEMA type 12 - fluted filter					
Filtration efficiency	IP 54	88				%	
	IP 55	91					
Filter mat quality class ¹	IP 54	G 3					
	IP 55	G 4					
Duty cycle		100				%	
Bearing type		sleeve bearing		ball bearing			
Service life L ₁₀ (+ 40 °C) ²		37500	40000	62500		h	
Temperature range		- 15 ... + 55 / + 5 ... + 131				°C / °F	
Design (housing and protection against accidental contact)	IP 54	made of injection-moulded thermoplastic, self-extinguishing, UL 94 VO					
	IP 55	additional: UV-resistant					
EMC screen		stainless steel					
Colour		RAL 7035 ³					
Accessories		Piece	Article number		Information on page		
Exhaust filter PFA 30.000 EMC	IP 54	1	11930001055		149		
	IP 55	1	11930003055		149		
Thermostat		1	17121000000		149		

¹ according to DIN EN 779
² fan failure is defined as being when the current and speed deviate or the operating noises are out of the ordinary
³ different colours available on request
 Approvals see page 111


Cooling capacity performance curve

PF 32.000 EMC IP 54




Static pressure performance curves


PF 32.000 EMC IP 54



PF 32.000 EMC IP 55




PF 32.000 EMC IP 55



Dimensions

mm	PF 32.000 EMC	PFA 30.000 EMC	
	AC	DC	
X	202	202	202
Y	202	202	202
Z1	6	6	6
Z2	87	81	34
A	178	178	178
B	178	178	178



Further information on the EMC Filterfans (EMC series) can be found on page 146.