

Features

- Polypropylene
- Direct load output
- Top or bottom mount
- IP67
- 300mm UL 1007 lead
- Food safe

RS PRO Miniature Vertical Float Switch

RS Stock No.: 519-242



RS PRO is the own brand of RS. The RS PRO Seal of Approval is your assurance of professional quality, a guarantee that every part is rigorously tested, inspected, and audited against demanding standards. Making RS PRO the Smart Choice for our customers.

Product Description

A food safe Polypropylene float switch ideal for water dispensers, tank monitoring systems, vending machines, coffee machines and printing machines.

General Specifications

Device Type	Float
Contact Form	A
Switch Output	Direct Load
Body Material	Polypropylene
For Use With	Water dispensers, tank monitoring systems, vending machines, coffee machines and printing machines

Electrical Specifications

Maximum AC Voltage	140V
Maximum DC Voltage	200V
Maximum Current	1A

Mechanical Specifications

Mounting Type	Vertical
Cable Length	300mm
Total Length	43mm
Float Diameter	24mm

Protection Category


IP Rating	IP67
-----------	------

Operation Environment Specifications

Minimum Operating Temperature	-20°C
Maximum Operating Temperature	+80°C
Storage Temperature	-30°C to 80°C

Dimensions

in mm



Operating diagram

