

# NUCLEO-8XXXXRX

### STM8 Nucleo-64 boards

#### Data brief


#### Features

- STM8 microcontroller in LQFP64 package
- Flash memory size:
  - 64 Kbytes for STM8L152R8T6
  - 128 Kbytes for STM8S208RBT6
- 4 LEDs
  - USB communication (LD4)
  - 5 V STLINK (LD3)
  - User (LD2)
  - Power (LD1)
- 2 push-buttons: USER and RESET
- 32.768 kHz LSE crystal oscillator for the NUCLEO-8L152R8 only
- Board expansion connectors:
  - Arduino<sup>™</sup> Uno V3
  - ST morpho extension pin headers for full access to all STM8 I/Os

- Flexible board power-supply:
  - USB V<sub>BUS</sub> or external source (3.3 V, 5 V, 7 12 V)
  - Power management access point
- On-board ST-LINK/V2-1 debugger and programmer with SWIM connector
- USB re-enumeration capability.
  Three different interfaces supported: Virtual COM port, mass storage, debug port
- Comprehensive free software STM8 libraries including a variety of software examples
- Support of a wide choice of Integrated Development Environments (IDEs) including STMicroelectronics free STVD-STM8 (using Cosmic toolchain), IAR™, Cosmic free IDEA

#### Table 1. Device summary

| Reference      | Part number                     |
|----------------|---------------------------------|
| NUCLEO-8XXXXRX | NUCLEO-8S208RB, NUCLEO-8L152R8. |



Pictures are not contractual.

#### May 2018

DB3591 Rev 1

1/5

### Description

The STM8 Nucleo-64 boards provide an affordable and flexible way for users to try out new concepts and build prototypes with the LQFP64-packaged STM8 microcontroller, which provides various combinations of performance, power consumption and features.

The Arduino<sup>™</sup> Uno V3 connectivity support, and the ST morpho headers allow easy expansion of the Nucleo open development platform functionality with a wide choice of specialized shields.

The STM8 Nucleo-64 boards do not require any separate probe as they integrate the ST-LINK/V2-1 debugger and programmer.

### System requirements

- Windows<sup>®</sup> OS (7, 8 and 10)
- USB Type-A to Micro-B cable

### **Development toolchains**

- STMicroelectronics: free STVD-STM8 (using Cosmic toolchain)
- IAR<sup>™</sup>: IAR-EWSTM8
- Cosmic: free IDEA

### **Demonstration software**

The demonstration software, included in the STM8CubeMX package, is preloaded in the STM8 Flash memory for easy demonstration of the device peripherals in standalone mode. The latest versions of the demonstration source code and associated documentation can be downloaded from the www.st.com/stm8nucleo website.



## **Ordering information**

To order a STM8 Nucleo-64 board, refer to Table 2.

| Table | 2. | Ordering | information |
|-------|----|----------|-------------|
|-------|----|----------|-------------|

| Order code     | Targeted STM32 |
|----------------|----------------|
| NUCLEO-8S208RB | STM8S208RBT6   |
| NUCLEO-8L152R8 | STM8L152R8T6   |

The meaning of the codification is explained in Table 3.

| Table 3. | Codification | explanation |
|----------|--------------|-------------|
|----------|--------------|-------------|

| NUCLEO-TXXXRY-P | Description   | Example: NUCLEO-8L152R8 |
|-----------------|---|-------------------------|
| TXXXX           | STM8 product line   | 8L152                   |
| R               | STM8 package pin count  | 64 pins                 |
| Y               | STM8 Flash memory size:<br>– 8 for 64 Kbytes<br>– B for 128 Kbytes<br>– C for 256 Kbytes<br>– E for 512 Kbytes<br>– G for 1 Mbyte<br>– Z for 192 Kbytes | 64 Kbytes               |

The order code is printed on a sticker placed at the top or bottom of the board.



## **Revision history**

| Date       | Revision | Changes          |
|------------|----------|------------------|
| 3-May-2018 | 1        | Initial release. |

#### Table 4. Document revision history



#### IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics – All rights reserved



DB3591 Rev 1

# **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

STMicroelectronics: NUCLEO-8L152R8 NUCLEO-8S208RB