

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Safety data sheet according to Regulation (EC) 2020/878

Revision date 22/08/2023 Revision Number 1.73

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Non-Silicone Heat Transfer Compound Plus

Product Code(s) HTCP, EHTCP02S, EHTCP20S, EHTCP35SL, EHTCP700G, EHTCP01K,

EHTCP25K, ZE

Safety data sheet number 00518

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Heat Dissipation

Uses advised against No specific uses advised against are identified

**FRANCE** 

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u> <u>Supplier</u>

ELECTROLUBE HK WENTWORTH LIMITED MacDermid Alpha Electronics Solutions ASHBY PARK, COALFIELD WAY, 91540 MENNECY

ASHBY DE LA ZOUCH,

LEICESTERSHIRE LE65 1JR

UNITED KINGDOM +33 (0) 1 82 88 47 94

+44 (0)1530 419600 info@electrolube.com +44 (0)1530 416640 info@electrolube.com

For further information, please contact

E-mail address info@electrolube.com

1.4. Emergency telephone number

Emergency Telephone POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1

809 2166 (08:00 - 22:00)

Emergency Telephone - IN CASE OF EMERGENCY CALL:+44 1865 407333 (24hr, Provided by Carechem 24)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to

## **Non-Silicone Heat Transfer Compound Plus**

Regulation (EC) No. 1272/2008 [CLP]

Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

## 2.2. Label elements



#### Signal word Warning

#### **Hazard statements**

H410 - Very toxic to aquatic life with long lasting effects

## Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

#### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	,	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Aluminium Oxide 1344-28-1	30-60	01-2119529248-35-00 00	215-691-6	-	-	-	-
zinc oxide 1314-13-2	10-30	01-2119463881-32-00 00	215-222-5	Aquatic Chronic 1 (H410) Aquatic Acute 1 (H400)	-	-	-
Diphenylamine 122-39-4	<0.1	No data available	204-539-4	Aquatic Chronic 1 (H410) STOT RE 2 (H373) Aquatic Acute 1 (H400)	-	-	-

Revision	date	22/08/2023

		Acute Tox. 3 (H311)		
		Acute Tox. 3 (H301)		
		Acute Tox. 3 (H331)		

## Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Aluminium Oxide 1344-28-1	5000	No data available	No data available	No data available	No data available
zinc oxide 1314-13-2	5000	2000	5.7	No data available	No data available
Diphenylamine 122-39-4	1120	2000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air.

**Eye contact**Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a doctor.

**Skin contact** Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

**Ingestion** Rinse mouth.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors**Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. **Personal precautions** 

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

See Section 12 for additional Ecological Information. **Environmental precautions** 

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place.

LGK 10. Storage class (TRGS 510)

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

**Exposure Limits** 

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Aluminium Oxide	-	TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1344-28-1		STEL 10 mg/m <sup>3</sup>		TWA: 1.5 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
zinc oxide	-	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	STEL: 10.0 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
1314-13-2			STEL: 10 mg/m <sup>3</sup>	TWA: 5.0 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>
Diphenylamine	-	TWA: 0.7 ppm	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
122-39-4		TWA: 5 mg/m <sup>3</sup>			STEL: 20 mg/m <sup>3</sup>
		STEL 1.4 ppm			
		STEL 10 mg/m <sup>3</sup> H*			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Aluminium Oxide	- Сургаз	TWA: 10.0 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
1344-28-1	_	1 1 VVA. 10.0 mg/m	TWA: 3 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	_
1044 20 1			STEL: 10 mg/m <sup>3</sup>	1 vv/ \. + mg/m	
			STEL: 4 mg/m <sup>3</sup>		
zinc oxide	-	TWA: 2 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
1314-13-2		Ceiling: 5 mg/m <sup>3</sup>	STEL: 8 mg/m <sup>3</sup>		STEL: 10 mg/m <sup>3</sup>
Diphenylamine	-	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
122-39-4		Ceiling: 20 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>	Ĭ	STEL: 10 mg/m <sup>3</sup>
		D*	-		
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Aluminium Oxide	TWA: 10 mg/m <sup>3</sup>	TWA: 1.25 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 52 mg/m <sup>3</sup>
1344-28-1		TWA: 10 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	
zinc oxide	TWA: 5 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
1314-13-2	TWA: 10 mg/m <sup>3</sup>		TWA: 2 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>	
			Peak: 0.4 mg/m <sup>3</sup>		
			Peak: 4 mg/m <sup>3</sup>		
Diphenylamine	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
122-39-4		H*	Peak: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup>	
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Aluminium Oxide	TWA: 10 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
1344-28-1	TWA: 4 mg/m <sup>3</sup>		3		TWA: 2 mg/m <sup>3</sup>
	STEL: 30 mg/m <sup>3</sup>				
	STEL: 12 mg/m <sup>3</sup>				
zinc oxide	TWA: 2 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
1314-13-2	STEL: 10 mg/m <sup>3</sup>		STEL: 10 mg/m <sup>3</sup>		
Diphenylamine	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>	-	STEL: 12 mg/m <sup>3</sup>
122-39-4	STEL: 20 mg/m <sup>3</sup>				TWA: 4 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Aluminium Oxide	-	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>
1344-28-1				STEL: 20 mg/m <sup>3</sup>	TWA: 1.2 mg/m <sup>3</sup>
zinc oxide	-	-	-	TWA: 5 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>
1314-13-2				STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

Diphenylamine 122-39-4		-	-	-		5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>
Chemical name		Portugal	Romania	Slovakia		venia	Spain
Aluminium Oxide 1344-28-1	TW	'A: 1 mg/m³	TWA: 2 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>	- -		TWA: 10 mg/m <sup>3</sup>
zinc oxide	TW	'A: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>		_	TWA: 2 mg/m <sup>3</sup>
1314-13-2	STE	L: 10 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>	Ceiling: 1 mg/m <sup>3</sup>			STEL: 10 mg/m <sup>3</sup>
Diphenylamine 122-39-4	TW	A: 10 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>	-		5 mg/m³ 10 mg/m³ K*	TWA: 10 mg/m <sup>3</sup>
Chemical name		Sı	weden	Switzerland		Uni	ted Kingdom
Aluminium Oxide		NGV:	: 5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	3	TW	'A: 10 mg/m <sup>3</sup>
1344-28-1		NGV:	: 2 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>		TWA: 4 mg/m <sup>3</sup>	
			STEL: 24 mg/m <sup>3</sup>		STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>		
zinc oxide NGV: 5 mg/ 1314-13-2		: 5 mg/m³	TWA: 3 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>			-	
Diphenylamine 122-39-4			KGV: 12 mg/m <sup>3</sup> : 4 mg/m <sup>3</sup>	TWA: 10 mg/m H*	3		/A: 10 mg/m <sup>3</sup> EL: 20 mg/m <sup>3</sup>

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Aluminium Oxide	-	60 μg/g Creatinine	-	-	-
1344-28-1		(urine - Aluminum			
		after end of work			
		day, at the end of a			
		work week/end of			
		the shift)			
		( - )			
Diphenylamine	-	10 g/dL Hemoglobin	-	-	-
122-39-4		(blood - not			
		provided)			
		12 g/dL Hemoglobin			
		(blood - not			
		provided)			
		79 - 97 fL mean			
		corpuscular volume			
		(blood - not			
		provided)			
		3.2 million/µL			
		Erythrocytes (blood -			
		not provided)			
		3.8 million/µL			
		Erythrocytes (blood -			
		not provided)			
		4000 Leukocytes/µL			
		(blood - not			
		provided)			
		13000			
		Leukocytes/µL			
		(blood - not			

	Thr () <=5 tra SGO <=3 tra SGO <=5 tra SGP <=3 tra SGP <=6 trans n <=3 trans	provided) 130000 rombocytes/µL blood - not provided) 150000 rombocytes/µL blood - not provided) 0 U/I ( - Serum ansaminases 0T not provided) 5 U/I ( - Serum ansaminases 0T not provided) 0 U/I ( - Serum ansaminases 0T not provided) 5 U/I ( - Serum ansaminases 0T not provided) 5 U/I ( - Serum ansaminases 0T not provided) 6 U/I ( - Serum ansaminases 0T not provided) 6 U/I ( - Serum ansaminases 0T not provided) 9 U/I ( - Serum aninases GGT ant provided) 9 U/I ( - Serum aninases GGT ant provided) ne - one time		
	(uri	ne - one time		
		yearly urine cytological		
		examination)		
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Aluminium Oxide	-	-	50 μg/g creatinine (urine -	-
1344-28-1			Aluminum after several shifts (for long-term	
			exposures))	
			0.21 µmol/mmol	
			creatinine (urine -	
			Aluminum after several shifts (for long-term	
			exposures))	

## Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
zinc oxide 1314-13-2	-	83 mg/kg bw/day [4] [6]	5 mg/m³ [4] [6] 0.5 mg/m³ [5] [6]
DIPENTAERYTHRITOL 126-58-9	-	3.3 mg/kg bw/day [4] [6]	11.8 mg/m³ [4] [6]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	-	0.08 mg/kg bw/day [4] [6]	0.6 mg/m <sup>3</sup> [4] [6]

Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
zinc oxide 1314-13-2	0.83 mg/kg bw/day [4] [6]	-	2.5 mg/m³ [4] [6]
DIPENTAERYTHRITOL 126-58-9	1.7 mg/kg bw/day [4] [6]	-	2.9 mg/m³ [4] [6]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.04 mg/kg bw/day [4] [6]	-	0.14 mg/m³ [4] [6]

## Predicted No Effect Concentration (PNEC) No information available.

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
zinc oxide 1314-13-2	20.6 μg/L	-	6.1 µg/L	-	-
DIPENTAERYTHRITOL 126-58-9	0.1 mg/L	1 mg/L	0.01 mg/L	-	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.0338 mg/L	0.51 mg/L	0.00338 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Aluminium Oxide 1344-28-1	-	-	20 mg/L	-	-
zinc oxide 1314-13-2	117.8 mg/kg sediment dw	56.5 mg/kg sediment dw	100 μg/L	35.6 mg/kg soil dw	-
DIPENTAERYTHRITOL 126-58-9	-	-	10 mg/L	-	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.446 mg/kg sediment dw	0.0446 mg/kg sediment dw	10 mg/L	1.76 mg/kg soil dw	-

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/face protection** No special protective equipment required.

**Skin and body protection**No special protective equipment required.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Paste
Colour white

Odour No characteristic odour.
Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known Autoignition temperature No data available None known None known

Decomposition temperature pH pH (as aqueous solution)

None known
No data available
No data available
None known
No data available

Kinematic viscosity No data available None known 101-112 Pa s @ 20°C/68°F Dynamic viscosity None known Insoluble in water None known Water solubility Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known 3.0 @ 20°C/68°F Relative density None known

Bulk density No data available Liquid Density No data available

Relative vapour density No data available None known

Particle characteristics

Particle SizeNo information availableParticle Size DistributionNo information available

#### 9.2. Other information

9.2.1. Information with regards to physical hazard classes

Explosive properties Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidizing.

9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid**None known based on information supplied.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

## **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 5,017.70 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapour)
 99,999.00 mg/l

## ATEmix (inhalation-dust/mist) 5.767 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminium Oxide	> 5000 mg/kg (Rat)	-	-
zinc oxide	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5700 mg/m³ (Rat)4 h
Diphenylamine	= 1120 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties**The substance/mixture does not contain components considered to have endocrine

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other information

Other adverse effects No information available.

## SECTION 12: Ecological information

## 12.1. Toxicity

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
zinc oxide	-	LC50: =1.55mg/L (96h,	-	-
		Danio rerio)		
Diphenylamine	EC50: =1.5mg/L (72h,	LC50: 3.47 - 4.14mg/L	-	EC50: 1.69 - 2.46mg/L
	Scenedesmus	(96h, Pimephales		(48h, Daphnia magna)
	subspicatus)	promelas)		

#### 12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

Chemical name	Partition coefficient
Diphenylamine	3.4

#### 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Aluminium Oxide	The substance is not PBT / vPvB PBT assessment does
	not apply
zinc oxide	The substance is not PBT / vPvB PBT assessment does
	not apply

## 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** 

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

D. . . . 40.1

## **SECTION 14: Transport information**

IATA

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (zinc oxide, Diphenylamine)

14.3 Transport hazard class(es)

14.4 Packing group Ш

Description UN3082, Environmentally hazardous substances, liquid, n.o.s. (zinc oxide,

Diphenylamine), 9, III

14.5 Environmental hazards

14.6 Special precautions for user

**Special Provisions** 

**ERG Code** 

A97, A158, A197

IMDG

UN3082 14.1 UN number or ID number

14.2 UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (zinc oxide, Diphenylamine)

14.3 Transport hazard class(es) Ш

14.4 Packing group

UN3082, Environmentally hazardous substances, liquid, n.o.s. (zinc oxide, Description

Diphenylamine), 9, III, Marine pollutant

14.5 Environmental hazards Yes

14.6 Special precautions for user

**Special Provisions** 

**EmS-No** 

274, 335, 969 F-A, S-F

14.7 Maritime transport in bulk

according to IMO instruments

No information available

RID

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (zinc oxide, Diphenylamine)

14.3 Transport hazard class(es)

14.4 Packing group

Description UN3082, Environmentally hazardous substances, liquid, n.o.s. (zinc oxide,

Diphenylamine), 9, III

Yes

14.5 Environmental hazards

14.6 Special precautions for user

**Special Provisions** 

274, 335, 375, 601 M6

Classification code

ADR

14.1 UN number or ID number UN3082

14.2 UN proper shipping name

Environmentally hazardous substances, liquid, n.o.s. (zinc oxide, Diphenylamine)

14.3 Transport hazard class(es)

Ш

14.4 Packing group Description

UN3082, Environmentally hazardous substances, liquid, n.o.s. (zinc oxide,

Diphenylamine), 9, III, (-)

14.5 Environmental hazards

14.6 Special precautions for user

**Special Provisions** 

274, 335, 601, 375

Classification code

M6

**Tunnel restriction code** (-)

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulations

Chemical name	French RG number	
Diphenylamine - 122-39-4	RG 15,RG 15bis	

#### Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name		Restricted substance per REACH	Substance subject to authorisation per
		Annex XVII	REACH Annex XIV
	zinc oxide - 1314-13-2	Use restricted. See item 75.	-
	Diphenylamine - 122-39-4	Use restricted. See item 75.	-

## **Persistent Organic Pollutants**

Not applicable

	Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex	
		Number	
Г	Diphenylamine - 122-39-4	l.1	
	·	l.2	

#### Dangerous substance category per Seveso Directive (2012/18/EU)

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## International Inventories

Contact supplier for inventory compliance status **TSCA DSL/NDSL** Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **KECL** Contact supplier for inventory compliance status **PICCS** AIIC Contact supplier for inventory compliance status **NZIoC** Contact supplier for inventory compliance status

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

# HTCP, EHTCP02S, EHTCP20S, EHTCP35SL, EHTCP700G, EHTCP01K, EHTCP25K, ZE - Non-Silicone Heat Transfer Compound Plus

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

**NZIoC** - New Zealand Inventory of Chemicals

#### 15.2. Chemical safety assessment

Chemical Safety Report No information available

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

+ Sensitisers

Classification procedure	
Classification procedure  Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

# HTCP, EHTCP02S, EHTCP20S, EHTCP35SL, EHTCP700G, EHTCP01K, EHTCP25K, ZE - Non-Silicone Heat Transfer Compound Plus

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

22/08/2023

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**