

# Tork Heavy-Duty Cleaning Cloth



Article	530172
System	W7 - Handy box system
Colour	White
Embossing	No
Folded length	10.5 cm
Folded width	35.5 cm
Ply	1
Print	No
Unfolded length	41.5 cm
Unfolded width	35.5 cm

Heavy-duty tasks demand a cleaning cloth that's strong and absorbent. Our 1-ply Tork Heavy-Duty Cleaning Cloth fits the bill and can be used with most solvents to swiftly tackle oil, grease and liquid spills. Plus, they help to make your workplace greener, as the exelCLEAN® material uses up to 41% less solvent than rags, benefitting both the environment and staff health. Additionally, we've lowered the CO2 emissions for Tork exelCLEAN® by 28% since 2011\*. Workflow efficiency is improved too, thanks to the portable and lightweight Tork Handy Box. \*(Life Cycle Analysis) LCA conducted by Essity and IVL Svenska Miljöinstitutet in April 2021

## Key benefits:

- Quickly and easily get hold of cleaning cloths and save time as the Handy Box's large opening means cloths are easy to access.
- Optimise consumption and minimise waste of cleaning cloths with the one-at-a-time dispensing feature.
- The Handy Box's large opening means cloths are easy to access, even when wearing gloves.
- Improve your operation's sustainability this product packaging is made from 100% recycled fibres.

### **Environmental**

#### Tork exelCLEAN® cloths

This product does not contain any silicone.

Cellulose Pulp Polvester Polypropylene

Functional agents or additives

Raw materials

Cellulose Pulp

Cellulose pulp is produced either from softwood or hardwood coming from responsibly managed forests. The wood chips are boiled together with chemicals to remove the lignin between the fibres. The pulp is TCF (Totally Chlorine Free) or ECF (Elementary Chlorine Free) bleached in order to achieve a clean, bright and strong product, but also to increase the hygienic and absorbent qualities.

**Polyester** 

Polyester fibre is produced from terephthalic acid and ethylene glycol, which react through condensation to polyester resin. The molten resin is spun to fibres through spinnerets and cooled with air. The fibers are then cut to intended fiber length.

Polypropylene

Polypropylene or polypropene is a thermoplastic polymer made from oil. The moten resin is spun to endless fibres through spinnerets and cooled by air. The fibres form a web.

Functional agents and additives

Functional additives could be wet strength agent, antistatic agent and wetting additives/tensides.

**Food Contact** 

This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

**Packaging** 

**Production** 

product

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Article creation date and latest

Date of issue: 01-12-2020 Revision date: 25-08-2022

article revision

This product is produced at SUAMEER mill, NL and certified according to ISO 9001 and ISO 14001

(Environmental management systems).

Disposal/destruction of used

This product is mainly used for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled/disposed of/destructed. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, **United Kingdom** 

This product is certified for FSC® with certificate number SA-COC-008266.

Environmental certification

### Contact

Kirti Mistry Essity UK Ltd E-mail: Kirti.Mistry@essity.com

