Data sheet | Item number: 2009-412

Push-in type wire jumper; insulated; 60 mm long; black

www.wago.com/2009-412

Picture differs from the item.

Color:

Item description

Safety information 1:

Note: Push down the wire jumper until fully inserted.

Data
Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	800 V
Rated surge voltage (III/3)	8 kV
Rated current	18 A

Mechanical data

Wire length of wire jumpers	60 mm

Material data

Color	black

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Weight	2 g

Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4045454302238
Customs tariff number	85444290900

Downloads
Documentation

Bid Text

2009-412	19 lut 2019	xml	Download
X81 - Datei		2.8 kB	
2009-412	28 kwi 2017	doc	Download
doc - Datei		24.6 kB	

Additional Information

Technical explanations	3 kwi 2019	pdf	Download
		2.2 MB	

CAD/CAE-Data
CAE data

WSCAD Universe 2009-412	URL	Download
EPLAN Data Portal 2009-412	URL	Download

Environmental Product Compliance
Compliance Search

Environmental Product Compliance 2009-412	URL	Download
Push-in type wire jumper; insulated; 60 mm long; black		

Subject to changes. Please also observe the further product documentation!

Installation Notes

Commoning

Push down the wire jumper (2009-412) until fully inserted. Lift the jumper with an operating tool for rewiring.

Commoning

Push-in type wire jumpers common terminal blocks over longer distances and across multiple levels.

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.