SAFETY ORGANIZATION(S):

THIS FILTER HAS BEEN FORMALLY RECOGNIZED, CERTIFIED OR APPROVED BY THE LISTED AGENCY. THEREFORE, ALL TEST/REQUIREMENTS SPECIFIED IN THE LATEST REVISION OF THE FOLLOWING AGENCY STANDARDS HAVE BEEN MET.

UL RECOGNIZED CSA CERTIFIED VDE APPROVED

UL 1283 CSA 22.2, NO.0,0.4,8 VDE 565-3

OPERATING SPECIFICATIONS:

LINE VOLTAGE/CURRENT: 20 AMP, 120/250 VAC 20 AMP./40°C, 250 VAC LINE FREQUENCY: 50-60Hz

MAX. LEAKAGE CURRENT, EACH: LINE TO GROUND:

2.0 mA AT 120V 60Hz 3.0 mA at 250V 50Hz

OPERATING AMBIENT TEMP. RANGE: -10°C TO +40°C @ RATED CURRENT, I.

IN AN AMBIENT, To, HIGHER THAN 40°C, THE MAXIMUM OPERATING CURRENT, IO, IS AS FOLLOWS:

$$I_0 = I_r - \sqrt{\frac{85 - T_0}{45}}$$

20AY01

RELIABILITY SPECIFICATIONS:

STORAGE TEMPERATURE: -40°C TO +85°C
HUMIDITY: 21 DAYS @ 40°C 95% RH
CURRENT OVERLOAD TEST: 6 TIMES RATED CURRENT FOR 8 SECONDS

TEST SPECIFICATIONS:

INDUCTANCE: .12 mH NOMINAL CAPACITANCE: (MEASURED 0 1 KHz, 0.25VAC MAX., 25°C±1°C) LINE TO GROUND: 47000pF ±20% LINE TO LINE: 10 µF ±20% DISCHARGE RESISTOR:1500Ka

LINE/GROUND AND LINE/LINE, 6000Ma (MIN) AT 100VDC INSULATION RESISTANCE, 20°C AND 50% RH


RECOMMENDED RECEIVING INSPECTION HIPOT:

LINES TO GROUND: LINE TO LINE:

1500 VAC FOR 1 MINUTE 1450 VDC FOR 1 MINUTE

FILTER APPROVAL:

THE BEST WAY TO SELECT AND QUALIFY A FILTER IS FOR YOUR ENGINEERING TO TEST THE UNIT IN YOUR EQUIPMENT.



۲.					_								
}	50α - 50α (MINIMUM) INSERTION LOSS												
	FREQUENCY MHz	. 15	.5	1.0	5.0	10	30	,				-	
	COMMON	-	7	11	32	23	12						
	DIFF. dB	10	18	24	42	38	23						

·3.35 REF.

3.370 MAX.-

UNLESS OTHERWISE SPECIFIED, TOLERANCE TO BE ±.025 MATERIAL & FINISH: AS SUPPLIED

This document is proprietary to CORCOM INC. and is not to be reproduced nor used for manufacturing purposes except on CORCOM'S prior written consent.



POWER LINE FILTER

DATE: 4-14-94 CATALOS NO. 20AY01 AM CAD NO. 20AY01.00

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: