


Series: Internal Antenna

TECHNICAL DATA SHEET

Description: ISM 868/915MHz PCB Antenna

with coax feed

PART NUMBER: W3312XXXXXX



Features:

- 863-928MHz
- Size 75x15 mm
- Flexible PCB thickness 0.1 mm with adhesive tape
- Mounting with 3M467 adhesive tape on back side
- 100mm 1.13mm OD coax cable with U.FL connector



Applications:

- Devices with ISM 868MHz / 915MHz radios
- M2M, IoT
- Metering, Industry automation
- Instrumentation

All dimensions are in mm / inches

Issue: 1912

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: ISM 868/915MHz PCB Antenna

with coax feed

PART NUMBER: W3312XXXXXX

Series: Internal Antenna

ELECTRINIC SPECIFICATIONS			
Frequency	863-928	MHz	
Nominal Impedance	50	Ω	
Return loss	-8	dB	
Efficiency	45	%	
Peak Gain	0.8	dBi +/- 1 dB	
Polarization:	linear		
Power withstanding	2	W	

Note: All RF data measured with 1.5mm polycarbonate plate to simulate loading effect of real device housing.



Description: ISM 868/915MHz PCB Antenna

with coax feed

PART NUMBER: W3312XXXXXX

Series: Internal Antenna

This document covers all product variants of the following product family

Antennas	Color	Connector
W3312B0100	Green	1.13mm OD coax cable with U.FL connector
W3312BB0100	BLACK	



Description: ISM 868/915MHz PCB Antenna

with coax feed

PART NUMBER: W3312XXXXXX

Series: Internal Antenna

MECHANICAL SPECIFICATIONS

PCB type Flexible

Radiator size 15[0.59] x 75[2.95] mm[inch]

Adhesive 3M467

Total thickness (Radiator+adhesive) 0.1[0.004] mm[inch]

Weight 0.74g

Cable type OD 1.13mm coax

Cable length 100[3.94] mm[inch]

Connector U.FL compatible

ENVIRONMENTAL SPECIFICATIONS

Operating temperature -40/+85 ° C






Description: ISM 868/915MHz PCB Antenna

with coax feed

PART NUMBER: W3312XXXXXX

Series: Internal Antenna

MECHANICAL DRAWING





Description: ISM 868/915MHz PCB Antenna

with coax feed


PART NUMBER: W3312XXXXXX

Series: Internal Antenna

CHARTS

Return loss

Return loss vs Frequency measured with 1.5mm polycarbonate plate W3312B0100 measured in PSU , September 18,2016



——W3312B0100 ——spec





Description: ISM 868/915MHz PCB Antenna

with coax feed


PART NUMBER: W3312XXXXXX

Series: Internal Antenna


CHARTS

Efficiency

Efficiency vs Frequency measured with 1.5mm polycarbonate plate W3312B0100 measured in PSU ,September 18,2016



---W3312B0100







Description: ISM 868/915MHz PCB Antenna

with coax feed


PART NUMBER: W3312XXXXXX


Series: Internal Antenna

CHARTS

Peak Gain

Peak Gain vs Frequency measured with 1.5mm polycarbonate plate W3312B0100 measured in PSU,September 18,2016










Description: ISM 868/915MHz PCB Antenna

with coax feed

PART NUMBER: W3312XXXXXX


Series: Internal Antenna

CHARTS



Gain Plots





Issue: 1912






Description: ISM 868/915MHz PCB Antenna

with coax feed


PART NUMBER: W3312XXXXXX

Series: Internal Antenna

CHARTS



Gain Plots



Issue: 1912






Description: ISM 868/915MHz PCB Antenna

with coax feed


PART NUMBER: W3312XXXXXX

Series: Internal Antenna

CHARTS



Gain Plots



Issue: 1912





Series: Internal Antenna

TECHNICAL DATA SHEET

Description: ISM 868/915MHz PCB Antenna

with coax feed

PART NUMBER: W3312XXXXXX

PACKAGING

10PCS/PE bag 10 PE bag/foam bag 15 foam bag/carton box

Total 1500PCS/carton box





Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse:

W4000G197 W4000L197 W4000D197 W3312B0100 W3312BB0100