



W1 - Wipers wall/floor  
/standard system

Think ahead.

## Tork Industrial Heavy-Duty Wiping Paper



Article	130080
System	W1 - Wipers wall/floor /standard system
Colour	Blue
Ply	3
Roll length	255 m
Roll width	36.9 cm
Roll diameter	39 cm
Number of sheets	750
Sheet length	34 cm
Core inside diameter	7.1 cm
Embossing	Yes
Print	No

The extra-strong, 3 ply multi-purpose Tork Industrial Heavy-Duty Wiping Paper has superior absorption and protects hands from heat and dirt. This paper can be used in either the Tork Floor or Wall Stand dispensers, which are developed for safety, efficiency and reliability with their easy load and tear-off features and the possibility to take the required paper with only one hand.

### Key benefits:

- Bulky paper protects your hands from metal scraps and heat
- Its strong texture and high absorbency makes it ideal for removing oil, grease, lubricants and dirt
- High durability - stays strong even when wet, and is reusable

## Environmental

### Content

The product is made from  
Fresh fibres  
The packaging material is made from paper or plastic.

### Material

Fresh fibres Essity has an ambitious target that all raw materials derived from wood-based fresh fibre used in the production of our products is certified either in accordance with the FSC® or the Program for the Endorsement of Forest Certification (PEFC™). In addition, all wood-based fresh fibre shall fulfil the FSC® Controlled Wood standard, including third-party verification. The Essity Fibre Sourcing Policy describes this in more detail and can be found on [www.essity.com](http://www.essity.com). Fresh fibre pulp is produced from softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.  
Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

### Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printing products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

### Food Contact

This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

### Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

### Article creation date and latest article revision

Date of issue: 19-04-2019  
Revision date: 25-08-2022

### Production

This product is produced at KOSTHEIM mill, DE and certified according to HACCP, ISO 9001, ISO 14001 (Environmental management systems), OHSAS 18001, EMAS (eco-management and audit scheme), ISO 50001 and FSC Chain-Of-Custody.

Essity UK Ltd, Southfields Road,  
Dunstable, Bedfordshire LU6 3EJ,  
United Kingdom

This product is certified for FSC® with certificate number SA-COC-008266.  
This product is certified with the EU Ecolabel with certificate number SE/004/001.

### Environmental certification

## Contact

Kirti Mistry  
Essity UK Ltd

E-mail:  
Kirti.Mistry@essity.com



Essity is a leading global hygiene and health company

[www.tork.co.uk](http://www.tork.co.uk)