
REVISIONS						
REV.	DESCRIPTION	DATE	APPROVED			
Α	INITIAL RELEASE	12/04/07	A.D.M.			





FROM AN AUTHORIZED
REPRESENTATIVE OF
APPLIED ENGINEERING PRODUCTS

NOTES:

## MATERIALS:

1. BODY = STAINLESS STEEL PER ASTM A582, ALLOY 303, CONDITION "A".
2. INSULATOR = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
3. CONTACT = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04.

## FINISHES:

BODY = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 0, GRADE C, OVER .000050 TO .00010 STRESS FREE NICKEL PER QQ-N-290.
 CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.

UNLESS OTHERWISE SPECIF DIMENSIONS ARE IN INCH TOLERANCES ON	ES A.D.M.	DATE 12/04/07	AEP	RADIALL company  104 John W. Murphy Dr. New Haven, CT 06513  SMA STRAIGHT JACK DIRECT SOLDER TYPE			
TOLERANCES ON	CHKD:	DATE.	A RAD	IALL compa	ny New Haven, CT 065	13	
DECIMAL ANG	ANGLE D.N. 12/04/0		01477 01177 011011				
Ţ <sup></sup>	APVD:	DATE					
	J.M.	12/04/07	FOR .085 S/R & SIMILAR CABLES				
REFERENCE:	MATERIALS & FI	VISHËS:	SIZE	FSCM NO.	DWG NO.	REV	
		SEE NOTES	Ä	19505	9402-1583-	-01 <u>0 A</u>	
ORIGINATED: A.D.M. DATE: 12/04/07				8:1	THIRD ANGLE PROJECTION	SHEET 1 OF 1	

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Radiall:

9402-1583-010