

Disc Type Capacitors with Lead (High Voltage Ceramic Capacitors)

Product Top Page	Search by Part No.	Search by Characteristics	Cross Reference	Catalog	Tech Note
------------------	--------------------	---------------------------	-----------------	---------	-----------

CC45SL3AD471JYGNA



Applications Commercial Grade


- Feature**
- High** High Voltage (1000V and over)
 - Low D** Low Dissipation
 - Halogen-free** Halogen-free

Series CC45

Status Production

[PDF file of this page](#)

[Contact](#)




● ● ●
Images are for reference only and show exemplary products.

Size	
Diameter(D)	11.50mm Max.
Thickness(T)	5.00mm Max.
Lead Gap(F)	7.50mm ±1.50mm
Lead Diameter(d)	0.60mm ±0.05mm

Electrical Characteristics	
Capacitance	470pF ±5%
Rated Voltage	1kVDC
Withstanding Voltage	2kVDC
Temperature Characteristic ?	SL(0+350,-1000ppm/°C)
Q (Min.)	1000
Insulation Resistance (Min.)	10000MΩ


Other	
Soldering Method	Wave (Flow) Iron Soldering
Lead Length / Package Type	25mm for Bulk
AEC-Q200	No
Package Quantity	1000pcs

Characteristic Graph (This is reference data, and does not guarantee the products characteristics.)



no data available

Change settings



CC45SL3AD471JYGNA


Change settings

Leak Current

no data available

Change settings

Max. Allowable Voltage



CC45SL3AD471JYGNA

Change settings



[Selection Guide](#) [Search by Part No.](#) [Search by Characteristics](#) [Distributor Inventory Check](#) [Cross Reference](#)

Products

- Capacitors >
- Inductors (Coils) >
- EMC Components >
- RF Components and Modules >
- Voltage / Current / Temperature Protection Devices >
- Sensors and Sensor Systems >
- Ceramic Switching / Heating, Piezo Components, Buzzers and Microphones >
- Transformers >
- Ferrites and Accessories >
- Noise Suppressing / Magnetic Sheet >
- Anechoic Chambers and Radio Wave Absorbers >
- Power Supplies >
- Magnets >
- Flash Storages >
- Wireless Power Transfer >
- FA Systems >
- Transparent Conductive Film >
- Micro Modules (Substrates with Built-in ICs, Products Utilizing with SESUR) >

[Solar Cells](#) >

[Biosensor](#) >

[Application Specific IC \(ASIC\) Development and Supply](#) >

Application Guides

Technical Support

Tech Library

Environment

Contact

News

Home

About TDK

TDK Worldwide

[Terms of Use](#) [Privacy Policy](#) [Cookie Policy](#)

Copyright(c) 2018 TDK Corporation. All rights reserved.
TDK logo is a trademark or registered trademark of TDK Corporation.

