

51H EMI Gaskets

Fabric-over-Foam

Innovative **Technology** for a **Connected** World



UL 94V0 RATED NI/CU POLYESTER TAFFETA FABRIC-OVER-FOAM

Laird Technologies' Fabric-over-foam (FoF) 51H EMI gaskets provide excellent EMI shielding performance for customers where EMI issues occur. The 51H series EMI gaskets are composed of electrically conductive fabric wrapped around a soft urethane foam core. They are supplied with either a conductive or non-conductive pressure sensitive adhesive (PSA), and can be equipped with an Extended Release Liner (ERL) on the adhesive. The 51H is a halogen-free, UL 94V0 rated product that can be created with cross-section profiles such as rectangle, D, C, P, T, knife, bell shapes, and others. The 51H EMI gaskets can be further customized to an application by die-cutting, hole punching, notching, etc.

FEATURES ✓ RoHS


- Fabric-over-Foam gaskets are RoHS compliant
- Halogen-free per IEC-61249-2-21 standard
- UL 94V0
- Low surface resistivity of < 0.07 Ω/□ provides excellent conductivity
- Shielding effectiveness of >100 dB across a wide spectrum of frequencies
- Extremely low compression forces allow for use of lighter materials
- Fabric is highly conductive to provide good EMI shielding and grounding
- Abrasion resistant metallized fabrics show virtually no degradation in electrical performance after 1,000,000 cycles
- Laird Technologies' proprietary coating prevents fabric fraying and fingerprinting
- Available with conductive or non-conductive PSA
- Many cross-section profiles available such as rectangle, D, C, P, T, knife, bell and more
- Profile gaskets can be cut to specified lengths, kiss-cut on release liner, or mitered to form frame configurations

MARKETS




- Cabinet applications
- LCD and Plasma TV
- Medical equipment
- Servers
- Printers
- Laptop computers
- Networking equipment
- Desktop computers
- Telecommunications cabinets

FORCE/DISPLACEMENT/RESISTANCE (FDR)



SHIELDING EFFECTIVENESS (dB)



global solutions: local support ™

USA: +1.866.928.8181 Europe: +49.0.8031.2460.0 Asia: +86.755.2714.1166




51H EMI Gaskets

Fabric-over-Foam

Innovative **Technology** for a **Connected** World

Item	Unit	Value	Test Method		
Shielding Effectiveness					
at 100 MHz		108	SAE-ARP-1705(Mod.)		
at 1 GHz	dB	110	(W10 mm x H8 mm)		
Surface Resistivity	Ω/□	< 0.07	ASTM F390		
Compression Set	%	< 20	ASTM D3574		
Operation Temperature	°C	-40 ~ 70	-		
Flame Retardant	UL 94V0 (UL file No.E170327)				
Hazardous Substance	Compliant with RoHS (Directive 2011/65/EU)				
	Compliant with SONY ss-00259				
	Halogen-free (based on IEC-61249-2-21)				
	Antimony-free				
Shelf Life	12 months at 23°C/ 60% R.H.				

COMPOSITION OF PRODUCT




PRESSURE SENSITIVE ADHESIVE (PSA TAPE) OPTIONS

Name	Туре	Thickness (mm)	Peel strength on stainless steel (JIS Z 0237)	Z-axis Resistance
LT-301	Conductive PSA	0.09	> 1.3 kgf/25 mm	$<$ 0.05 Ω
LT-350	PSA	0.12	> 2 kgf/25 mm	-

^{*}Other PSA can be provided. Contact Laird Technologies engineering.

ORDERING INFORMATION

PART NUMBER EXAMPLE



EMI-DS-FOF-51H 0712

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Laird:

4049-AD-51H-01800 4053-AE-51H-01800 4078-AB-51H-01800 4096-AC-51H-01800 4105-AD-51H-01800 4209-AB-51H-01800 4742-AI-51H-01800 4788-AF-51H-01800 4056-PA-51H-01800 4692-PA-51H-01800 4701-PA-51H-01800 4049-PA-51H-01800 4053-PA-51H-01800 4209-PA-51H-01800 4742-PA-51H-01800 4202-PA-51H-01800 4245-PA-51H-01800 4096-PA-51H-01800 4220-PA-51H-01800 4212-PA-51H-01800 4046-PA-51H-01800 4105-PA-51H-01800 4789-PA-51H-01800 4078-PA-51H-01800 4788-PA-51H-01800 4131-PA-51H-01800 4882-PA-51H-01800 4184-PA-51H-01800 4379-PA-51H-01800 4049PA51H00165 4299-PA-51H-01800 4789PA51H09600 4212PA51H00570 4204PA51H01200 4594-PA-51H-01800 4240-PA-51H-01800 4609-PA-51H-01800 4064PA51H07200 4787PA51H09600 4208PA51H01800 4519PA51H01800 4797PA51H01800 4A58PA51H01800 4584PA51H01800 4609PA51H09600 4078PA51H04800 4541AB51H00100 4J68EF51H00650 4060PA51H09600 4062PA51H09600 4212PC51H00240 4212PC51H00291 4212PC51H01051 4212PC51H01450 4212PC51H01220 4212PC51H00287 4212PC51H01055 4212PC51H00236 4912PA51H01800 4619AC51H09600 4052AC51H00071 4080PA51H01800 4200PA51H01200 4295PA51H01800 4215PA51H04800 4980PA51H01800 4695PA51H01800 4584PA51H01200 4206PA51H01200 4094PA51H00146 4359PA51H01200 4231PA51H01200 4283pa51h00415 4286PA51H01200 4695PA51H00850 4693PA51H01800 4668AE51H00175 4609PA51H08400 4181PA51H01950 4609PA51H01200 4693PA51H00305 4215PA51H01200 4247PA51H01200 4097AF51H01800 4054AB51H08400 4788PA51H03930 4A58PA51H01200 4239PA51H01200 4094PA51H01600 4090PA51H08400 4048PA51H01800 4795PA51H01535 4695PA51H01000 4208GQ51H00938 4693AB51H01800 4049PA51H04800 4920PA51H01800 4A66PA51H01800 4164PA51H01200 4228PA51H01200